

2006

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

88

Spotsylvania County
City of Fredericksburg

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: Caroline County Line									
1 Jefferson Davis Hwy	Spotsylvania County	2.61	10000	G	94%	0%	1%	2%	2%	0%	F	0.086	F	0.668	10000	G
							To: 88-606 Thornburg									
1 Jefferson Davis Hwy	Spotsylvania County	4.25	13000	G	94%	0%	1%	2%	2%	0%	F	0.088	F	0.61	13000	G
							From: 88-608 Massaponax Church Rd									
1 Jefferson Davis Hwy	Spotsylvania County	2.52	19000	G	95%	1%	1%	1%	2%	0%	C	0.091	F	0.612	20000	G
							To: US 17 Mills Dr									
1 17 Jefferson Davis Hwy	Spotsylvania County	0.93	49000	G	98%	0%	1%	0%	1%	0%	F	0.072	F	0.632	52000	G
							To: I-95									
1 Jefferson Davis Hwy	Spotsylvania County	0.96	25000	G	98%	0%	1%	0%	1%	0%	F	0.079	F	0.549	27000	G
							From: Bus US 1; SR 208 Four Mile Fork									
							To: US 1 Bus; SR 208 Four Mile Fork									
1 Jefferson Davis Hwy	Spotsylvania County	1.30	31000	G	98%	0%	1%	0%	1%	0%	F	0.084	F	0.655	33000	G
							To: SCL Fredericksburg									
1 Jefferson Davis Blvd	City of Fredericksburg	1.48	33000	A	98%	0%	1%	0%	1%	0%	C	0.100	A	0.559	37000	A
							To: SR 3									
1 Jefferson Davis Blvd	City of Fredericksburg	0.90	31000	G	98%	0%	1%	0%	1%	0%	F	0.083	F	0.582	34000	G
							To: College Ave									
1 Jefferson Davis Blvd	City of Fredericksburg	0.59	29000	G	98%	0%	1%	0%	1%	0%	F	0.078	F	0.525	32000	G
							To: Fall Hill Ave									
1 Jefferson Davis Blvd	City of Fredericksburg	0.29	23000	G	98%	0%	1%	0%	1%	0%	F	0.079	F	0.642	25000	G
							To: Bus US 1 Princess Anne Ave									
1 17 Jefferson Davis Blvd	City of Fredericksburg	0.11	30000	N	98%	0%	1%	0%	1%	0%	N	0.085	N	0.634	32000	N
							To: NCL Fredericksburg									
							From: US 1, SR 208									
Bus 1 LaFayette Blvd	Spotsylvania County	1.52	21000	G	96%	1%	1%	1%	1%	0%	C	0.083	F	0.506	23000	G
							To: SCL Fredericksburg									
Bus 1 LaFayette Blvd	City of Fredericksburg	1.42	22000	G	96%	1%	1%	1%	1%	0%	F	0.084	F	0.553	24000	G
							To: SR 3; Blue and Grey Parkway									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.38	10000	G	96%	1%	1%	1%	1%	0%	F	0.091	F	0.619	11000	G
							To: 111-3957 Sunken Rd									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.56	9400	G	96%	1%	1%	1%	1%	0%	F	0.088	F	0.641	10000	G
							To: 111-3961 Kenmore Ave									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.10	4700	N	98%	1%	1%	0%	0%	0%	N	0.094	N	0.618	5100	N
							To: Bus US 1 Par, Bus 17 Par Princess Anne St									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.06	4700	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.618	5100	G
							To: Bus US 17 Caroline St									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Bus US 17, Lafayette Blvd																
Bus 1 Bus 17 2 Caroline St	City of Fredericksburg	0.38	4700	G	98%	1%	1%	0%	0%	0%	F	0.084	F	5200	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	0%	F	NA		13000	G	
To: Bus SR 3 William St																
From: Bus 1 Bus 17 Caroline St	City of Fredericksburg	0.51	5500	G	98%	1%	1%	0%	0%	0%	C	0.082	F	6000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.655	15000	G
To: Herndon St																
From: Bus 1 Bus 17 Herndon St	City of Fredericksburg	0.06	5500	G	98%	1%	1%	0%	0%	0%	F	0.082	F	6000	G	
To: Bus US 1 Par Princess Anne St																
From: Bus 1 Bus 17 Princess Anne St	City of Fredericksburg	0.70	11000	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.657	12000	G
To: US 1 Jefferson Davis Highway																
From: Bus 1 Bus 17 2 Princess Anne St	City of Fredericksburg	0.37	7500	G	98%	1%	1%	0%	0%	0%	F	0.1	F	8200	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	0%	F	NA		13000	G	
To: Bus SR 3 William St																
From: Bus 1 Bus 17 Princess Anne St	City of Fredericksburg	0.52	8300	G	98%	1%	1%	0%	0%	0%	C	0.101	F	9000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.655	15000	G
To: Bus US 1 Herndon St																
From: 2 Sandy Lane Dr	Spotsylvania County	1.36	5900	G	94%	1%	1%	2%	2%	0%	F	0.091	F	0.591	6100	G
To: US 17 Mills Dr																
From: 2 Bus 17 Tidewater Trail	Spotsylvania County	3.56	12000	G	94%	1%	1%	2%	2%	0%	C	0.092	F	0.627	12000	G
To: 88-1301																
From: 2 Bus 17 Tidewater Trail	Spotsylvania County	0.97	22000	G	94%	1%	1%	2%	2%	0%	F	0.081	F	0.602	24000	G
To: ECL Fredericksburg																
From: 2 Bus 17 Dixon St	City of Fredericksburg	0.55	23000	G	93%	1%	1%	2%	3%	0%	C	0.082	F	0.61	25000	G
To: Ramp from SR 3 Connector																
From: 2 Bus 17 Dixon St	City of Fredericksburg	0.26	11000	G	98%	1%	1%	0%	0%	0%	C	0.093	F	0.631	12000	G
To: Charles St																
From: 2 Bus 17 Dixon St	City of Fredericksburg	0.06	5000	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.639	5400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
To: Princess Anne St																
From: 2 Bus 17 Princess Anne St	City of Fredericksburg	0.26	5900	G	97%	1%	1%	0%	0%	0%	C	0.079	F	0.507	6500	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8400	G	97%	1%	1%	0%	0%	0%	C	0.079	F		9100	G
To: Bus US 1																


Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">2</div> <div style="margin-right: 5px;">Bus</div> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">1</div> <div style="margin-right: 5px;">Bus</div> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">17</div> </div> Princess Anne St	From: [redacted] Bus US 1	City of Fredericksburg	0.37	7500	G	98%	1%	1%	0%	0%	0%	F	0.1	F	8200	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	0%	F	NA		13000	G	
	To: [redacted] Bus SR 3 William St																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Plank Rd	From: [redacted] Orange County Line	Spotsylvania County	5.27	24000	G	94%	1%	1%	1%	3%	0%	F	0.079	F	0.555	24000	G
	To: [redacted] 88-610 Elys Ford Rd																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Plank Rd	From: [redacted] 88-626 Andora Dr	Spotsylvania County	2.99	31000	G	94%	1%	1%	1%	3%	0%	C	0.077	F	0.582	33000	G
	To: [redacted] 88-627 Gordon Rd																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Plank Rd	From: [redacted] 88-639 Salem Church Rd	Spotsylvania County	1.33	43000	G	94%	1%	1%	1%	3%	0%	F	0.074	F	0.62	46000	G
	To: [redacted] WCL Fredericksburg																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Plank Rd	From: [redacted] I-95	City of Fredericksburg	1.53	56000	G	94%	1%	1%	1%	3%	0%	F	0.073	F	0.637	60000	G
	To: [redacted] US 1 Jefferson Davis Hwy																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Plank Rd	From: [redacted] Oakwood St	City of Fredericksburg	1.09	71000	G	94%	1%	1%	1%	3%	0%	F	0.072	F	0.554	76000	G
	To: [redacted] SR 3 Blue and Grey Parkway																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Plank Rd	From: [redacted] Bus SR 3 William St	City of Fredericksburg	0.63	47000	G	93%	1%	1%	2%	4%	0%	F	0.072	F	0.52	50000	G
	To: [redacted] Bus SR 3 William St																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div>	From: [redacted] Bus US 1 LaFayette Blvd	City of Fredericksburg	0.24	39000	G	93%	1%	1%	2%	4%	0%	F	0.079	F	0.558	43000	G
	To: [redacted] Bus US 17 SR 2 Dixon St																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Blue and Grey Parkway	From: [redacted] ECL Fredericksburg	City of Fredericksburg	0.53	30000	G	93%	1%	1%	2%	4%	0%	C	0.080	F	0.521	33000	G
	To: [redacted] Bus US 1 LaFayette Blvd																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Blue and Grey Parkway	From: [redacted] Bus US 17 SR 2 Dixon St	City of Fredericksburg	1.00	36000	G	93%	1%	1%	2%	4%	0%	F	0.080	F	0.519	39000	G
	To: [redacted] ECL Fredericksburg																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> Blue and Grey Parkway	From: [redacted] SR 3 Blue and Grey Parkway	City of Fredericksburg	0.36	37000	G	93%	1%	1%	2%	4%	0%	F	0.085	F	0.615	41000	G
	To: [redacted] SR 3 Blue and Grey Parkway																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> William St	From: [redacted] 111-3958 Hanover St	City of Fredericksburg	0.14	14000	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.552	15000	G
	To: [redacted] 111-3955 College Ave																
<div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">3</div> William St	From: [redacted] 111-3955 College Ave	City of Fredericksburg	0.30	12000	G	99%	0%	1%	0%	0%	0%	C	0.086	F	0.591	13000	G
	To: [redacted] SR 3 Par, Washington Ave																

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 3 William St	From: SR 3 Par, Washington Ave City of Fredericksburg	0.37	6200	G	98%	0%	1%	0%	0%	0%	C	0.096	F	0.557	6800	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	0%	F	0.096	F		13000	G
Bus 3 William St	To: Bus US 1 Caroline St City of Fredericksburg	0.07	6700	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.64	7400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			13000	G	98%	1%	1%	0%	0%	0%	F	0.095	F		14000	G
Bus 3 William St	To: Bus SR 3 Par, Sophia St City of Fredericksburg	0.03	18000	G	98%	0%	1%	0%	0%	0%	F	0.099	N	0.562	19000	G
Bus 3 Washington Ave	To: WCL Stafford From: Bus SR 3 William St City of Fredericksburg	0.07	5800	G	98%	1%	1%	0%	0%	0%	F	0.096	F		6400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	0%	F	0.096	F		13000	G
Bus 3 Amelia St	To: 111-3963 Amelia St From: 111-3963, Washington Ave City of Fredericksburg	0.43	4900	G	98%	1%	1%	0%	0%	0%	C	0.089	F		5400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	0%	C	NA			12000	G
Bus 3 Sophia St	To: 111-3973 Sophia St From: 111-3973, Amelia St City of Fredericksburg	0.07	6300	G	98%	1%	1%	0%	0%	0%	F	0.089	F		6900	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			13000	G	98%	1%	1%	0%	0%	0%	F	0.095	F		14000	G
17 Mills Dr	To: Bus SR 3 William St From: Caroline County Line Spotsylvania County	1.89	5700	G	92%	1%	1%	1%	6%	0%	F	0.083	F	0.551	5100	G
17 Mills Dr	To: SR 2; Bus US 17 From: Spotsylvania County	1.23	7000	G	92%	1%	1%	1%	6%	0%	F	0.087	F	0.547	6200	G
17 Mills Dr	To: 88-609 Jim Morris Rd; Thornton Rolling Rd From: Spotsylvania County	3.17	13000	G	92%	1%	1%	2%	4%	0%	C	0.09	F	0.585	11000	G
17 Mills Dr	To: 88-771; 88-1035 From: Spotsylvania County	1.35	27000	G	92%	1%	1%	1%	6%	0%	F	0.078	F	0.552	24000	G
17 1 Jefferson Davis Hwy	To: US 1 Jefferson Davis Hwy From: US 1 Spotsylvania County	0.93	49000	G	98%	0%	1%	0%	1%	0%	F	0.072	F	0.632	52000	G
17 95	To: I-95 N From: US 1 Jefferson Davis Hwy Spotsylvania County	2.81														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			121000	G	84%	1%	1%	1%	13%	1%	F	0.066	F	0.559	106000	G
17 95	To: SCL Fredericksburg From: City of Fredericksburg (Maint: 88)	0.89														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			121000	G	84%	1%	1%	1%	13%	1%	F	NA			106000	G
	To: SR 3															

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From: SR 3																
	City of Fredericksburg (Maint: 88)	2.29					See I-95 for directional traffic volume estimates for this segment.										
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 164000 G 84% 1% 1% 1% 13% 1% F 0.065 F 0.570 144000 G																
	To: Stafford County Line																
	Tidewater Trail	Spotsylvania County	3.56	12000	G	94%	1%	1%	2%	2%	0%	C	0.092	F	0.627	12000	G
	From: US 17 Mills Dr, SR 2 Sandy Lane Dr																
	Tidewater Trail	Spotsylvania County	0.97	22000	G	94%	1%	1%	2%	2%	0%	F	0.081	F	0.602	24000	G
	From: 88-1310																
	Dixon St	City of Fredericksburg	0.55	23000	G	93%	1%	1%	2%	3%	0%	C	0.082	F	0.61	25000	G
	From: ECL Fredericksburg																
	Dixon St	City of Fredericksburg	0.26	11000	G	98%	1%	1%	0%	0%	0%	C	0.093	F	0.631	12000	G
	From: Ramp from Rte. 3 Connector																
	Dixon St	City of Fredericksburg	0.06	5000	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.639	5400	G
	From: Charles St																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 11000 G 98% 1% 1% 0% 0% 0% F NA 12000 G																
	Dixon St	City of Fredericksburg	0.06	2500	G	98%	1%	1%	0%	0%	0%	F	0.123	F		2700	G
	From: Princess Anne St																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 8400 G 98% 1% 1% 0% 0% 0% F 0.08 F 0.613 9200 G																
	Caroline Street	City of Fredericksburg	0.24	2400	G	98%	0%	1%	0%	0%	0%	C	0.128	F		2700	G
	From: Caroline St Dixon Street																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 8400 G 97% 1% 1% 0% 0% 0% C 0.079 F 9100 G																
	Caroline St	City of Fredericksburg	0.38	4700	G	98%	1%	1%	0%	0%	0%	F	0.084	F		5200	G
	From: Lafayette Blvd																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 12000 G 98% 1% 1% 0% 0% 0% F NA 13000 G																
	Caroline St	City of Fredericksburg	0.51	5500	G	98%	1%	1%	0%	0%	0%	C	0.082	F		6000	G
	From: Bus SR 3 William St																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 14000 G 98% 1% 1% 0% 0% 0% C 0.094 F 0.655 15000 G																
	Herndon St	City of Fredericksburg	0.06	5500	G	98%	1%	1%	0%	0%	0%	F	0.082	F		6000	G
	From: Herndon St Caroline St																
	Princess Anne St	City of Fredericksburg	0.70	11000	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.657	12000	G
	From: BUS US 1 Par Princess Anne St BUS US 1 Par Herndon St																
	Jefferson Davis Blvd	City of Fredericksburg	0.11	30000	N	98%	0%	1%	0%	1%	0%	N	0.085	N	0.634	32000	N
	From: US 1 Jefferson Davis Highway BUS US 1 Princess Anne Ave																
	To: NCL Fredericksburg																

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 17 2 Princess Anne St	From: Dixon Street															
	City of Fredericksburg	0.26	5900	G	97%	1%	1%	0%	0%	0%	C	0.079	F	0.507	6500	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8400	G	97%	1%	1%	0%	0%	0%	C	0.079	F		9100	G
		To: Bus US 1, Bus US 17 Lafayette Blvd														
North 95	From: Caroline County Line															
	Spotsylvania County	1.61	39000	G	84%	1%	1%	1%	13%	1%	F	0.064	F		34000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			80000	G	84%	1%	1%	1%	13%	1%	F	NA			69000	G
		To: 88-606 Mudd Tavern Rd														
North 95	From: 88-606 Mudd Tavern Rd															
	Spotsylvania County	7.97	48000	A	84%	1%	1%	1%	13%	1%	C	0.102	A		43000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			97000	A	84%	1%	1%	1%	13%	1%	C	0.094	A	0.504	86000	A
		To: US 1, US 17 Jefferson Davis Hwy														
North 95 17	From: US 1, US 17 Jefferson Davis Hwy															
	Spotsylvania County	2.81	59000	G	84%	1%	1%	1%	13%	1%	F	0.065	F		52000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			121000	G	84%	1%	1%	1%	13%	1%	F	0.066	F	0.559	106000	G
		To: SCL Fredericksburg														
North 95 17	From: SCL Fredericksburg															
	City of Fredericksburg (Maint: 88)	0.89	59000	G	84%	1%	1%	1%	13%	1%	F	0.065	F		52000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			121000	G	84%	1%	1%	1%	13%	1%	F	NA			106000	G
		To: SR 3 Plank Rd														
North 95 17	From: SR 3 Plank Rd															
	City of Fredericksburg (Maint: 88)	2.29	84000	G	84%	1%	1%	1%	13%	1%	F	0.07	F		74000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			164000	G	84%	1%	1%	1%	13%	1%	F	0.065	F	0.570	144000	G
		To: Stafford County Line														
South 95	From: Caroline County Line															
	Spotsylvania County	2.07	41000	G	83%	1%	1%	1%	14%	1%	F	0.078	F		35000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			80000	G	84%	1%	1%	1%	13%	1%	F	NA			69000	G
		To: 88-606 Mudd Tavern Rd														
South 95	From: 88-606 Mudd Tavern Rd															
	Spotsylvania County	7.27	49000	A	83%	1%	1%	1%	14%	1%	C	0.096	A		43000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			97000	A	84%	1%	1%	1%	13%	1%	C	0.094	A	0.504	86000	A
		To: US 1, US 17 Jefferson Davis Hwy														
South 95 17	From: US 1, US 17 Jefferson Davis Hwy															
	Spotsylvania County	2.90	62000	G	83%	1%	1%	1%	14%	1%	F	0.076	F		54000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			121000	G	84%	1%	1%	1%	13%	1%	F	0.066	F	0.559	106000	G
		To: SCL Fredericksburg														
South 95 17	From: SCL Fredericksburg															
	City of Fredericksburg (Maint: 88)	1.61	62000	G	83%	1%	1%	1%	14%	1%	F	0.076	F		54000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			121000	G	84%	1%	1%	1%	13%	1%	F	NA			106000	G
		To: SR 3 Plank Rd														
South 95 17	From: SR 3 Plank Rd															
	City of Fredericksburg (Maint: 88)	1.76	80000	G	83%	1%	1%	1%	14%	1%	F	0.079	F		69000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			164000	G	84%	1%	1%	1%	13%	1%	F	0.065	F	0.570	144000	G
		To: Stafford County Line														

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
		From:	Louisa County Line													
208 Courthouse Rd	Spotsylvania County	3.64	5000	G	91%	2%	2%	2%	3%	0%	F	0.096	F	0.523	5200	G
		To:	88-601 Lewiston Rd													
208 Courthouse Rd	Spotsylvania County	8.85	7200	G	91%	2%	2%	2%	3%	0%	F	0.086	F	0.642	7300	G
		To:	88-648 Block House Rd													
208 Courthouse Rd	Spotsylvania County	2.43	5600	G	91%	2%	2%	2%	3%	0%	C	0.102	F	0.683	5700	G
		To:	88-606 Morris Rd; 88-738 Parlow Rd													
208 Courthouse Rd	Spotsylvania County	3.41	4700	G	91%	2%	2%	2%	3%	0%	F	0.092	F	0.581	4900	G
		To:	88-608 Massaponax Church Rd													
208 Courthouse Rd	Spotsylvania County	0.54	9000	G	91%	2%	2%	2%	3%	0%	F	0.093	F	0.532	9200	G
		To:	88-613 Brock Rd													
208 Courthouse Rd	Spotsylvania County	2.84	20000	G	91%	2%	2%	2%	3%	0%	F	0.084	F	0.635	20000	G
		To:	88-628 Smith Station Rd													
208 Courthouse Rd	Spotsylvania County	3.74	38000	G	91%	2%	2%	2%	3%	0%	F	0.083	F	0.592	42000	G
		To:	US 1 Jefferson Davis Hwy													
		From:	Louisa County Line													
522 Zachary Taylor Hwy	Spotsylvania County	1.01	2800	G	91%	1%	2%	2%	5%	0%	C	0.094	F	0.551	2800	G
		To:	88-612 Monrovia Rd													
522 Zachary Taylor Hwy	Spotsylvania County	0.94	2700	G	91%	1%	2%	2%	5%	0%	F	0.092	F	0.513	2700	G
		To:	Orange County Line													

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(F163) Mallard Rd	0.60	NA												NA		
(F163) Mallard Rd	0.62	NA												NA		
(F164)	0.05	NA												NA		
(F167) Glenwood Dr	0.12	NA												NA		
(F168) Clark Ct	0.16	NA												NA		
(F690)	1.55	NA												NA		
(F691) Wicker St	0.32	NA												NA		
(F691) Kershaw St	0.58	NA												NA		
(F691) Kershaw St	0.50	NA												NA		
(F692)	0.20	NA												NA		
(F693)	0.31	NA												NA		
(F694)	0.08	NA												NA		
(F695)	0.22	NA												NA		
(F696) Overview Dr	1.81	NA												NA		
(F697) Lavue Lane	0.36	NA												NA		
(704/88) Lawyers Rd	0.05	90	R											NA		12/02/2002
(600) Herndon Rd	0.64	640	R											NA		09/10/2002
(600) Herndon Rd	0.66	560	R											NA		08/08/2005
(600) Herndon Rd	0.50	810	R											NA		09/10/2002
(601) Arritt Rd	1.84	820	G	96%	1%	1%	1%	2%	0%	F	0.091	F	0.724	850	G	2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(601) Lewiston Rd	3.21	1100	G	96%	1%	1%	1%	2%	0%	C	0.093	F	0.505	1100	G	2006
			From: 88-622 N, Fairview Rd													
(601) Lewiston Rd	3.73	1500	G	96%	1%	1%	1%	2%	0%	F	0.097	F	0.533	1600	G	2006
			From: 88-614 N, Breaknock Rd													
(601) Lawyers Rd	1.59	2200	G	96%	1%	1%	1%	1%	0%	C	0.09	F	0.566	2200	G	2006
			From: SR 208 S, Courthouse Rd													
(601) Lawyers Rd	2.96	1600	G	96%	1%	1%	1%	1%	0%	F	0.102	F	0.523	1700	G	2006
			From: 88-721 Grand Brooks Rd													
(601) Lawyers Rd	0.97	770	R								NA			NA		10/03/2002
			From: 88-612 Stubbs Bridge Rd													
(601) Lawyers Rd	1.92	690	R								NA			NA		10/07/2002
			From: 88-653 Powell Rd													
(601) Lawyers Rd	2.15	890	G	96%	1%	1%	1%	1%	0%	F	0.092	F	0.55	910	G	2006
			From: 88-652 Belmont Rd													
(601) Lawyers Rd	0.94	1700	G	96%	1%	1%	1%	1%	0%	F	0.088	F	0.619	1700	G	2006
			From: 88-651 Tatum Rd													
(602) Massey Rd	1.71	580	R								NA			NA		10/07/2002
			From: 88-608 Catharpin Rd													
(603) Arcadia Rd	0.70	900	R								NA			NA		10/10/2002
			From: Dead End													
(603) Arcadia Rd	0.89	3300	G	97%	0%	1%	1%	0%	0%	C	0.097	F	0.720	3400	G	2006
			From: SR 208 Courthouse Rd													
(604) Blanton Rd	1.93	310	R								NA			NA		10/10/2002
			From: Caroline County Line													
(605) Swift Rd	1.00	110	R								NA			NA		10/24/2005
			From: 88-605 Marye Rd													
(605) Wallers Rd	2.42	650	R								NA			NA		10/08/2002
			From: 88-622 E, Fairview Rd													
(605) Marye Rd	1.95	720	R								NA			NA		10/10/2002
			From: 88-622 W, Fairview Rd													
(605) Marye Rd	3.38	1400	G	97%	1%	1%	0%	1%	0%	F	0.098	F	0.738	1400	G	2006
			From: 88-738 N, Partlow Rd													
(605) Marye Rd	3.16	2300	G	97%	1%	1%	0%	1%	0%	C	0.102	F	0.744	2300	G	2006
			From: 88-738 S, Partlow Rd													
(605) Marye Rd	0.26	590	R								NA			NA		10/10/2002
			From: 88-658 Shirleys Hill Rd													
(606) Post Oak Rd	2.67	900	G	93%	1%	2%	2%	3%	0%	F	0.093	F	0.564	930	G	2006
			From: 88-647 Blaydes Corner Rd													
(606) Post Oak Rd	0.93	1500	G	93%	1%	2%	2%	3%	0%	F	0.093	F	0.628	1500	G	2006
			From: 88-603 Arcadia Rd													
(606) Post Oak Rd	3.80	870	G	93%	1%	2%	2%	3%	0%	F	0.104	F	0.537	890	G	2006
			From: 88-612 E, Stubbs Bridge Rd													
(606) Post Oak Rd	4.14	1400	G	93%	1%	2%	2%	3%	0%	C	0.098	F	0.626	1400	G	2006
			From: 88-650 Margo Rd													
(606) Morris Rd	3.15	7900	G	94%	1%	1%	2%	2%	0%	C	0.088	F	0.674	8100	G	2006
			From: SR-208 W, Courthouse Rd													
			From: SR 208 Courthouse Rd; 88-738 Partlow Rd													
			To: 88-617 Hams Ford Rd													

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(606) Morris Rd	1.41	10000	G	94%	1%	From: 88-617 Hams Ford Rd				F	0.084	F	0.697	10000	G	2006
(606) Mudd Tavern Rd	0.51	12000	G	93%	1%	From: US 1 Jefferson Davis Hwy				C	0.077	F	0.648	13000	G	2006
(606) Mudd Tavern Rd	1.00	2200	G	93%	1%	From: I-95				C	0.089	F	0.529	2300	G	2006
(607) Guinea Station Rd	1.20	1300	R			From: US 1 Jefferson Davis Hwy				NA			NA			10/21/2002
(607) Guinea Station Rd	2.30	530	R			From: 88-633 Church Pond Rd				NA			NA			10/21/2002
(608) West Catharpin Rd	1.04	1900	G	96%	1%	From: Orange County Line				F	0.101	F	0.527	2000	G	2006
(608) West Catharpin Rd	6.02	1300	G	96%	1%	From: 88-606 Post Oak Rd				F	0.11	F	0.679	1300	G	2006
(608) West Catharpin Rd	0.28	2700	G	96%	1%	From: 88-612 W, Pamunkey Rd				C	0.090	F	0.668	2700	G	2006
(608) Robert E Lee Dr	1.85	1300	R			From: 88-612 E, Catharpin Rd				NA			NA			10/22/2002
(608) Robert E Lee Dr	2.01	1900	R			From: 88-649 W, Seays Rd				NA			NA			10/22/2002
(608) Robert E Lee Dr	1.65	2100	R			From: 88-693 Gladly Fork Rd				NA			NA			10/22/2002
(608) Robert E Lee Dr	0.36	2800	R			From: 88-747 Old Mill Lane				NA			NA			10/22/2002
(608) Robert E Lee Dr	1.17	8200	G	96%	1%	From: 88-648 Block House Rd				C	0.088	F	0.598	8300	G	2006
(608) Massaponax Church Rd	3.90	3000	G	91%	2%	From: 88-613 Brock Rd				F	0.120	F	0.658	3100	G	2006
(608) Massaponax Church Rd	0.95	9500	G	91%	2%	From: SR 208 Courthouse Rd				C	0.106	F	0.623	9700	G	2006
(608) Massaponax Church Rd	2.56	6000	G	96%	2%	From: 88-639 Leavells Rd				C	0.102	F	0.597	6200	G	2006
(608) Massaponax Church Rd	1.97	3000	G	96%	2%	From: US 1 Jefferson Davis Hwy				F	0.111	F	0.509	3100	G	2006
(608) Benchmark Rd	2.65	4100	G	96%	2%	From: 88-668				F	0.106	F	0.651	4200	G	2006
(609) Thornton Rolling Rd	1.86	1900	R			From: US-17 W, Mills Dr				NA			NA			10/21/2002
(609) Jim Morris Rd	1.51	1600	R			From: US-17 E, Mills Dr				NA			NA			10/21/2002
(610) Elys Ford Rd	3.90	2400	G	97%	1%	From: Bus US 17, SR 2 Tidewater Trail				C	0.094	F	0.657	2500	G	2006
(610) Elys Ford Rd	0.98	5300	G	97%	1%	From: Culpeper County Line				F	0.100	F	0.562	5400	G	2006
(610) Old Plank Rd	1.85	3600	G	98%	1%	From: 88-616 US Ford Rd				F	0.106	F	0.578	3700	G	2006
						From: SR-3 W, Plank Rd										
						From: 88-612 Catharpin Rd										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(610) Old Plank Rd	2.85	13000	G	98%	1%	1%	0%	0%	0%	C	0.086	F	0.624	13000	G	2006
						From: 88-612 Catharpin Rd										
(610) Old Plank Rd	0.21	3300	G	98%	1%	1%	0%	0%	0%	F	0.089	F	0.554	3600	G	2006
						From: 88-620 E, Harrison Rd										
(610) Old Plank Rd	0.51	5300	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.898	5800	G	2006
						From: 88-627 Gordon Rd										
						To: SR-3 E, Plank Rd										
(611) Windy Acres Lane	0.35	170	R								NA			NA		09/10/2002
						From: Dead End										
(611) Windy Acres Lane	0.20	200	R								NA			NA		08/08/2005
						From: 88-682 Parker Lane										
(611) Windy Acres Lane	1.10	310	R								NA			NA		08/08/2005
						From: 88-621 Orange Plank Rd										
						To: Orange County Line										
(612) Monrovia Rd	1.46	620	R								NA			NA		10/03/2002
						From: Orange County Line										
(612) Monrovia Rd	2.53	480	G	95%	1%	2%	1%	1%	0%	F	0.111	F	0.541	490	G	2006
						From: US 522 Zachary Taylor Hwy										
(612) Stubbs Bridge Rd	0.38	1100	G	95%	1%	2%	1%	1%	0%	C	0.093	F	0.509	1200	G	2006
						From: 88-719 W, Days Bridge Rd										
(612) Stubbs Bridge Rd	3.87	920	G	95%	1%	2%	1%	1%	0%	F	0.092	F	0.704	950	G	2006
						From: 88-719 E, Days Bridge Rd										
(612) Stubbs Bridge Rd	3.18	770	G	95%	1%	2%	1%	1%	0%	F	0.094	F	0.742	790	G	2006
						From: 88-601 Lawyers Rd										
(612) Pamunkey Rd	4.14	860	G	98%	0%	1%	1%	0%	0%	F	0.099	F	0.846	880	G	2006
						From: 88-606 W, Post Oak Rd										
(612) Catharpin Rd	3.24	1800	G	98%	0%	1%	1%	0%	0%	F	0.088	F	0.697	1900	G	2006
						From: 88-608 E, Robert E Lee Dr										
(612) Catharpin Rd	4.30	3300	G	98%	0%	1%	1%	0%	0%	C	0.083	F	0.621	3400	G	2006
						From: 88-613 Brock Rd										
						To: 88-610 Old Plank Rd										
(613) Brock Rd	1.63	4800	G	94%	3%	1%	2%	0%	0%	C	0.099	F	0.533	4900	G	2006
						From: SR 208 Courthouse Rd										
(613) Brock Rd	4.01	4100	G	94%	3%	1%	2%	0%	0%	F	0.101	F	0.567	4200	G	2006
						From: 88-648 Block House Rd										
(613) Brock Rd	4.78	3400	G	94%	3%	1%	2%	0%	0%	F	0.096	F	0.612	3500	G	2006
						From: 88-612 S, Catharpin Rd										
(613) Brock Rd	1.52	4200	G	94%	3%	1%	2%	0%	0%	F	0.089	F	0.525	4300	G	2006
						From: 88-621 Orange Plank Rd										
						To: SR 3 Plank Rd										
(614) Breaknock Rd	0.20	8	R								NA			NA		10/08/2002
						From: Dead End										
(614) Breaknock Rd	1.30	230	R								NA			NA		10/08/2002
						From: 88-1520 Billman Dr										
(614) Dickerson Rd	1.60	450	R								NA			NA		10/08/2002
						From: 88-601 N, Lewiston Rd										
						To: 88-601 S, Lewiston Rd										
(614) Dickerson Rd	1.57	470	R								NA			NA		10/31/2005
						From: 88-657 Edenton Rd										
(614) Dickerson Rd	0.20	680	R								NA			NA		10/31/2005
						From: 88-1797 Wilton Lane										
						To: 0.20 ME 88-1797										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
614 Dickerson Rd	0.43	830	R				0.20 ME 88-1797					NA		NA		10/31/2005
614 Duerson Lane	1.95	790	R				88-656 Towles Rd					NA		NA		10/08/2002
							88-738 Partlow Rd									
615 Rapidan Dr	0.45	740	R				88-610 Elys Ford Rd					NA		NA		09/04/2002
615 Rapidan Dr	0.47	550	R				88-753 Rapidan Rd					NA		NA		09/04/2002
615 Rapidan Dr	1.10	310	R				0.47 MN 88-753					NA		NA		09/04/2002
							Dead End									
616 US Ford Rd	2.29	1800	R				88-610 Elys Ford Rd					NA		NA		09/04/2002
							88-620 Spottswood Furnace Rd									
617 Hams Ford Rd	1.80	130	R				88-605 Marye Rd					NA		NA		11/02/2005
617 Hams Ford Rd	1.20	1000	R				88-645 Sunset Rd					NA		NA		10/10/2002
							88-606 Morris Rd									
618 River Rd	0.76	1100	R				SR 3 Plank Rd					NA		NA		10/17/2002
618 River Rd	0.14	1400	R				88-1790					NA		NA		10/17/2002
618 River Rd	0.04	2600	R				0.14 ME 88-1790					NA		NA		10/30/2005
618 River Rd	0.39	2500	R				88-1794					NA		NA		10/03/2005
618 River Rd	0.82	2400	R				88-1786 Musket Ridge Lane					NA		NA		10/03/2005
618 River Rd	1.47	1600	R				88-620 Spottswood Furnace Rd					NA		NA		10/17/2002
618 River Rd	0.67	2000	R				88-1740 River Bluffs Dr					NA		NA		10/17/2002
618 River Rd	1.14	2100	R				88-1737 Sedgwick Dr					NA		NA		10/17/2002
618 River Rd	1.33	2200	R				88-1750 Riverdowns Dr					NA		NA		10/17/2002
618 River Rd	0.91	2500	R				1.33 ME 88-1750					NA		NA		10/17/2002
							88-639 Bragg Rd									
619 Mill Rd	1.25	710	R				88-620 Spottswood Furnace Rd					NA		NA		10/22/2002
619 Mill Rd	0.30	130	R				88-1033					NA		NA		10/22/2002
							Cul-de-Sac									
620 Spottswood Furnace Rd	1.24	810	R				88-610 Elys Ford Rd					NA		NA		09/04/2002
620 Spottswood Furnace Rd	0.74	180	R				88-1733 Antler Rd					NA		NA		09/04/2002
620 Spottswood Furnace Rd	1.80	260	R				0.74 ME 88-1733					NA		NA		10/03/2005
							88-616 US Ford Rd									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(620) Spotswood Furnace Rd	1.92	240	R			From: 88-616 US Ford Rd					NA			NA		10/03/2005
(620) Spotswood Furnace Rd	2.65	970	R			From: 88-618 River Rd					NA			NA		10/17/2002
(620) Harrison Rd	0.49	4400	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.714	4800	G	2006
(620) Harrison Rd	0.59	13000	G	99%	0%	1%	0%	0%	0%	F	0.102	F	0.599	14000	G	2006
(620) Harrison Rd	1.29	17000	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.597	18000	G	2006
(620) Harrison Rd	1.53	15000	G	99%	0%	1%	0%	0%	0%	C	0.102	F	0.662	16000	G	2006
(620) Harrison Rd	0.92	18000	G	99%	0%	1%	0%	0%	0%	F	0.129	F	0.805	19000	G	2006
(620) Harrison Rd	0.18	5500	G	99%	0%	1%	0%	0%	0%	C	0.096	F	0.543	6000	G	2006
(621) Orange Plank Rd	1.60	1700	R			From: Orange County Line					NA			NA		09/10/2002
(621) Orange Plank Rd	3.30	3900	G	93%	2%	2%	3%	1%	0%	C	0.087	F	0.568	4000	G	2006
(621) Orange Plank Rd	2.10	6100	R			From: 88-613 Brock Rd					NA			NA		09/10/2002
(622) Lucks Rd	0.95	160	R			From: Dead End					NA			NA		10/08/2002
(622) Fairview Rd	1.20	1300	R			From: 88-601 S; Arritt Rd					NA			NA		10/08/2002
(622) Fairview Rd	1.60	840	R			From: 88-601 Lewiston Rd; Arritt Rd					NA			NA		10/10/2002
(623) Stewart Rd	0.90	120	R			From: 88-605 W; Wallers Rd					NA			NA		10/10/2002
(623) Stewart Rd	0.90	120	R			From: 88-605 W, Wallers Rd					NA			NA		10/10/2002
(624) Piney Branch Rd	2.10	900	R			From: 88-738 Partlow Rd					NA			NA		10/17/2005
(625) Ashby Dr	0.50	1000	R			From: 88-613 Brock Rd					NA			NA		10/17/2005
(625) Ashby Dr	1.00	2000	R			From: 88-612 Catharpin Rd					NA			NA		10/22/2002
(626) Andora Dr	0.41	8200	R			From: Dead End					NA			NA		09/12/2002
(627) Gordon Rd	1.45	3900	G	98%	0%	1%	1%	0%	0%	F	0.097	F	0.668	4000	G	2006
(627) Gordon Rd	2.07	5000	G	98%	0%	1%	1%	0%	0%	F	0.091	F	0.685	5200	G	2006
(627) Gordon Rd	0.91	12000	G	98%	0%	1%	1%	0%	0%	F	0.088	F	0.599	12000	G	2006
						From: 88-714 Cloverdale St					NA			NA		09/12/2002
						From: 88-674 Chancellor Rd					NA			NA		09/12/2002
						From: 88-610 Old Plank Rd					NA			NA		09/12/2002
						From: SR 3 Plank Rd					NA			NA		09/12/2002
						From: 88-613 Brock Rd					NA			NA		09/12/2002
						From: 88-732 Mallard Point Lane					NA			NA		09/12/2002
						From: 88-628 Smith Station Rd					NA			NA		09/12/2002
						From: 88-674 Chancellor Rd					NA			NA		09/12/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Spotsylvania County																	
(627) Gordon Rd	1.42	16000	G	98%	0%	1%	1%	0%	0%	C	0.082	F	0.647	18000	G	2006	
						From: 88-674 Chancellor Rd											
						To: 88-620 Harrison Rd											
(627) Gordon Rd	0.12	15000	G	98%	0%	1%	1%	0%	0%	F	0.080	F	0.619	16000	G	2006	
						From: 88-610 Plank Rd											
(628) Smith Station Rd	2.10	6500	R								NA			NA		09/16/2002	
						From: US 1 Jefferson Davis Hwy											
(628) Smith Station Rd	1.67	7700	R								NA			NA		09/16/2002	
						From: 88-639 Leavells Rd											
(628) Smith Station Rd	1.60	9100	G	97%	0%	1%	2%	0%	0%	C	0.093	F	0.575	10000	G	2006	
						From: SR 208 Courthouse Rd											
(628) Smith Station Rd	0.91	6200	G	97%	0%	1%	2%	0%	0%	F	0.093	F	0.569	6400	G	2006	
						From: 88-1157											
						To: 88-627 Gordon Rd											
(629) Foster Rd	0.56	5000	R								NA			NA		11/19/2005	
						From: 88-628 Smith Station Rd											
						To: SR 208 Courthouse Rd											
(630) Corene Rd	0.38	20	R								NA			NA		10/24/2005	
						From: 88-655 Ridge Rd											
						To: SR 208 Courthouse Rd											
(631) American Legion Dr	0.21	810	R								NA			NA		08/03/2005	
						From: SR 208 Courthouse Rd											
						To: SR 208 Courthouse Rd											
(632) Roxbury Mill Rd South	1.00	490	R								NA			NA		10/21/2002	
						From: US 1 S, Jefferson Davis Hwy											
(632) Roxbury Mill Rd South	0.12	70	R								NA			NA		10/31/2005	
						From: 1.00 MN US 1											
(632) Roxbury Mill Rd North	0.96	1300	R								NA			NA		11/02/2005	
						From: Dead End; Gap											
						To: US 1 MID, Jefferson Davis Hwy											
(632) Hickory Ridge Rd	3.40	950	R								NA			NA		10/21/2002	
						From: US 1 N, Jefferson Davis Hwy											
						To: 88-608 Massaponax Church Rd											
(633) Church Pond Rd	1.40	1000	R								NA			NA		10/21/2002	
						From: 88-607 Guinea Station Rd											
						To: 88-608 Massaponax Church Rd											
(634) Flippo Dr	2.60	150	R								NA			NA		10/21/2002	
						From: 88-607 Guinea Station Rd											
						To: 88-608 Massaponax Church Rd											
(635) Lee Hill School Dr	2.53	3600	R								NA			NA		09/09/2002	
						From: US 17 Mills Dr											
						To: 88-736 Eagle Dr											
(636) Ewell Rd	0.09	1600	R								NA			NA		11/14/2005	
						From: SR 208 E, Courthouse Rd											
(636) Ewell Rd	0.30	1400	R								NA			NA		11/14/2005	
						From: 88-1209 Pegram Lane											
(636) Hood Dr	0.44	13000	R								NA			NA		11/14/2005	
						From: SR 208 W, Courthouse Rd											
(636) Mine Rd	1.47	15000	G	97%	1%	1%	1%	1%	0%	C	0.087	F	0.510	17000	G	2006	
						From: US 1 Jefferson Davis Hwy											
(636) Mine Rd	2.30	5900	G	97%	1%	1%	1%	1%	0%	F	0.093	F	0.643	6100	G	2006	
						From: 88-638 Lansdowne Rd											
						To: 88-608 Benchmark Rd											

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Spotsylvania County																	
(637)	0.09	40	R								NA			NA		09/25/2002	
(638)	Lansdowne Rd	1.92	7200	G	96%	1%	1%	1%	1%	0%	C	0.093	F	0.71	7900	G	2006
(639)	Leavells Rd	3.07	3000	R							NA			NA		08/26/2002	
(639)	Leavells Rd	0.43	6600	R							NA			NA		08/26/2002	
(639)	Leavells Rd	0.69	8900	R							NA			NA		08/26/2002	
(639)	Leavells Rd	2.08	24000	G	98%	1%	0%	0%	0%	0%	F	0.092	F	0.515	27000	G	2006
(639)	Salem Church Rd	1.45	28000	G	98%	1%	0%	0%	0%	0%	C	0.094	F	0.561	30000	G	2006
(639)	Bragg Rd	0.91	15000	F	99%	0%	0%	0%	0%	0%	C	0.087	F	0.67	16000	F	2006
(640)	Black Meadow Rd	1.60	830	R							NA			NA		10/03/2005	
(641)	Gatewood Rd	0.20	170	R							NA			NA		10/08/2002	
(642)	Woolfolk Rd	0.80	150	R							NA			NA		09/26/2005	
(643)	Haleys Mill Rd	2.50	190	R							NA			NA		10/24/2005	
(643)	Williams Lane	0.96	100	R							NA			NA		10/24/2005	
(644)	Village Dr	0.09	120	R							NA			NA		08/27/2002	
(644)	Marshall Dr	0.07	70	R							NA			NA		08/27/2002	
(645)	Sunset Rd	1.20	550	R							NA			NA		10/10/2002	
(645)	Sunset Rd	0.85	660	R							NA			NA		10/10/2002	
(645)	Sunset Rd	0.25	840	R							NA			NA		10/31/2005	
(646)	Stanfield Rd	3.48	270	R							NA			NA		10/10/2002	
(647)	Twilight Lane	0.10	90	R							NA			NA		11/02/2005	
(647)	Blaydes Corner Rd	3.80	450	R							NA			NA		10/10/2002	

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(648) Block House Rd	2.26	830	R				From: 88-738 Partlow Rd				NA			NA		10/31/2005
(648) Block House Rd	1.15	1000	R				To: 2.26 MN 88-738				NA			NA		10/31/2005
(648) Block House Rd	2.94	7000	G	94%	1%	1%	2%	1%	0%	C	0.093	F	0.568	7200	G	2006
(648) Block House Rd	1.12	2300	G	94%	1%	1%	2%	1%	0%	F	0.104	F	0.556	2400	G	2006
(649) Seays Rd	1.10	750	R				From: 88-606 Post Oak Rd				NA			NA		10/22/2002
(649) Seays Rd	1.20	860	R				To: 88-703 Mastin Lane				NA			NA		10/22/2002
(649) Mill Pond Rd	2.30	480	R				From: 88-608 W, Robert E Lee Dr 88-608 E, Robert E Lee Dr				NA			NA		10/22/2002
(650) Margo Rd	1.30	430	R				To: 88-612 Catharpin Rd				NA			NA		10/07/2002
(651) Tatum Rd	0.10	390	R				From: 88-733 Brockenburg Rd				NA			NA		10/07/2002
(651) Houston Lane	0.25	40	R				To: 88-606 Post Oak Rd				NA			NA		09/27/2005
(652) Belmont Rd	1.00	460	R				From: Orange County Line				NA			NA		10/03/2002
(652) Belmont Rd	2.10	420	R				To: 88-601 Lawyers Rd				NA			NA		10/03/2002
(653) Orange Springs Rd	1.90	200	R				From: 88-719 Days Bridge Rd				NA			NA		10/03/2002
(653) Jones Powell Rd	1.70	310	R				To: 88-652 N, Belmont Rd 88-652 S, Belmont Rd				NA			NA		10/03/2002
(654) Windway Dr	0.55	120	R				From: 88-601 Lawyers Rd				NA			NA		09/26/2005
(654) Windway Dr	0.03	2	R				To: 88-612 Monrovia Rd				NA			NA		09/26/2005
(655) Ridge Rd	1.78	260	R				From: SR 208 Courthouse Rd				NA			NA		10/07/2002
(655) Ridge Rd	1.45	250	R				To: 88-1545 Windway Dr				NA			NA		10/07/2002
(656) Towles Mill Rd	2.77	390	R				From: 88-601 Lawyers Rd				NA			NA		10/31/2005
(656) Towles Mill Rd	0.13	700	R				To: 88-614 Dickerson Rd				NA			NA		10/31/2005
(656) Towles Mill Rd	2.30	590	R				From: 88-614 Dickerson Rd				NA			NA		10/07/2002
							To: 2.77 MN 88-614				NA			NA		10/07/2002
							From: 88-691 Block Rock Dr				NA			NA		10/07/2002
							To: SR 208 Courthouse Rd				NA			NA		10/07/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(657) Edenton Rd	3.40	210	R											NA		10/08/2002
(658) Mount Olive Rd	3.10	500	R											NA		10/10/2002
(658) Shirleys Hill Rd	2.00	420	G	95%	3%	0%	0%	1%	0%	C	0.103	F	0.575	430	G	2006
(659) Lanes Corner Rd	2.80	130	R											NA		10/24/2005
(660) Len Hart Lane	0.70	90	R											NA		11/02/2005
(661) Hudgins Rd	0.30	1800	R											NA		11/09/2005
(661) Hudgins Rd	0.31	1400	R											NA		11/09/2005
(662) Log Cabin Rd	1.92	70	R											NA		11/02/2005
(663)	0.97	280	R											NA		10/03/2002
(664) Granite Springs Rd	1.10	130	R											NA		09/27/2005
(665) Belfonte Rd	0.60	370	R											NA		10/08/2002
(665) Belfonte Rd	1.40	270	R											NA		10/24/2005
(666) Tribble Rd	0.57	70	R											NA		11/02/2005
(667) Robinson Rd	0.80	170	R											NA		10/24/2005
(667) Robinson Rd	0.41	20	R											NA		10/07/2002
(668)	2.84	300	R											NA		10/21/2002
(669)	0.27	110	R											NA		10/10/2002
(669) Trivette Rd	0.33	60	R											NA		11/02/2005
(669) Butler Rd	1.39	100	R											NA		11/02/2005
(669) Butler Rd	0.81	200	R											NA		11/02/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(669) Smith Rd	1.15	40	R			From: 88-738 N, Partlow Rd					NA			NA		11/02/2005
						To: Caroline County Line										
(670) Winding Rd	1.65	420	R			From: 88-738 Partlow Rd					NA			NA		10/10/2002
						To: 88-605 Marye Rd										
(671)	0.41	510	R			From: SR 208 Courthouse Rd					NA			NA		09/25/2002
						To: 88-1031										
(672)	0.44	240	R			From: 88-608 Massaponax Church Rd					NA			NA		10/21/2002
						To: Dead End										
(673) Piedmont Dr	0.30	4900	R			From: 88-628 Smith Station Rd					NA			NA		08/29/2005
						To: 88-1154 Fawn Circle										
(673) Piedmont Dr	0.68	5900	R			From: 88-1100 Deerskin Dr					NA			NA		09/12/2005
						To: 88-1100 Deerskin Dr										
(673) Piedmont Dr	1.20	8100	R			From: 88-620 Harrison Rd					NA			NA		09/14/2005
						To: 88-620 Harrison Rd										
(674) Chancellor Rd	0.50	3700	R			From: 88-610 Old Plank Rd					NA			NA		09/17/2002
						To: 88-625 Ashby Dr										
(674) Chancellor Rd	0.60	3500	R			From: 0.60 M SE 88-625					NA			NA		09/18/2002
						To: 88-627 Gordon Rd										
(675) Five Mile Rd	1.08	860	R			From: SR 3 Plank Rd					NA			NA		09/20/2005
						To: Dead End										
(676) Cookstown Rd	0.90	140	R			From: 88-613 Brock Rd					NA			NA		08/08/2005
						To: Dead End										
(677)	0.23	620	R			From: Dead End					NA			NA		09/25/2002
						To: US 1 Jefferson Davis Hwy										
(678) Shepherds Rd	3.03	610	R			From: 88-605 Marye Rd					NA			NA		11/02/2005
						To: Dead End										
(679)	1.10	310	R			From: Caroline County Line					NA			NA		10/10/2002
						To: 88-738 Partlow Rd										
(680) Granite Springs Rd	1.20	280	R			From: 88-664 Granite Springs Rd					NA			NA		09/27/2005
						To: 1.20 MN 88-664										
(680) Granite Springs Rd	1.00	350	R			From: 88-601 Lawyers Rd					NA			NA		09/27/2005
						To: 88-601 Lawyers Rd										
(681) Lorraine Ave	0.12	930	R			From: US 1 Bus; Lafayette Blvd					NA			NA		08/18/2005
						To: 88-1201 Madeline Ave										
(681) Lorraine Ave	0.12	850	R			From: 88-1204 Laurel Ave; 88-1219					NA			NA		08/18/2005
						To: 88-1222 Lorraine Ct										
(681) Lorraine Ave	0.09	690	R			From: 88-9393 Spotswood Elementary School					NA			NA		08/18/2005
						To: 88-9393 Spotswood Elementary School										

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(681) Lorraine Ave	0.08	430	R				From: 88-9393 Spotswood Elementary School							NA		08/18/2005
							To: 88-1370 Ann Davis Dr									
(682) Parker Lane	0.95	60	R				From: 88-611 Windy Acres Lane							NA		08/08/2005
							To: Dead End									
(683) Bartlett Lane	0.17	30	R				From: Dead End							NA		10/05/2005
							To: 88-698 Harry Lee Dr									
(683) Bartlett Lane	0.30	40	R				From: 88-698 Harry Lee Dr							NA		10/05/2005
							To: Dead End									
(684) Craigs Church Lane	0.65	280	R				From: 88-608 Catharpin Rd							NA		09/27/2005
							To: 88-754 Hayden Rd									
(684) Craigs Church Lane	0.95	150	R				From: 88-754 Hayden Rd							NA		09/27/2005
							To: Dead End									
(685) Pritchett Rd	0.45	150	R				From: Dead End							NA		10/22/2002
							To: 88-648 Block House Rd									
(686)	0.16	140	R				From: US 1 Jefferson Davis Hwy							NA		08/05/2002
							To: US 1 Bus									
(687) Shirley Rd	1.20	70	R				From: 88-653 Orange Springs Rd							NA		09/27/2005
							To: Orange County Line									
(688)	1.17	440	R				From: SR 3 Plank Rd							NA		09/03/2002
							To: 88-675									
(689) Gentry Lane	0.30	60	R				From: 88-601 Lewiston Rd							NA		10/24/2005
							To: Dead End									
(690) Peppertree Rd	0.40	20	R				From: Dead End							NA		08/08/2005
							To: 0.40 MN Dead End									
(690) Peppertree Rd	0.60	120	R				From: 0.40 MN Dead End							NA		08/08/2005
							To: 88-600 Herndon Rd									
(691) Black Rock Dr	1.51	170	R				From: 88-656 Towles Rd							NA		10/07/2002
							To: SR 208 Courthouse Rd									
(692) Sunnybrook Farm Rd	0.75	70	R				From: Dead End							NA		10/31/2005
							To: 88-608 Robert E Lee Dr									
(693) Gladly Fork Rd	0.40	40	R				From: 88-608 Robert E Lee Dr							NA		10/31/2005
							To: Dead End									
(694) Heatherstone Dr	0.35	3400	R				From: SR 3 Plank Rd							NA		02/02/2005
							To: 88-745									
(694) Heatherstone Dr	0.13	1900	R				From: 88-745							NA		02/02/2005
							To: 88-1160 Duke of Gloucester St									
(694) Heatherstone Dr	0.37	360	R				From: 88-1160 Duke of Gloucester St							NA		02/02/2005
							To: Dead End									
(695)	0.16	750	R				From: US 1 Jefferson Davis Hwy							NA		08/05/2002
							To: US 1 Bus									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(696) Sullivan Rd	1.10	70	R											NA		09/27/2005
(697) Red Hill Rd	0.50	480	R											NA		10/22/2002
(698) Harry Lee Dr	0.10	110	R											NA		10/05/2005
(699) French Acors Rd	0.96	270	R											NA		10/10/2002
(700)	0.20	660	R											NA		10/29/2002
(701) Rumsey Lane	0.70	40	R											NA		10/31/2005
(702) Curtis Lane	0.90	150	R											NA		10/31/2005
(703) Mastin Lane	0.20	110	R											NA		10/31/2005
(704) Hadamar Rd	1.05	160	R											NA		11/02/2005
(705) Jennings Lane	0.50	150	R											NA		10/31/2005
(706) Cherry Rd	0.65	1700	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.517	1800	G	2006
(707) Chewning Lane	0.40	230	R											NA		09/03/2002
(707) Chewning Lane	0.06	350	R											NA		09/20/2005
(708) Bernstein Rd	0.18	120	R											NA		09/03/2002
(709) Alsop Town Rd	0.54	240	R											NA		10/31/2005
(710) Taskforce Dr	0.16	3900	R											NA		09/14/2005
(710) Maple Grove Dr	0.16	4400	R											NA		09/20/2005
(710) Bragg Rd	0.27	2000	R											NA		09/20/2005
(710) Bragg Rd	0.11	950	R											NA		09/20/2005
(711) Southpoint Pkwy	1.14	NA												NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(711) Southpoint Pkwy	0.11	13000	R			From: 88-1590 Ballantrave Dr						NA		NA		08/15/2005
(711) Rollingwood Dr	0.31	580	R			To: SR 208 Courthouse Rd						NA		NA		08/15/2005
(711) Rollingwood Dr	0.27	230	R			From: 88-746						NA		NA		08/15/2005
						To: Dead End										
(712) Bradley Lane	0.40	150	R			From: SR 208 Courthouse Rd						NA		NA		10/24/2005
						To: Dead End										
(713)	1.41	160	R			From: Dead End						NA		NA		10/08/2002
						To: 88-601 Lewiston Rd										
(714) Cloverdale St	0.36	48	R			From: Dead End						NA		NA		09/29/2005
(714) Cloverdale St	0.34	530	R			To: 0.36 MN Dead End						NA		NA		09/29/2005
						To: 88-625 Ashby Dr										
(715) Camp Town Rd	0.50	320	R			From: 88-648 Block House Rd						NA		NA		10/31/2002
						To: Dead End										
(716) Southgate Ave	0.28	320	R			From: Bus US 1 Lafayette Blvd						NA		NA		08/27/2002
(716) Southgate Ave	0.05	110	R			To: 88-1219 Bancroft Rd						NA		NA		08/27/2002
						To: 88-1203 End Dr										
(718) Hebron Church Rd	0.60	180	R			From: Dead End						NA		NA		10/31/2005
						To: SR 208 Courthouse Rd										
(719) Days Bridge Rd	2.83	260	R			From: Orange County Line						NA		NA		10/03/2002
(719) Days Bridge Rd	1.83	750	R			To: 88-652 Belmont Rd						NA		NA		10/13/2002
(719) Days Bridge Rd	1.18	1100	R			From: 88-612 E, Stubbs Bridge Rd						NA		NA		10/03/2002
						To: Louisa County Line										
(720) Confederate Cemetery	0.25	20	R			From: Dead End						NA		NA		08/01/2005
						To: SR 208 Courthouse Rd										
(721) Grand Brooks Rd	4.01	200	R			From: 88-601 Lawyers Rd						NA		NA		10/24/2005
						To: 88-612 Stubbs Bridge Rd										
(722) Tanglewood Rd	0.82	500	R			From: 88-606 Morris Rd						NA		NA		09/16/2002
(722) Tanglewood Rd	0.08	60	R			To: 88-1430						NA		NA		10/31/2005
						To: Dead End										
(723) Dovey Rd	0.92	120	R			From: Dead End						NA		NA		10/03/2002
						To: 88-612 Stubbs Bridge Rd										
(724) Wigglesworth Rd	0.50	20	R			From: Dead End						NA		NA		11/02/2005
						To: 88-658 Mount Olive Rd										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(725) Talley Rd	0.70	120	R											NA		10/17/2005
(726) Ryland Payne Rd	0.65	100	R											NA		10/24/2005
(727) Rosser St	0.20	60	R											NA		10/05/2005
(728) Wheeler Rd	0.65	210	R											NA		10/31/2005
(729)	0.19	830	R											NA		08/05/2002
(730)	0.16	110	R											NA		08/05/2002
(732) Mallard Point Rd	0.30	40	R											NA		08/03/2005
(733) Brockenburg Rd	0.68	360	R											NA		10/07/2002
(734)	0.80	340	R											NA		10/22/2002
(735)	0.09	400	R											NA		10/22/2002
(736) Eagle Dr	0.05	2000	R											NA		10/22/2002
(736)	0.36	70	R											NA		10/21/2002
(738) Partlow Rd	1.98	1700	G	96%	0%	1%	1%	2%	0%	F	0.094	F	0.568	1700	G	2006
(738) Partlow Rd	2.97	1600	G	96%	0%	1%	1%	2%	0%	C	0.087	F	0.528	1600	G	2006
(738) Partlow Rd	3.83	2500	G	96%	0%	1%	1%	2%	0%	F	0.085	F	0.709	2600	G	2006
(738) Partlow Rd	1.74	3300	G	96%	0%	1%	1%	2%	0%	F	0.089	F	0.749	3400	G	2006
(738) Partlow Rd	2.01	3900	G	96%	0%	1%	1%	2%	0%	F	0.087	F	0.763	4000	G	2006
(739) Dickenson Dr	0.03	360	R											NA		07/31/2002
(739) Dickenson Dr	0.31	290	R											NA		07/31/2002
(740) Wrights Lane	0.05	930	R											NA		09/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(740) Wrights Lane	0.04	20	R				88-741				NA			NA		09/03/2002
							SR 3 Plank Rd									
(741)	0.02	1100	R				88-740 Wrights Lane				NA			NA		09/03/2002
							SR 3 Plank Rd									
(742) Timberbrook Lane	0.54	100	R				88-667 Robinson Rd				NA			NA		10/24/2005
							Cul-de-Sac									
(743) Lewis Thorburn Rd	0.79	1800	R				Dead End				NA			NA		09/17/2002
							88-610 Old Plank Rd									
(744) Dogwood Ave	0.26	140	R				88-620 Harrison Rd				NA			NA		07/31/2002
							88-610 Old Plank Rd									
(745)	0.13	70	R				Dead End				NA			NA		09/03/2002
							88-1172									
(745)	0.18	490	R				88-694 Heatherstone Dr				NA			NA		09/03/2002
							Dead End									
(746)	0.05	120	R				88-711 Rollingwood Dr				NA			NA		09/23/2002
							88-1726 Millwood Dr									
(747) Old Mill Lane	1.54	180	R				88-1725 Millstream Dr				NA			NA		10/31/2005
							88-608 Robert E Lee Dr									
(747) Old Mill Lane	0.35	630	R				Cul-de-Sac				NA			NA		10/31/2005
							88-1929 Elm St									
(748) Three Cedars Lane	0.12	80	R				88-639 Leavells Rd				NA			NA		08/31/2005
							Dead End									
(748)	0.91	2900	R				US 1 Jefferson Davis Hwy				NA			NA		10/31/2005
							88-636 Mine Rd									
(750) Lee Dr	0.30	60	R				Battlefield Rd				NA			NA		09/12/2002
							88-601 Lawyers Rd									
(752) Fenton Rd	0.49	90	R				SR 208 Courthouse Rd				NA			NA		10/24/2005
							88-615 Rapidan Dr									
(753) Rapidan Rd	0.45	230	R				Dead End				NA			NA		10/03/2005
							88-684 Craigs Church Lane									
(754) Hayden Rd	0.30	40	R				Dead End				NA			NA		09/27/2005
							Dead End									
(756)	0.41	2800	R				US 17 Bus				NA			NA		03/14/2002
							Dead End									
(756)	0.43	1800	R				Dead End				NA			NA		03/14/2002
							Dead End									
(757) Moss Lane	0.27	6	R				88-601 Lewiston Rd				NA			NA		10/24/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(758) Lee Hill Park Rd	0.20	980	R			From: 88-635 Lee Hill School Dr					NA			NA		10/19/2005
						To: Dead End										
(759) Orrock Lane	0.73	20	R			From: FR-163 Mallard Rd					NA			NA		10/31/2005
						To: Caroline County Line										
(760) Willow Oaks Dr	0.20	1500	R			From: SR 3 Plank Rd					NA			NA		09/08/2005
(760) Corter Ave	0.11	1000	R			From: 88-1755 S, McClain St					NA			NA		09/08/2005
(760) Corter Ave	0.06	960	R			From: 88-1755 N, McClain St					NA			NA		09/08/2005
(760) Corter Ave	0.05	800	R			From: 88-1756 Willow Woods Dr					NA			NA		09/08/2005
(760) Corter Ave	0.11	670	R			From: 88-1757 Drew Lane					NA			NA		09/08/2005
						To: 88-1758 Middleton Dr										
(762) White Shop Rd	0.30	30	R			From: Dead End					NA			NA		09/26/2005
						To: 88-719 Days Bridge Rd										
(763) Don Rd	0.60	60	R			From: 88-719 Days Bridge Rd					NA			NA		09/26/2005
						To: Dead End										
(764)	0.53	390	R			From: 88-639 Leavells Rd					NA			NA		08/07/2002
						To: 88-1292										
(765) Crossroads Pkwy	0.47	110	R			From: Dead End					NA			NA		10/21/2002
						To: Bus US 17 Mills Dr										
(766) Nyland Rd	0.61	110	R			From: Cul-de-Sac					NA			NA		11/02/2005
						To: 88-634 Flippo Dr										
(767) Wildwood Court	0.11	49	R			From: Dead End					NA			NA		08/11/2005
						To: 88-635 Lee Hill School Dr										
(768) Blount Dr	1.28	90	R			From: Dead End					NA			NA		10/24/2005
						To: 88-601 Lewistown Rd										
(770) Northeast Dr	0.64	1300	R			From: Dead End					NA			NA		08/11/2005
						To: FR-696 Overview Dr										
(771) Cosner Dr	0.31	1300	R			From: Dead End					NA			NA		08/11/2005
(771) Cosner Dr	0.03	4200	R			From: FR-696 Overview Dr					NA			NA		08/11/2005
						To: US 17; 88-1035										
(775)	0.06	3100	R			From: 88-639 Salem Church Rd					NA			NA		1999
						To: 88-776										
(776)	0.09	90	R			From: Cul-de-Sac					NA			NA		1999
(776)	0.17	3100	R			From: 88-775					NA			NA		1999
						To: 88-1118 Norris Dr										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(777) Round Hill Rd	0.16	90	R								NA			NA		10/17/2005
(778) Landon Lane	0.07	30	R								NA			NA		10/17/2005
(780) Corridor Dr	0.58	650	R								NA			NA		08/03/2005
(785) Hunters Lodge Dr	0.45	NA									NA			NA		
(790)	0.07	240	R								NA			NA		10/29/2002
(990)	0.85	170	R								NA			NA		10/28/2002
(991)	0.15	40	R								NA			NA		10/28/2002
(992)	0.39	100	R								NA			NA		10/28/2002
(999) Greentree Dr	0.16	110	R								NA			NA		11/07/2005
(1000) Cedar Brook Dr	0.13	680	R								NA			NA		11/07/2005
(1001) Kemper Dr	0.07	60	R								NA			NA		11/07/2005
(1002) Bent Tree Dr	0.79	160	R								NA			NA		11/07/2005
(1004) Briarbend Ct	0.21	120	R								NA			NA		11/07/2005
(1005) Leavels Crossing Dr	0.76	320	R								NA			NA		11/07/2005
(1006) Rainwood Dr	0.46	220	R								NA			NA		11/07/2005
(1007) Priest Ct	0.05	40	R								NA			NA		11/07/2005
(1008) Jamie Ct	0.16	170	R								NA			NA		11/07/2005
(1009) Lotus Ct	0.05	40	R								NA			NA		11/07/2005
(1010)	0.46	170	R								NA			NA		10/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1013)	0.09	50	R											NA		10/02/2002
(1014) Cowger Ct	0.09	120	R											NA		11/07/2005
(1015)	0.05	30	R											NA		09/25/2002
(1016)	0.80	210	R											NA		09/25/2002
(1017)	0.18	200	R											NA		10/02/2002
(1018) State Place	0.04	40	R											NA		08/11/2005
(1019) Harvard St	0.06	210	R											NA		08/11/2005
(1019) Harvard St	0.06	130	R											NA		08/11/2005
(1020) Chatham Court	0.09	80	R											NA		08/11/2005
(1021) Fullerton Court	0.10	280	R											NA		08/11/2005
(1021) Fullerton Court	0.07	100	R											NA		08/11/2005
(1022) Crossgate Dr	0.14	130	R											NA		08/11/2005
(1022) Crossgate Dr	0.06	70	R											NA		08/11/2005
(1023) Westover Court	0.05	48	R											NA		08/11/2005
(1024) Colechester St	0.12	130	R											NA		08/11/2005
(1024) Colechester St	0.23	110	R											NA		08/11/2005
(1024) Colechester St	0.18	500	R											NA		08/11/2005
(1024) Colechester St	0.08	620	R											NA		08/11/2005
(1024) Colechester St	0.07	680	R											NA		08/11/2005
(1025)	0.04	70	R											NA		09/09/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1026)	0.03	40	R								NA			NA		09/09/2002
(1027)	0.06	150	R								NA			NA		09/09/2002
(1028)	1.33	80	R								NA			NA		10/03/2002
(1028)	0.11	90	R								NA			NA		10/03/2002
(1029)	0.42	4500	R								NA			NA		10/29/2002
(1030) Debon Lane	0.07	70	R								NA			NA		11/19/2005
(1031)	0.06	46	R								NA			NA		09/25/2002
(1032) Gobbler Court	0.09	40	R								NA			NA		09/20/2005
(1033)	0.75	170	R								NA			NA		10/22/2002
(1034) Gunston Hall Rd	0.58	530	R								NA			NA		08/10/2005
(1035)	1.04	4400	R								NA			NA		09/09/2002
(1036)	0.22	910	R								NA			NA		09/09/2002
(1037) Monticello St	0.15	1900	R								NA			NA		09/09/2002
(1037) Monticello St	0.33	1200	R								NA			NA		08/11/2005
(1037) Monticello St	0.15	1000	R								NA			NA		08/11/2005
(1037) Monticello St	0.37	1000	R								NA			NA		10/29/2002
(1038) Wickham Ct	0.05	40	R								NA			NA		08/10/2005
(1039) Murven Park Lane	0.13	60	R								NA			NA		08/10/2005
(1039) Murven Park Lane	0.05	50	R								NA			NA		08/10/2005
(1040)	0.02	40	R								NA			NA		07/31/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1041)	0.02	60	R				From: 88-1196				NA			NA		07/31/2002
							To: Cul-de-Sac									
(1042)	0.02	40	R				From: 88-1196				NA			NA		07/31/2002
							To: Cul-de-Sac									
(1043)	0.02	40	R				From: 88-1196				NA			NA		07/31/2002
							To: Cul-de-Sac									
(1044)	0.12	60	R				From: Dead End				NA			NA		11/07/2002
							To: 88-1034 Gunston Hall Rd									
(1045) Avalon Way	0.08	80	R				From: Cul-de-Sac				NA			NA		08/15/2005
							To: 88-1046 Oakhill Rd									
(1045) Avalon Way	0.04	250	R				From: 88-1046 Oakhill Rd				NA			NA		08/15/2005
							To: 88-1037 Monticello St									
(1045) Avalon Way	0.04	420	R				From: 88-1037 Monticello St				NA			NA		08/15/2005
							To: 88-1048 Mount Vernon Place									
(1045) Avalon Way	0.06	260	R				From: 88-1048 Mount Vernon Place				NA			NA		08/15/2005
							To: 88-1049 Prestwould Ct									
(1045) Avalon Way	0.17	110	R				From: 88-1049 Prestwould Ct				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1046) Oakhill Rd	0.05	160	R				From: 88-1045 Avalon Way				NA			NA		08/15/2005
							To: 88-1047 Kenmore Ct									
(1046) Oakhill Rd	0.08	80	R				From: 88-1047 Kenmore Ct				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1047) Kenmore Ct	0.07	48	R				From: Cul-de-Sac				NA			NA		08/15/2005
							To: 88-1046 Oakhill Rd									
(1048) Mount Vernon Place	0.11	110	R				From: Cul-de-Sac				NA			NA		08/15/2005
							To: 88-1045 Avalon Way									
(1048) Mount Vernon Place	0.10	47	R				From: 88-1045 Avalon Way				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1049) Prestwould Ct	0.09	70	R				From: Cul-de-Sac				NA			NA		08/15/2005
							To: 88-1045 Avalon Way									
(1050)	0.04	80	R				From: 88-1118 Norris Dr				NA			NA		1995
							To: Cul-de-Sac									
(1051)	0.20	160	R				From: 88-1044				NA			NA		11/07/2002
							To: Cul-de-Sac									
(1052)	0.32	170	R				From: 88-1205 Artillery Ridge Rd				NA			NA		10/17/2002
							To: 88-1053									
(1053)	0.13	90	R				From: 88-1205 Artillery Ridge Rd				NA			NA		10/17/2002
							To: 88-1052									
(1054)	0.79	170	R				From: Cul-de-Sac				NA			NA		10/03/2002
							To: 88-612 Monrovia Rd									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1055) Venison Dr	0.31	370	R				From: 88-1059 Antelope Trl				NA			NA		11/09/2005
							To: 88-673 Piedmont Dr									
(1056) Doeskin Dr	0.16	80	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1057) Buckskin Lane	0.16	150	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1058) Deer Dr	0.17	210	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1059) Antelope Trl	0.19	150	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1060) Minuteman Ct	0.19	140	R				From: 88-1044				NA			NA		08/10/2005
							To: Cul-de-Sac									
(1061) Fendale Lane	0.05	230	R				From: 88-1037 Monticello St				NA			NA		08/16/2005
							To: 88-1062 Weston Court									
(1061)	0.16	160	R				From: Cul-de-Sac				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1062) Weston Court	0.06	50	R				From: 88-1061 Fendale Lane				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1063) Oatlands Place	0.05	250	R				From: 88-1037 Monticello St				NA			NA		08/15/2005
							To: 88-1064 Ramsay Dr									
(1063) Oatlands Place	0.11	120	R				From: Cul-de-Sac				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1064) Ramsay Dr	0.16	80	R				From: 88-1063 Oatlands Place				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1065)	0.20	110	R				From: 88-673 Piedmont Dr				NA			NA		1995
							To: Cul-de-Sac									
(1066)	0.46	70	R				From: Dead End				NA			NA		1995
							To: 88-1065 EAST									
(1067)	0.14	70	R				From: Dead End				NA			NA		1995
							To: Cul-de-Sac									
(1068)	0.19	250	R				From: Cul-de-Sac				NA			NA		10/31/2002
							To: 88-1091 Lancaster Ring Rd									
(1069) Saltburn Ct	0.10	100	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: 88-1068									
(1069) Saltburn Ct	0.06	90	R				From: Cul-de-Sac				NA			NA		10/31/2002
							To: Cul-de-Sac									
(1070) Juniper Ct	0.07	60	R				From: 88-1237 Buttemut Dr				NA			NA		11/16/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1071) Kerrydale Cir	0.23	80	R				From: 88-1237 W, Butternut Dr				NA			NA		11/16/2005
							To: 88-1237 E, Butternut Dr									
(1072) Dairy jDr	0.30	90	R				From: Cul-de-Sac				NA			NA		09/26/2005
							To: US 522 Zachary Taylor Hwy									
(1073) Springfield Farm Lane	0.30	40	R				From: Cul-de-Sac				NA			NA		09/26/2005
							To: 88-1010; 88-1074									
(1074) Derrick Circle	0.05	10	R				From: 88-1010; 88-1074				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1075)	0.48	60	R				From: Cul-de-Sac				NA			NA		10/07/2002
							To: 88-608 Catharpin Rd									
(1076) Danielville Dr	0.14	40	R				From: 88-1075				NA			NA		09/27/2005
							To: Cul-de-Sac									
(1077)	0.09	80	R				From: Cul-de-Sac				NA			NA		10/31/2002
							To: 88-1091 Lancaster Ring Rd									
(1078)	0.80	140	R				From: Cul-de-Sac				NA			NA		10/22/2002
							To: 88-649 Seays Rd									
(1079)	0.18	70	R				From: Cul-de-Sac				NA			NA		10/22/2002
							To: 88-1078									
(1080) Sorrell Ct	0.14	120	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: 88-1068									
(1081) Hastings Court East	0.21	110	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: Cul-de-Sac									
(1082)	0.04	50	R				From: Cul-de-Sac				NA			NA		08/29/2002
							To: 88-1145 Tara Dr									
(1083)	0.03	90	R				From: Dead End				NA			NA		08/19/2002
							To: 88-1145 Tara Dr									
(1084)	0.04	40	R				From: Dead End				NA			NA		08/19/2002
							To: 88-1145 Tara Dr									
(1085) Shamrock Dr	0.33	460	R				From: 88-1146 Lavelle Dr				NA			NA		11/09/2005
							To: 88-1141									
(1086) Gallagher Dr	0.15	110	R				From: 88-1085 Shamrock Dr				NA			NA		11/09/2005
							To: 88-1146 Lavelle Dr									
(1087) Kildare Ct	0.03	40	R				From: Cul-de-Sac				NA			NA		11/09/2005
							To: 88-1085 Shamrock Dr									
(1088) Dublin Ct	0.04	60	R				From: Cul-de-Sac				NA			NA		11/09/2005
							To: 88-1085 Shamrock Dr									
(1088) Larry Lane	0.05	90	R				From: Cul-de-Sac				NA			NA		11/09/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1089)	0.13	640	R				From: 88-1099 Manette Dr					NA		NA		10/31/2002
							To: Cul-de-Sac									
(1090)	0.49	3500	R				From: 88-608 Massaponax Church Rd					NA		NA		10/31/2002
							To: Dead End									
(1091)	Lancaster Ring Rd	0.09	1600	R			From: Dead End					NA		NA		10/31/2002
							To: 88-1090									
(1091)	Lancaster Ring Rd	0.55	1100	R			From: 88-1090					NA		NA		10/31/2002
							To: 88-1068									
(1091)	Lancaster Ring Rd	0.56	430	R			From: 88-1068					NA		NA		10/26/2005
							To: 88-2100 Brighten Court									
(1091)	Lancaster Ring Rd	0.60	480	R			From: 88-2100 Brighten Court					NA		NA		10/26/2005
							To: Dead End									
(1092)		0.23	70	R			From: Dead End					NA		NA		10/31/2002
							To: Dead End									
(1093)		0.34	110	R			From: Cul-de-Sac					NA		NA		10/31/2002
							To: 88-1091 Lancaster Ring Rd									
(1094)	Witneys Ct	0.12	300	R			From: Dead End					NA		NA		10/26/2005
							To: 88-1090									
(1094)	Witneys Ct	0.07	310	R			From: 88-1090					NA		NA		10/31/2002
							To: 88-1093									
(1095)		0.34	260	R			From: Cul-de-Sac					NA		NA		09/17/2002
							To: 88-625 Ashby Dr									
(1096)		0.15	130	R			From: Cul-de-Sac					NA		NA		09/17/2002
							To: 88-1095									
(1097)	Banbury Ct	0.06	40	R			From: Cul-de-Sac					NA		NA		09/17/2002
							To: 88-1095									
(1098)		0.16	380	R			From: 88-1091 Lancaster Ring Rd					NA		NA		10/31/2002
							To: Cul-de-Sac									
(1099)	Manette Dr	0.06	180	R			From: Dead End					NA		NA		10/26/2005
							To: 88-1089									
(1099)	Manette Dr	0.11	340	R			From: 88-1089					NA		NA		10/31/2002
							To: 88-1098									
(1100)	Deerskin Dr	0.22	420	R			From: Cul-de-Sac					NA		NA		09/14/2005
							To: 88-1164									
(1100)	Deerskin Dr	0.10	670	R			From: 88-1164					NA		NA		09/14/2005
							To: 88-673 Piedmont Dr									
(1101)		0.13	390	R			From: 88-1106					NA		NA		1999
							To: 88-1105									
(1101)		0.07	450	R			From: 88-1105					NA		NA		1999
							To: 88-1104									
(1101)		0.04	580	R			From: 88-1104					NA		NA		1999
							To: 88-1103									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1101)	0.06	610	R				From: 88-1103					NA		NA		1999
							To: SR 3 Plank Rd									
(1102)	0.20	130	R				From: 88-1106					NA		NA		1999
							To: 88-1103									
(1103)	0.03	20	R				From: Dead End					NA		NA		1999
(1103)	0.07	170	R				From: 88-1102					NA		NA		1999
							To: 88-1101									
(1104)	0.12	390	R				From: 88-1101					NA		NA		1999
(1104)	0.05	490	R				From: 88-1109					NA		NA		1999
(1104)	0.03	710	R				From: 88-1108					NA		NA		1999
							To: 88-1112									
(1105)	0.03	47	R				From: 88-1101					NA		NA		1999
							To: Cul-de-Sac									
(1106)	0.02	30	R				From: Dead End					NA		NA		08/19/2002
(1106)	0.08	80	R				From: 88-1102					NA		NA		08/19/2002
(1106)	0.04	350	R				From: 88-1101					NA		NA		08/19/2002
(1106)	0.06	320	R				From: 88-1107					NA		NA		08/19/2002
(1106)	0.07	680	R				From: 88-1108					NA		NA		08/29/2002
(1106)	0.06	450	R				From: Dead End					NA		NA		08/29/2002
(1106)	0.05	570	R				From: 88-1112					NA		NA		08/29/2002
(1106)	0.19	280	R				From: 88-1280 Taft Dr					NA		NA		08/29/2002
(1106)	0.10	240	R				From: 88-1114 Kennedy Lane					NA		NA		08/29/2002
(1106)	0.03	360	R				From: 88-1186 Truman Circle					NA		NA		08/29/2002
(1106)	0.03	360	R				From: 88-1185 Buchanan Ct					NA		NA		08/29/2002
(1107)	0.14	40	R				From: 88-639; 88-1111					NA		NA		1999
(1107)	0.14	40	R				From: 88-1106					NA		NA		1999
(1108)	0.12	540	R				From: 88-1108					NA		NA		1999
(1108)	0.17	660	R				From: 88-1107					NA		NA		1999
(1109)	0.11	110	R				From: 88-1104					NA		NA		08/29/2002
(1109)	0.11	110	R				From: Cul-de-Sac					NA		NA		08/29/2002
(1109)	0.11	110	R				From: 88-1104					NA		NA		08/29/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1110)	0.28	190	R											NA		09/09/2002
(1111)	0.20	340	R											NA		09/09/2002
(1111)	0.12	NA												NA		
(1112)	0.18	480	R											NA		08/29/2002
(1112)	0.16	380	R											NA		08/29/2002
(1112)	0.26	670	R											NA		08/29/2002
(1112)	0.07	840	R											NA		08/29/2002
(1112)	0.06	1100	R											NA		08/29/2002
(1112)	0.19	1300	R											NA		08/29/2002
(1112)	0.10	1700	R											NA		08/29/2002
(1113)	0.11	180	R											NA		08/29/2002
(1113)	0.10	380	R											NA		08/29/2002
(1114)	Kennedy Lane	0.05	2000	R										NA		09/14/2005
(1114)	Kennedy Lane	0.09	1600	R										NA		09/14/2005
(1114)	Kennedy Lane	0.19	1500	R										NA		09/14/2005
(1114)	Kennedy Lane	0.07	1700	R										NA		09/14/2005
(1114)	Kennedy Lane	0.07	1900	R										NA		09/14/2005
(1114)	Kennedy Lane	0.06	1900	R										NA		09/14/2005
(1114)	Kennedy Lane	0.28	1700	R										NA		09/14/2005
(1115)	Maple Grove Dr	0.32	2000	R										NA		09/20/2005
(1115)	Maple Grove Dr	0.06	3000	R										NA		09/20/2005
(1115)	Maple Grove Dr	0.29	5600	R										NA		09/20/2005
(1116)	Blake Dr	0.12	560	R										NA		09/09/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1116) Blake Dr	0.07	1400	R				From: 88-1122 Dinwiddie Dr				NA			NA		09/09/2002
(1116) Blake Dr	0.14	2300	F				From: 88-1119 Rick Court				0.164	F	0.969	2300	F	2006
							To: 88-1115 Maple Grove Dr									
(1117) Glazebrook Dr	0.06	490	R				From: 88-1118 Norris Dr				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.07	310	R				From: 88-1116 Blake Dr				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.05	220	R				From: 88-1123 Douglas St				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.04	220	R				From: 88-1026 Junie Ct				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.11	320	R				From: 88-1025 Mickey Ct				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.06	510	R				From: 88-1123 Douglas St				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.02	570	R				From: 88-1122 Dinwiddie Dr				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.06	600	R				From: 88-1121 Summer Ct				NA			NA		09/09/2002
(1117) Glazebrook Dr	0.06	630	R				From: 88-1120 Arnall Ct				NA			NA		09/09/2002
							To: 88-1115 Maple Grove Dr									
(1118) Norris Dr	0.07	2000	F				From: 88-776 Old Salem Church Rd				0.146	F	0.960	2000	F	2006
(1118) Norris Dr	0.12	2400	R				From: 88-1117 Glazebrook Dr				NA			NA		09/20/2005
(1118) Norris Dr	0.05	2500	R				From: 88-1050 Eugene Ct				NA			NA		09/20/2005
(1118) Norris Dr	0.11	110	R				From: 88-1119 Rick Court				NA			NA		09/20/2005
							To: Cul-de-Sac									
(1119) Rick Court	0.04	40	R				From: Cul-de-Sac				NA			NA		09/20/2005
(1119) Rick Court	0.05	2500	R				From: 88-1116				NA			NA		09/20/2005
							To: 88-1118 Norris Dr									
(1120) Arnall Ct	0.04	40	R				From: 88-1117				NA			NA		09/09/2002
							To: Cul-de-Sac									
(1121)	0.06	60	R				From: Cul-de-Sac				NA			NA		09/09/2002
							To: 88-1117									
(1122)	0.11	80	R				From: 88-1117				NA			NA		09/09/2002
							To: 88-1116									
(1123)	0.06	90	R				From: 88-1117				NA			NA		09/09/2002
(1123)	0.10	190	R				From: 88-1124				NA			NA		09/09/2002
							To: 88-1117									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1124)	0.03	47	R								NA			NA		09/09/2002
(1125)	0.10	70	R								NA			NA		1999
(1126)	0.05	48	R								NA			NA		1999
(1127)	0.05	50	R								NA			NA		1999
(1128)	0.09	160	R								NA			NA		08/28/2002
(1129)	0.03	45	R								NA			NA		08/29/2002
(1130)	0.09	1100	R								NA			NA		1999
(1131)	0.09	220	R								NA			NA		1999
(1131)	0.04	240	R								NA			NA		1999
(1131)	0.31	470	R								NA			NA		1999
(1131)	0.02	580	R								NA			NA		1999
(1131)	0.10	340	R								NA			NA		1999
(1131)	0.05	380	R								NA			NA		1999
(1131)	0.06	440	R								NA			NA		1999
(1131)	0.07	210	R								NA			NA		1999
(1132) Barkley Dr	0.04	60	R								NA			NA		1999
(1132) Barkley Dr	0.16	190	R								NA			NA		1999
(1133)	0.08	60	R								NA			NA		1999
(1133)	0.07	160	R								NA			NA		1999
(1133)	0.06	140	R								NA			NA		1999
(1133)	0.07	120	R								NA			NA		1999
(1133)	0.06	220	R								NA			NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1133)	0.04	240	R				88-1134					NA		NA		1999
(1133)	0.16	350	R				88-1125					NA		NA		1999
(1133)	0.16	410	R				88-1136					NA		NA		1999
(1133)	0.04	1200	R				88-1131					NA		NA		1999
							88-710 Bragg Rd									
(1134)	0.15	60	R				88-1133					NA		NA		1999
(1134)	0.16	190	R				88-1136					NA		NA		1999
(1135)	0.10	60	R				88-1133					NA		NA		1999
(1135)	0.06	150	R				88-1138					NA		NA		1999
(1135)	0.20	200	R				88-1136					NA		NA		1999
(1136)	0.06	80	R				88-1135					NA		NA		1999
(1136)	0.07	110	R				88-1134					NA		NA		1999
(1136)	0.07	60	R				88-1133					NA		NA		1999
(1137)	0.26	240	R				88-1132 Barkley Dr					NA		NA		1999
(1138)	0.09	20	R				88-1138					NA		NA		1999
(1138)	0.09	49	R				88-1131					NA		NA		1999
(1138)							88-1137					NA		NA		1999
(1139)	0.08	50	R				88-1135					NA		NA		1999
(1140)	0.03	110	R				Cul-de-Sac					NA		NA		1999
(1140)	0.03	110	R				Dead End					NA		NA		08/19/2002
(1140)	0.04	2400	R				88-1131					NA		NA		08/19/2002
(1140)	0.07	2500	R				88-1145 Tara Dr					NA		NA		08/19/2002
(1140)	0.07	2500	R				88-1149					NA		NA		08/29/2002
(1140)	0.08	2600	R				88-1143					NA		NA		08/29/2002
(1140)	0.21	3800	R				88-1141					NA		NA		08/29/2002
(1140)	0.21	4000	R				88-1178 St Patrick St					NA		NA		08/29/2002
(1140)							SR 3 Plank Rd									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1141)	0.09	170	R									NA		NA		08/29/2002
(1141)	0.09	610	R									NA		NA		08/29/2002
(1141)	0.14	1000	R									NA		NA		08/29/2002
(1141)	0.13	490	R									NA		NA		08/29/2002
(1141)	0.08	380	R									NA		NA		08/29/2002
(1142)	0.03	47	R									NA		NA		08/29/2002
(1142)	0.13	130	R									NA		NA		08/29/2002
(1142)	0.05	200	R									NA		NA		08/29/2002
(1143)	0.05	170	R									NA		NA		08/29/2002
(1143)	0.12	130	R									NA		NA		08/29/2002
(1144)	0.03	40	R									NA		NA		08/29/2002
(1145) Tara Dr	0.10	2900	R									NA		NA		09/13/2005
(1145) Tara Dr	0.15	890	R									NA		NA		09/13/2005
(1145) Tara Dr	0.13	360	R									NA		NA		09/13/2005
(1145) Tara Dr	0.10	160	R									NA		NA		09/13/2005
(1145) Tara Dr	0.03	60	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.08	330	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.10	320	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.12	120	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.06	60	R									NA		NA		09/13/2005
(1147)	0.05	750	R									NA		NA		08/19/2002
(1147)	0.11	1200	R									NA		NA		08/19/2002
(1147)	0.18	1900	R									NA		NA		08/19/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1147)	0.11	2300	R									NA		NA		08/19/2002
(1147)	0.04	2600	R									NA		NA		08/19/2002
(1147)	0.06	3100	R									NA		NA		08/19/2002
(1148)	0.19	60	R									NA		NA		08/19/2002
(1149)	0.06	80	R									NA		NA		11/07/2002
(1150)	0.20	200	R									NA		NA		1999
(1150)	0.09	240	R									NA		NA		1999
(1150)	0.13	250	R									NA		NA		1999
(1150)	0.03	490	R									NA		NA		1999
(1151) Doe Circle	0.20	210	R									NA		NA		09/12/2005
(1152) Buck Lane	0.34	830	R									NA		NA		09/12/2005
(1153) Bambi Ct	0.03	50	R									NA		NA		09/12/2005
(1154) Fawn Circle	0.08	70	R									NA		NA		08/29/2005
(1154) Fawn Circle	0.03	260	R									NA		NA		08/29/2005
(1155)	0.09	130	R									NA		NA		08/26/2002
(1156)	0.13	180	R									NA		NA		08/26/2002
(1157) Elk Dr	0.15	240	R									NA		NA		08/29/2005
(1157) Elk Dr	0.16	120	R									NA		NA		08/29/2005
(1158)	0.17	190	R									NA		NA		08/26/2002
(1159) Ashton Cir	0.02	49	R									NA		NA		08/29/2005
(1159) Ashton Cir	0.09	280	R									NA		NA		08/29/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1160) Duke of Gloucester St	0.06	190	R			From: 88-1163 Candlewood St						NA		NA		10/17/2005
(1160) Duke of Gloucester St	0.06	270	R			To: 88-1162 Buxley Ct						NA		NA		10/17/2005
(1160) Duke of Gloucester St	0.10	330	R			From: 88-1161 Belle Meade						NA		NA		10/17/2005
						To: 88-694 Heatherstone Dr										
(1161) Belle Meade	0.06	80	R			From: Cul-de-Sac						NA		NA		10/17/2005
						To: 88-1160 Duke of Gloucester St										
(1162) Buxley Ct	0.06	60	R			From: Cul-de-Sac						NA		NA		10/17/2005
						To: 88-1160 Duke of Gloucester St										
(1163) Candlewood St	0.09	110	R			From: Dead End						NA		NA		10/17/2005
(1163) Candlewood St	0.08	80	R			From: 88-1160 Duke of Gloucester St						NA		NA		10/17/2005
						To: Dead End										
(1164)	0.05	70	R			From: 88-1100 Deerskin Dr						NA		NA		08/26/2002
						To: Cul-de-Sac										
(1165)	0.05	530	R			From: 88-638 Lansdowne Rd						NA		NA		09/30/2002
(1165)	0.06	400	R			To: 88-1167						NA		NA		09/30/2002
(1165)	0.15	260	R			To: 88-1168						NA		NA		09/30/2002
(1165)	0.06	140	R			To: 88-1170						NA		NA		09/30/2002
						To: 88-1171										
(1166)	0.11	150	R			From: Dead End						NA		NA		09/30/2002
(1166)	0.08	380	R			To: 88-1169						NA		NA		09/30/2002
(1166)	0.03	450	R			To: 88-1168						NA		NA		09/30/2002
						To: 88-638 Lansdowne Rd										
(1167)	0.17	80	R			From: 88-1165						NA		NA		09/30/2002
						To: 88-1168										
(1168)	0.14	110	R			From: 88-1165						NA		NA		09/30/2002
(1168)	0.07	150	R			To: 88-1167						NA		NA		09/30/2002
						To: 88-1166										
(1169)	0.09	250	R			From: 88-1166						NA		NA		09/30/2002
(1169)	0.08	120	R			To: 88-1170						NA		NA		09/30/2002
(1169)	0.03	60	R			To: 88-1171						NA		NA		09/30/2002
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1170)	0.13	140	R				88-1165				NA		NA		09/30/2002	
							88-1169									
(1171)	0.11	90	R				88-1165				NA		NA		09/30/2002	
							88-1169									
(1172)	0.13	230	R				88-1173				NA		NA		09/13/2002	
							88-745									
(1173)	0.18	520	R				88-1174				NA		NA		09/03/2002	
							88-1172									
(1173)	0.10	50	R				Dead End				NA		NA		09/03/2002	
							Dead End									
(1174)	0.15	60	R				Dead End				NA		NA		09/03/2002	
							88-1173									
(1174)	0.06	40	R				Dead End				NA		NA		09/03/2002	
							88-1316 E, Roanoke St									
(1175) Albany St	0.38	280	R				88-1316 W, Roanoke St				NA		NA		09/20/2005	
							88-1176									
(1175) Albany St	0.13	610	R				88-1176 Oak Ridge Ct				NA		NA		09/20/2005	
							88-1147									
(1175) Albany St	0.27	830	R				88-1177 Burlington Dr				NA		NA		09/20/2005	
							Cul-de-Sac									
(1176) Oak Ridge Ct	0.03	47	R				88-1175 Albany St				NA		NA		09/20/2005	
							88-1279 Durham Dr									
(1177) Burlington Dr	0.06	80	R				88-1175 Albany St				NA		NA		09/20/2005	
							88-1147									
(1177) Burlington Dr	0.14	200	R				Dead End				NA		NA		09/20/2005	
							88-1140									
(1178) St Patrick St	0.06	30	R				88-1179 Murphy Ct				NA		NA		09/13/2005	
							Dead End									
(1178) St Patrick St	0.04	130	R				Cul-de-Sac									
							88-1178 St Patrick St									
(1178) St Patrick St	0.05	70	R				88-674 Chancellor Rd				NA		NA		09/13/2005	
							88-1181 Silverleaf Lane									
(1179) Murphy Ct	0.04	46	R				88-1182 Harvest Lane									
							Cul-de-Sac									
(1180) Harvestdale Dr	0.05	1100	R								NA		NA		09/08/2005	
(1180) Harvestdale Dr	0.16	640	R													
(1180) Harvestdale Dr	0.27	180	R								NA		NA		09/08/2005	

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1181) Silverleaf Lane	0.11	250	R				88-1610				NA			NA		09/08/2005
(1181) Silverleaf Lane	0.21	240	R				88-1182 E, Harvest Lane				NA			NA		09/08/2005
(1181) Silverleaf Lane	0.17	240	R				88-1180 Harvestdale Dr				NA			NA		09/08/2005
(1181) Silverleaf Lane	0.11	110	R				88-1182 W, Harvest Lane				NA			NA		09/08/2005
(1182) Harvest Lane	0.06	60	R				88-1181 W, Silverleaf Lane				NA			NA		09/08/2005
(1182) Harvest Lane	0.06	270	R				88-1180 Harvestdale Dr				NA			NA		09/08/2005
(1182) Harvest Lane	0.11	200	R				88-1181 E, Silverleaf Lane				NA			NA		09/08/2005
(1182) Harvest Lane	0.18	60	R				88-1610				NA			NA		09/12/2002
(1183)	0.05	50	R				Cul-de-Sac				NA			NA		1999
(1183)	0.11	230	R				88-1187 Breezewood Dr				NA			NA		1999
(1183)	0.11	420	R				88-1294 Powers St				NA			NA		1999
(1184)	0.09	60	R				Cul-de-Sac				NA			NA		1999
(1184)	0.22	330	R				88-1187 Breezewood Dr				NA			NA		1999
(1185) Buchanan Ct	0.09	110	R				88-1106				NA			NA		09/14/2005
(1186) Truman Circle	0.03	40	R				88-1106				NA			NA		09/14/2005
(1187) Breezewood Dr	0.06	170	R				88-1183				NA			NA		08/22/2005
(1187) Breezewood Dr	0.05	300	R				88-1199				NA			NA		08/22/2005
(1187) Breezewood Dr	0.06	510	R				88-1184				NA			NA		08/22/2005
(1187) Breezewood Dr	0.11	1200	R				88-639 Leavells Rd				NA			NA		08/22/2005
(1187) Breezewood Dr	0.11	1500	R				88-1188 Stoney Creek Dr				NA			NA		08/22/2005
(1187) Breezewood Dr	0.04	1700	R				88-1189				NA			NA		08/22/2005
(1187) Breezewood Dr	0.05	1800	R				88-1254 Foxhall Circle; Fairfield Circle				NA			NA		08/22/2005
(1187) Breezewood Dr	0.05	1800	R				Glenside Circle				NA			NA		08/22/2005
(1187) Breezewood Dr	0.05	1800	R				88-1359 Bainbridge Lane				NA			NA		08/22/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1187) Breezewood Dr	0.06	2000	R				From: 88-1359 Bainbridge Lane					NA		NA		08/22/2005
(1187) Breezewood Dr	0.11	2000	R				To: 88-1358 Bradbury Circle					NA		NA		08/22/2005
(1187) Breezewood Dr	0.07	2200	R				From: 88-1356 Mayfair Dr					NA		NA		08/22/2005
(1187) Breezewood Dr	0.09	2400	R				To: 88-1355; 88-1360					NA		NA		08/22/2005
							From: SR 208; 88-1223									
(1188) Stoney Creek Dr	0.10	780	R				To: 88-1187 Breezewood Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.10	1700	R				From: 88-1190					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.05	1700	R				To: 88-1192					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.10	1800	R				From: 88-1189					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.05	1900	R				To: 88-1490 Valley View Rd					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.09	1900	R				From: 88-1361 S, White Lake Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.09	1900	R				To: 88-1491 Dapple Grey Court					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.08	2300	R				From: 88-1492 Inglewood Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.08	2500	R				To: 88-1363 Stable Way					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.06	3500	R				From: 88-1496 Chinaberry Court					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.30	4000	R				To: 88-1361 N, White Lake Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.10	5600	R				From: 88-1590 Ballantraye Dr					NA		NA		09/06/2005
							To: SR 208 Courthouse Rd									
(1189)	0.14	100	R				From: 88-1188 Stoney Creek Dr					NA		NA		08/26/2002
(1189)	0.10	270	R				To: 88-1190					NA		NA		08/26/2002
							From: 88-1187 Breezewood Dr									
(1190)	0.05	830	R				To: 88-1191					NA		NA		08/26/2002
(1190)	0.07	790	R				From: 88-1194					NA		NA		08/26/2002
(1190)	0.06	150	R				To: 88-1188 Stoney Creek Dr					NA		NA		08/26/2002
(1190)	0.06	130	R				From: 88-1193					NA		NA		08/26/2002
							To: 88-1189									
(1191)	0.09	70	R				From: Cul-de-Sac					NA		NA		08/26/2002
(1191)	0.09	790	R				To: 88-1190					NA		NA		08/26/2002
							From: 88-639 Leavells Rd									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1192)	0.04	30	R				From: 88-1188 Stoney Creek Dr					NA		NA		08/26/2002
							To: Cul-de-Sac									
(1193)	0.04	70	R				From: 88-1190					NA		NA		08/26/2002
							To: Cul-de-Sac									
(1194)	0.06	80	R				From: 88-1190					NA		NA		08/26/2002
							To: Cul-de-Sac									
(1195)	0.11	130	R				From: Cul-de-Sac					NA		NA		1999
							To: 88-1293 Hamway Dr									
(1195)	0.06	630	R				From: 88-1293					NA		NA		1999
							To: 88-1297									
(1195)	0.06	880	R				From: 88-1297					NA		NA		1999
							To: 88-1183									
(1195)	0.06	1600	R				From: 88-1183					NA		NA		1999
							To: 88-1199									
(1195)	0.05	1700	R				From: 88-1199					NA		NA		1999
							To: 88-1184									
(1195)	0.06	1800	R				From: 88-1184					NA		NA		1999
							To: 88-639 Leavells Rd									
(1196)	0.28	320	R				From: 88-1198					NA		NA		07/31/2002
							To: 88-1197									
(1196)	0.07	430	R				From: 88-1197					NA		NA		07/31/2002
							To: 88-620 Harrison Rd									
(1197)	0.03	50	R				From: 88-1196					NA		NA		07/31/2002
							To: Cul-de-Sac									
(1198)	0.02	50	R				From: 88-1196					NA		NA		07/31/2002
							To: Cul-de-Sac									
(1199)	0.12	170	R				From: Cul-de-Sac					NA		NA		1999
							To: 88-1187 Breezewood Dr									
(1199)	0.21	340	R				From: 88-1187					NA		NA		1999
							To: 88-1195									
(1199)	0.10	2400	R				From: 88-1195					NA		NA		1999
							To: SR 208 Courthouse Rd									
(1200) Kendale Lane	0.08	90	R				From: 88-739 Dickinson Dr					NA		NA		09/20/2005
							To: Cul-de-Sac									
(1201) Madeline Ave	0.06	100	R				From: 88-1202 Stratford Ave					NA		NA		09/21/2005
							To: 88-681 Lorraine Ave									
(1202) Stratford Ave	0.13	250	R				From: Bus US 1 Lafayette Blvd					NA		NA		08/18/2005
							To: 88-1201 Madeline Ave									
(1202) Stratford Ave	0.12	180	R				From: 88-1201					NA		NA		08/18/2005
							To: 88-1219 Bancroft Rd									
(1202) Stratford Ave	0.05	90	R				From: 88-1219					NA		NA		08/18/2005
							To: 88-1203 End Dr									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1203) East Strafford Ave	0.05	48	R				88-716 Southgate Ave					NA		NA		08/18/2005
							88-1202 Stratford Ave									
(1204) Laurel Ave	0.24	1800	R				Bus US 1 Lafayette Rd					NA		NA		1999
							88-1231 N, Rosemont Lane									
(1204) Laurel Ave	0.07	1400	R				88-1231 Rosemont Lane					NA		NA		1999
							88-1237 W, Butternut Dr									
(1204) Laurel Ave	0.06	810	R				88-1239 W, Beechnut St					NA		NA		1999
							88-1336 Azalea Dr									
(1204) Laurel Ave	0.05	710	R				88-1237 Mid, Butternut Dr					NA		NA		1999
							88-1237 S, Butternut Dr									
(1204) Laurel Ave	0.09	750	R				88-1269 N, Rosewood Dr					NA		NA		1999
							88-1269 S, Rosewood Dr									
(1204) Laurel Ave	0.04	780	R				88-1220 Lombardy Dr					NA		NA		1999
							88-1221 Laurel Ct									
(1204) Laurel Ave	0.10	780	R				88-1231 Rosemont Lane					NA		NA		1999
							88-681 Lorraine Ave									
(1204) Bancroft Rd	0.06	200	R				88-1235 Clay St					NA		NA		08/27/2002
							Dead End									
(1205) Artillery Ridge Rd	0.44	350	R				88-1240 Parkview Dr					NA		NA		08/22/2005
							88-1208 Gunnery Court									
(1205) Artillery Ridge Rd	0.24	590	R				88-1207 Battery Lane					NA		NA		08/22/2005
							88-1206 Caison Way									
(1205) Artillery Ridge Rd	0.10	670	R				88-638 Lansdowne Rd					NA		NA		08/22/2005
							88-1205 Artillery Ridge Rd									
(1206) Caison Way	0.10	80	R				Dead End					NA		NA		08/22/2005
							Dead End									
(1207) Battery Lane	0.14	60	R				88-1205 Artillery Ridge Rd					NA		NA		08/22/2005
							88-1205 Artillery Ridge Rd									
(1208) Gunnery Court	0.08	40	R				Dead End					NA		NA		08/22/2005
							88-636 Ewell Rd									
(1209) Pegram Lane	0.15	480	R				Dead End					NA		NA		09/06/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1210)	0.15	360	R			From: US 1 Bus					NA			NA		08/27/2002
(1210)	0.13	290	R			From: 88-1211					NA			NA		08/27/2002
						To: Dead End										
(1211) Tignor Lane	0.08	250	R			From: 88-1212 Alexandria St					NA			NA		08/27/2002
						To: 88-661 Hudgins Rd										
(1211) Rose Ave	0.06	120	R			From: 88-1214 Early St					NA			NA		08/27/2002
						To: 88-1215 East McLaws St										
(1211)	0.06	190	R			From: 88-1210					NA			NA		08/27/2002
(1211)	0.06	170	R			From: 88-1216 Pender St					NA			NA		08/27/2002
						To: Dead End										
(1212) Alexandria St	0.04	50	R			From: Dead End					NA			NA		08/27/2002
						To: 88-1211 Tignor Lane										
(1212) Alexandria St	0.09	200	R			From: Dead End					NA			NA		08/27/2002
(1213) Archer St	0.05	140	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
						To: Dead End										
(1214) Early St	0.12	230	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
						To: 88-1211 Rose Ave										
(1214) Early St	0.10	40	R			From: Dead End					NA			NA		09/21/2005
(1215) East McLaws St	0.14	170	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
						To: 88-1211 Rose Ave										
(1216) Pender St	0.14	630	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
						To: 88-1211 Rose Ave										
(1216) Pender St	0.10	650	R			From: Dead End					NA			NA		09/21/2005
(1217) Rodes St	0.09	90	R			From: US 1 Bus; 88-1227					NA			NA		09/21/2005
						To: Dead End										
(1218)	0.10	90	R			From: Dead End					NA			NA		09/12/2002
						To: 88-636 Mine Rd										
(1219) Bancroft Rd	0.06	1900	R			From: 88-1235 Clay St					NA			NA		08/18/2005
						To: 88-1236 Garfield Ct										
(1219) Bancroft Rd	0.09	1800	R			From: 88-716 Southgate Ave					NA			NA		08/18/2005
						To: 88-1202 Stratford Ave										
(1219) Bancroft Rd	0.06	1500	R			From: 88-681 Lorraine Ave					NA			NA		08/18/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1220) Lombardy Dr	0.11	170	R			From: 88-681 Lorraine Ave					NA			NA		08/22/2005
(1220) Lombardy Dr	0.08	60	R			From: 88-1204 Laurel Ave					NA			NA		08/22/2005
						To: Cul-de-Sac										
(1221) Laurel Ct	0.04	40	R			From: Dead End					NA			NA		08/22/2005
						To: 88-1204 Laurel Ave										
(1222) Lorraine Ct	0.04	60	R			From: 88-681 Lorraine Ave					NA			NA		08/22/2005
						To: Dead End										
(1223)	0.17	1900	R			From: SR 208; 88-1187					NA			NA		09/25/2002
(1223)	0.12	2000	R			From: 88-1224 SOUTH					NA			NA		09/25/2002
(1223)	0.13	2000	R			From: 88-1224 NORTH					NA			NA		09/25/2002
						To: Dead End; Gap Terminus										
(1223)	0.23	1700	R			From: 88-1982 Gap Terminus					NA			NA		09/25/2002
(1223)	0.06	60	R			From: 88-1005 Leavels Crossing Dr					NA			NA		09/25/2002
						To: Dead End										
(1224)	0.21	50	R			From: 88-1223					NA			NA		09/25/2002
						To: 88-1223										
(1225) McGowan Dr	0.06	190	R			From: Dead End					NA			NA		09/06/2005
(1225) McGowan Dr	0.05	280	R			From: 88-1226 N, Wilcox St					NA			NA		09/06/2005
(1225) McGowan Dr	0.05	410	R			From: 88-1226 S, Wilcox St					NA			NA		09/06/2005
						To: 88-636 Hood Dr										
(1226) Wilcox St	0.02	30	R			From: 88-1225 S, McGowan Dr					NA			NA		09/06/2005
(1226) Wilcox St	0.07	40	R			From: 88-1245 Wilcox St					NA			NA		09/06/2005
						To: 88-1225 N, McGowan Dr										
(1227) Olde Greenwich Dr	0.38	2800	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
						To: Dead End										
(1228) Redwood Dr	0.08	770	R			From: Bus US 1 Lafayette Blvd					NA			NA		08/27/2002
(1228) Redwood Dr	0.06	680	R			From: 88-1229 Midway St					NA			NA		08/27/2002
(1228) Redwood Dr	0.06	590	R			From: 88-1230 Redwood Cir					NA			NA		08/27/2002
						To: 88-1231 Rosemont Lane										
(1229) Midway St	0.08	110	R			From: 88-1228 Redwood Dr					NA			NA		08/27/2002
						To: Cul-de-Sac										
(1230) Redwood Cir	0.07	90	R			From: 88-1228 Redwood Dr					NA			NA		08/27/2002
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1231) Rosemont Lane	0.05	630	R											NA	08/18/2005	
(1231) Rosemont Lane	0.06	620	R											NA	08/18/2005	
(1231) Rosemont Lane	0.03	460	R											NA	08/18/2005	
(1231) Rosemont Lane	0.11	980	R											NA	08/18/2005	
(1231) Rosemont Lane	0.07	750	R											NA	08/18/2005	
(1232) Tulip Cir	0.10	140	R											NA	08/22/2005	
(1232) Tulip Cir	0.11	120	R											NA	08/22/2005	
(1232) Tulip Circle	0.03	40	R											NA	08/22/2005	
(1233) Chestnut Lane	0.04	50	R											NA	08/22/2005	
(1233) Chestnut Lane	0.17	80	R											NA	08/22/2005	
(1234)	0.29	7600	R											NA	11/14/2002	
(1234)	0.39	7700	R											NA	11/14/2002	
(1234)	0.64	5700	R											NA	11/14/2002	
(1235)	0.10	2100	R											NA	08/27/2002	
(1235)	0.13	230	R											NA	08/27/2002	
(1236) Garfield Ct	0.06	140	R											NA	08/18/2005	
(1237) Butternut Dr	0.24	1200	R											NA	10/17/2002	
(1237) Butternut Dr	0.08	740	R											NA	10/17/2002	
(1237) Butternut Dr	0.05	520	R											NA	10/16/2002	
(1237) Butternut Dr	0.32	380	R											NA	10/16/2002	
(1237) Butternut Dr	0.07	190	R											NA	10/16/2002	
(1237) Butternut Dr	0.11	220	R											NA	10/16/2002	
(1237) Butternut Dr	0.14	480	R											NA	10/16/2002	

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1238) Sycamore Dr	0.13	140	R				From: 88-1237 Butternut Dr					NA		NA		10/17/2002
(1238) Sycamore Dr	0.07	90	R				To: 88-1243 Birch Cir					NA		NA		10/17/2002
(1238) Sycamore Dr	0.04	50	R				From: 88-1239 Beechnut St					NA		NA		10/17/2002
							To: Dead End									
(1239) Beechnut St	0.16	210	R				From: 88-1204 Laurel Ave					NA		NA		10/17/2002
							To: 88-1238 Sycamore Dr									
(1240) Parkview Dr	0.18	610	R				From: 88-638 Lansdowne Rd					NA		NA		08/22/2005
(1240) Parkview Dr	0.12	390	R				To: 88-1241 E, Longwood Dr					NA		NA		08/22/2005
(1240) Parkview Dr	0.32	330	R				From: 88-1241 W, Longwood Dr					NA		NA		08/22/2005
							To: Dead End									
(1241) Longwood Dr	0.43	150	R				From: 88-1240 W, Parkview Dr					NA		NA		08/22/2005
							To: 88-1240 E, Parkview Dr									
(1242) Pella Lane	0.29	250	R				From: 88-628 Smith Station Rd					NA		NA		08/31/2005
							To: Cul-de-Sac									
(1243) Birch Cir	0.03	150	R				From: 88-1238 Sycamore Dr					NA		NA		10/17/2002
							To: Cul-de-Sac									
(1244) Tulip Place	0.04	80	R				From: 88-1232 Tulip Cir					NA		NA		08/22/2005
							To: Cul-de-Sac									
(1245) Wilcox St	0.03	30	R				From: Dead End					NA		NA		09/06/2005
							To: 88-1226 Wilcox St									
(1246) Industrial Dr	0.45	5800	R				From: 88-1247 Industrial Ct					NA		NA		09/21/2005
							To: US 1; Ent Ser Rd									
(1247) Industrial Ct	0.18	1700	R				From: 88-1246 Industrial Dr					NA		NA		09/21/2005
							To: Cul-de-Sac									
(1248)	0.50	2000	R				From: 88-636 Ewell Rd					NA		NA		09/25/2002
							To: Dead End									
(1249)	0.21	210	R				From: Dead End					NA		NA		1999
(1249)	0.04	340	R				To: 88-2053 Amelia Dr					NA		NA		1999
(1249)	0.03	420	R				From: 88-2052					NA		NA		1999
(1249)	0.06	1000	R				To: 88-2050					NA		NA		1999
(1249)	0.09	240	R				From: 88-636 Mine Rd					NA		NA		1999
(1249)	0.16	90	R				To: 88-1250 Tulip Poplar Lane					NA		NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1250) Tulip Poplar Lane	0.20	80	R											NA		08/15/2005
(1251) Iron Wood Lane	0.08	230	R											NA		08/15/2005
(1251) Iron Wood Lane	0.06	10	R											NA		1999
(1251) Iron Wood Lane	0.12	20	R											NA		1999
(1252)	0.05	270	R											NA		09/16/2002
(1253) Noel Drive	0.30	100	R											NA		10/19/2005
(1254) Fairfield Circle	0.05	60	R											NA		08/22/2005
(1254) Foxhall Circle	0.05	70	R											NA		08/22/2005
(1255)	0.15	140	R											NA		08/05/2002
(1255)	0.06	320	R											NA		08/05/2002
(1255)	0.06	470	R											NA		08/05/2002
(1255)	0.06	670	R											NA		08/05/2002
(1255)	0.06	840	R											NA		08/05/2002
(1255)	0.06	970	R											NA		08/05/2002
(1255)	0.06	1200	R											NA		08/05/2002
(1255)	0.06	1300	R											NA		08/05/2002
(1255)	0.07	1500	R											NA		08/05/2002
(1256)	0.23	110	R											NA		08/05/2002
(1257)	0.12	190	R											NA		08/05/2002
(1257)	0.06	370	R											NA		08/05/2002
(1257)	0.06	550	R											NA		08/05/2002
(1257)	0.06	750	R											NA		08/05/2002
(1257)	0.06	900	R											NA		08/05/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1257)	0.06	1000	R				From: 88-1260					NA		NA		08/05/2002
(1257)	0.06	1200	R				To: 88-1259					NA		NA		08/05/2002
(1257)	0.06	1300	R				From: 88-1258					NA		NA		08/05/2002
(1257)	0.07	1500	R				To: 88-1256					NA		NA		08/05/2002
							From: 88-639 Leavells Rd									
(1258)	0.23	140	R				To: 88-1255					NA		NA		08/05/2002
(1259)	0.23	190	R				From: 88-1255					NA		NA		08/05/2002
(1260)	0.24	160	R				To: 88-1257					NA		NA		08/05/2002
(1261)	0.25	170	R				From: 88-1255					NA		NA		08/05/2002
(1262)	0.13	160	R				To: 88-1257					NA		NA		08/05/2002
(1262)	0.13	180	R				From: 88-1255					NA		NA		08/05/2002
(1263)	0.14	130	R				To: 88-1275					NA		NA		08/05/2002
(1263)	0.13	130	R				From: 88-1255					NA		NA		08/05/2002
(1264)	0.20	170	R				To: 88-1276					NA		NA		08/05/2002
(1264)	0.08	120	R				From: 88-1257					NA		NA		08/05/2002
(1265) Meadowview Dr	0.24	460	R				To: 88-1266 S, Hillside Lane					NA		NA		08/15/2005
(1265) Meadowview Dr	0.07	1100	R				From: 88-1266 N, Hillside Lane					NA		NA		08/15/2005
(1266) Hillside Lane	0.30	130	R				To: 88-636 Mine Rd					NA		NA		08/15/2005
(1266) Hillside Lane	0.43	310	R				From: 88-1265 N; Begin Loop					NA		NA		08/15/2005
(1267) Circle One Dr	0.04	48	R				To: 88-1265 S, Meadowview Dr					NA		NA		08/15/2005
(1268) Fern Ct	0.09	80	R				From: 88-1265 N; End Loop					NA		NA		08/15/2005
(1269) Rosewood Dr	0.23	130	R				To: Cul-de-Sac					NA		NA		08/15/2005
							From: 88-1220 Lombardy Dr					NA		NA		11/14/2005
							To: Cul-de-Sac					NA		NA		11/14/2005
							From: 88-1204 W, Laurel Ave					NA		NA		11/14/2005
							To: 88-1204 E, Laurel Ave					NA		NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1270) Cambridge Dr	0.77	1000	R				From: 88-1821 NORTH					NA		NA		08/29/2005
(1270) Devonne Dr	0.15	790	R				To: 88-639 Leavells Rd					NA		NA		08/29/2005
(1270) Devonne Dr	0.05	610	R				From: 88-1271 Jamie Court					NA		NA		08/29/2005
(1270) Devonne Dr	0.19	540	R				To: 88-1272 Shawn Dr					NA		NA		08/29/2005
							From: 88-1274 Lovett Dr									
(1271) Jamie Court	0.13	190	R				To: Cul-de-Sac					NA		NA		08/29/2005
							From: 88-1270 Devonne Dr									
(1272) Shawn Dr	0.10	70	R				To: 88-1274 Lovett Dr					NA		NA		08/29/2005
							From: 88-1270 Devonne Dr									
(1273) Lee White Lane	0.12	130	R				To: 88-1274 Lovett Dr					NA		NA		08/29/2005
							From: 88-1270 Devonne Dr									
(1274) Lovett Dr	0.98	580	R				To: Cul-de-Sac					NA		NA		08/29/2005
							From: 88-1002 Bent Tree Dr									
(1275)	0.05	20	R				To: 88-1263					NA		NA		08/05/2002
							From: 88-1262									
(1276)	0.03	70	R				To: Cul-de-Sac					NA		NA		08/05/2002
							From: 88-1257									
(1276)	0.09	80	R				To: 88-1264					NA		NA		08/05/2002
							From: Dead End									
(1277) Quality Dr	0.12	470	R				To: 88-1247 Industrial Ct					NA		NA		11/16/2005
							From: 88-1312 Cleveland Ct									
(1278) Burman Lane	0.26	320	R				To: 88-1147					NA		NA		09/20/2005
							From: 88-1312 Cleveland Ct									
(1279) Durham Dr	0.22	290	R				To: 88-1147					NA		NA		09/20/2005
							From: 88-1314 Columbus Court									
(1279) Durham Dr	0.07	380	R				To: 88-1313 Dayton Ct					NA		NA		09/20/2005
							From: 88-1177 Burlington Dr									
(1279) Durham Dr	0.12	520	R				To: 88-1300 Wilmington Court					NA		NA		09/20/2005
							From: 88-1147									
(1280) Taft Dr	0.19	70	R				To: 88-1281 Ford Rd					NA		NA		09/14/2005
							From: 88-1330 Roosevelt Rd									
(1280) Taft Dr	0.07	200	R				To: 88-1106					NA		NA		09/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1281) Ford Rd	0.06	130	R													09/14/2005
(1281) Ford Rd	0.04	90	R													09/14/2005
(1282) McKinley Dr	0.04	660	R													09/14/2005
(1282) McKinley Dr	0.07	750	R													09/14/2005
(1282) McKinley Dr	0.07	60	R													09/14/2005
(1283) Madison Ct	0.04	40	R													09/14/2005
(1284) Old Leavells Rd	0.12	380	G	98%	1%	1%	0%	0%	0%	F	0.114	F	0.652	410	G	2006
(1284) Old Leavells Rd	0.24	380	G	98%	1%	1%	0%	0%	0%	C	0.105	F	0.585	410	G	2006
(1285)	0.09	47	R													1999
(1286)	0.06	390	R													07/31/2002
(1286)	0.06	260	R													07/31/2002
(1286)	0.20	320	R													07/31/2002
(1286)	0.05	480	R													07/31/2002
(1286)	0.12	540	R													07/31/2002
(1286)	0.06	840	R													07/31/2002
(1287)	0.24	190	R													07/31/2002
(1287)	0.13	300	R													07/31/2002
(1288)	0.19	100	R													07/31/2002
(1289)	0.09	90	R													07/31/2002
(1290) Galaxie Dr	0.05	280	R													09/06/2005
(1290) Galaxie Dr	0.06	510	R													09/06/2005
(1290) Galaxie Dr	0.06	840	R													09/06/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1290) Galaxie Dr	0.04	1100	R				88-1345				NA			NA		09/06/2005
(1290) Galaxie Dr	0.05	1600	R				88-1291 Patterson Ave				NA			NA		09/06/2005
(1290) Galaxie Dr	0.25	2300	R				88-764				NA			NA		09/06/2005
							88-639 Leavells Rd									
(1291) Patterson Ave	0.22	160	R				88-1292				NA			NA		08/31/2005
(1291) Patterson Ave	0.17	340	R				88-1290 Galaxie Dr				NA			NA		08/31/2005
(1291) Patterson Ave	0.13	160	R				88-1349				NA			NA		08/31/2005
							88-1292 EAST									
(1292)	0.06	860	R				88-639 Leavells Rd				NA			NA		08/07/2002
(1292)	0.06	690	R				88-1291 Patterson Ave				NA			NA		08/07/2002
(1292)	0.06	450	R				88-1345				NA			NA		08/07/2002
(1292)	0.06	340	R				88-1346				NA			NA		08/07/2002
(1292)	0.16	230	R				88-1347				NA			NA		08/07/2002
(1292)	0.23	260	R				88-1290 Galaxie Dr				NA			NA		08/07/2002
(1292)	0.07	200	R				88-1347 EAST				NA			NA		08/07/2002
(1292)	0.07	140	R				88-1346				NA			NA		08/07/2002
(1292)	0.07	160	R				88-1346 EAST				NA			NA		08/07/2002
(1292)	0.07	160	R				88-1345 EAST				NA			NA		08/07/2002
(1292)	0.07	140	R				88-1291 E, Patterson Ave				NA			NA		08/07/2002
(1292)	0.05	250	R				88-1291 Patterson Ave				NA			NA		08/07/2002
(1292)	0.04	60	R				88-764				NA			NA		08/07/2002
(1292)	0.04	60	R				88-1365				NA			NA		08/07/2002
(1293) Hamway Dr	0.05	60	R				Cul-de-Sac				NA			NA		08/29/2005
(1293) Hamway Dr	0.14	260	R				Cul-de-Sac				NA			NA		08/29/2005
(1294) Powers St	0.05	100	R				88-1294 Powers St				NA			NA		08/29/2005
(1294) Powers St	0.05	110	R				88-1195				NA			NA		08/29/2005
(1295) Chancellor Rd	0.06	270	R				88-1293 Hamway Dr				NA			NA		07/31/2002
							88-1297				NA			NA		08/29/2005
							88-1183				NA			NA		08/29/2005
							88-674 Chancellor Rd				NA			NA		07/31/2002
							88-1296				NA			NA		07/31/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1295)	0.33	200	R				From: 88-1296					NA		NA		07/31/2002
(1295)	0.06	20	R				From: 88-1305 Highland Court					NA		NA		07/31/2002
							To: Cul-de-Sac									
(1296)	0.19	70	R				From: 88-1295					NA		NA		07/31/2002
							To: Cul-de-Sac									
(1297)	0.12	110	R				From: 88-1294 Powers St					NA		NA		1999
							To: 88-1195									
(1298) Shannon Dr	0.64	1900	R				From: 88-638 Lansdowne Rd					NA		NA		10/05/2005
							To: Dead End									
(1299) Twin Springs Dr	0.55	220	R				From: 88-620 Harrison Rd					NA		NA		09/14/2005
							To: Cul-de-Sac									
(1300) Wilmington Court	0.05	45	R				From: 88-1279 Durham Dr					NA		NA		09/20/2005
							To: Cul-de-Sac									
(1301)	0.17	890	R				From: US 17 Bus					NA		NA		1999
(1301)	0.17	610	R				To: 88-1306					NA		NA		1999
(1301)	0.20	430	R				To: 88-1302					NA		NA		1999
(1301)	0.05	60	R				To: 88-1304					NA		NA		1999
(1301)							To: 88-1309									
(1302)	0.05	70	R				To: 88-1303					NA		NA		1999
(1302)							To: 88-1301									
(1303)	0.18	590	R				To: US 17 Bus					NA		NA		1999
(1303)	0.17	430	R				To: 88-1306					NA		NA		1999
(1303)	0.20	210	R				To: 88-1302					NA		NA		1999
(1303)							To: 88-1304									
(1304)	0.06	130	R				To: 88-1310					NA		NA		1999
(1304)	0.05	180	R				To: 88-1303					NA		NA		1999
(1304)	0.08	110	R				To: 88-1301					NA		NA		1999
(1304)							To: Dead End									
(1305) Highland Court	0.14	50	R				To: Cul-de-Sac					NA		NA		11/07/2005
(1305)							To: 88-1295									
(1306)	0.06	220	R				To: 88-1310					NA		NA		1999
(1306)	0.05	40	R				To: 88-1303					NA		NA		1999
(1306)							To: 88-1301									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1307) Brook Dr	0.02	290	R			From: US 17 Bus					NA			NA		10/05/2005
(1307) Brook Dr	0.28	160	R			To: 88-1308 S, Vance Dr					NA			NA		10/05/2005
(1307) Brook Dr	0.25	60	R			To: 88-1308 N, Vance Dr					NA			NA		10/05/2005
						To: Dead End										
(1308) Vance Dr	0.30	70	R			From: 88-1307 Brook Dr					NA			NA		10/05/2005
						To: 88-1307 Brook Dr										
(1309)	0.05	46	R			To: Dead End					NA			NA		1999
						To: 88-1301										
(1310)	0.20	1800	R			From: US 17 Bus					NA			NA		1999
(1310)	0.37	390	R			To: 88-1306					NA			NA		1999
						To: 88-1304										
(1311) Maden St	0.21	210	R			From: 88-1312 Cleveland Ct					NA			NA		09/20/2005
						To: 88-1147										
(1312) Cleveland Ct	0.10	120	R			From: Cul-de-Sac					NA			NA		09/20/2005
(1312) Cleveland Ct	0.05	100	R			To: 88-1278 Burman Lane					NA			NA		09/20/2005
(1312) Cleveland Ct	0.05	60	R			To: 88-1311 Maden St					NA			NA		09/20/2005
(1312) Cleveland Ct	0.06	60	R			To: 88-1279 Durham Dr					NA			NA		08/19/2002
						To: 88-2010										
(1313) Dayton Ct	0.03	50	R			From: 88-1279 Durham Dr					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1314) Columbus Court	0.05	40	R			From: 88-1279 Durham Dr					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1315)	0.22	110	R			From: 88-609 Thornton Rolling Rd					NA			NA		10/21/2002
						To: Cul-de-Sac										
(1316) Roanoke St	0.12	200	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1175 E, Albany St										
(1317)	0.16	110	R			From: 88-1251 Iron Wood Lane					NA			NA		1999
						To: Cul-de-Sac										
(1318) One Iron Blvd	0.04	1900	R			From: 88-1319					NA			NA		10/19/2005
						To: 88-636 Mine Rd										
(1319)	0.30	1600	R			From: Cul-de-Sac					NA			NA		10/31/2002
(1319)	0.22	280	R			To: 88-1318 One Iron Blvd					NA			NA		10/31/2002
						To: 88-1397 Watford Lane										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1320)	0.09	470	R			From: US 17 Bus					NA			NA		09/04/2002
(1320)	0.34	390	R			From: 88-1323					NA			NA		09/04/2002
						To: 88-1322										
(1321)	0.11	480	R			From: US 17 Bus					NA			NA		09/04/2002
(1321)	0.34	370	R			From: 88-1323					NA			NA		09/04/2002
						To: 88-1322										
(1322)	0.15	130	R			From: Cul-de-Sac					NA			NA		09/04/2002
(1322)	0.06	140	R			From: 88-1321					NA			NA		09/04/2002
						To: 88-1320										
(1323)	0.06	60	R			From: 88-1320					NA			NA		09/04/2002
						To: 88-1321										
(1324) Lassen Lane	0.20	1800	R			From: FR-691 Kershaw St					NA			NA		11/14/2002
						To: Bus US 1 Lafayette Blvd										
(1325) Rebecca Rd	0.09	110	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1328 Gerber Dr										
(1326) South Brooks Dr	0.28	100	R			From: 88-1340 Vicky Lane					NA			NA		10/27/2005
(1326) South Brooks Dr	0.08	60	R			From: 88-1327 Brandon Lane					NA			NA		10/27/2005
(1326) South Brooks Dr	0.06	80	R			From: 88-1328 Gerber Dr					NA			NA		10/27/2005
						To: 88-1322										
(1327) Brandon Lane	0.09	100	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1328 Gerber Dr										
(1328) Gerber Dr	0.38	900	R			From: US 17 Bus; Tidewater Trail					NA			NA		10/27/2005
(1328) Gerber Dr	0.15	80	R			From: 88-1327 Brandon Lane					NA			NA		10/27/2005
						To: 88-1326 South Brooks Dr										
(1329) Earlene St	0.08	80	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1328 Gerber Dr										
(1330) Roosevelt Rd	0.13	100	R			From: 88-1112					NA			NA		09/14/2005
(1330) Roosevelt Rd	0.34	190	R			From: 88-1114 S, Kennedy Lane					NA			NA		09/14/2005
(1330) Roosevelt Rd	0.08	130	R			From: 88-1114 N, Kennedy Lane					NA			NA		09/14/2005
						To: 88-1280 N, Taft Dr										
(1331) Pierce Ct	0.13	50	R			From: 88-1112					NA			NA		09/14/2005
						To: Cul-de-Sac										
(1332) Eisenhower Lane	0.22	290	R			From: 88-1112					NA			NA		09/14/2005
						To: 88-1114 Kennedy Lane										

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1333) Coolidge Court	0.04	47	R				From: 88-1332 Eisenhower Lane					NA		NA		09/14/2005
							To: Cul-de-Sac									
(1334)	0.11	60	R				From: 88-1326 South Brooks Dr					NA		NA		09/04/2002
							To: 88-1328 Gerber Dr									
(1335)	0.10	60	R				From: 88-1326 South Brooks Dr					NA		NA		09/04/2002
							To: 88-1328 Gerber Dr									
(1336) Azalea Dr	0.15	200	R				From: 88-1237 Buttemut Dr					NA		NA		08/22/2005
							To: 88-1337 Mahogany Lane									
(1336) Azalea Dr	0.05	120	R				From: 88-1204 Laurel Ave					NA		NA		08/22/2005
							To: 88-1237 Buttemut Dr									
(1337) Mahogany Lane	0.07	90	R				From: 88-1339 Jonquil Ct					NA		NA		08/22/2005
							To: 88-1336 Azalia Dr									
(1337) Mahogany Lane	0.06	130	R				From: 88-1237 Buttemut Dr					NA		NA		08/22/2005
							To: Cul-de-Sac									
(1338) Myrtle Court	0.03	47	R				From: Cul-de-Sac					NA		NA		08/22/2005
							To: 88-1337 Mahogany Lane									
(1339) Jonquil Ct	0.11	80	R				From: 88-1326 South Brooks Dr					NA		NA		08/22/2005
							To: 88-1328 Gerber Dr									
(1340) Vicky Lane	0.09	220	R				From: 88-1343 Signal Corp Dr					NA		NA		10/27/2005
							To: 88-1342 Boxwood Rd									
(1341) Charles Washington Av	0.06	260	R				From: 88-620 Harrison Rd					NA		NA		09/06/2005
							To: Cul-de-Sac									
(1341) Charles Washington Av	0.05	420	R				From: 88-1341 Charles Washington Ave					NA		NA		09/06/2005
							To: 88-1353 Statesman Ct									
(1342) Boxwood Rd	0.25	180	R				From: 88-1352 Carriage House Ct					NA		NA		09/06/2005
							To: 88-1344 Beauclaire Blvd									
(1343) Signal Corp Dr	0.12	160	R				From: 88-1341 Charles Washington Ave					NA		NA		09/06/2005
							To: 88-1344 Beauclaire Blvd									
(1343) Signal Corp Dr	0.13	210	R				From: 88-1353 Statesman Ct					NA		NA		09/06/2005
							To: 88-1352 Carriage House Ct									
(1343) Signal Corp Dr	0.05	90	R				From: 88-1352 Carriage House Ct					NA		NA		09/06/2005
							To: 88-1344 Beauclaire Blvd									
(1343) Signal Corp Dr	0.06	130	R				From: 88-1344 Beauclaire Blvd					NA		NA		09/06/2005
							To: Cul-de-Sac									
(1344) Beauclaire Blvd	0.18	480	R				From: 88-1343 Signal Corp Dr					NA		NA		10/05/2005
							To: 88-1351 Fielding Lewis Ct									
(1344) Beauclaire Blvd	0.06	600	R				From: 88-1351 Fielding Lewis Ct					NA		NA		10/05/2005
							To: 88-1343 Signal Corp Dr									
(1344) Beauclaire Blvd	0.10	670	R				From: 88-1343 Signal Corp Dr					NA		NA		10/05/2005
							To: 88-620 Harrison Rd									
(1344) Beauclaire Blvd	0.07	890	R				From: 88-620 Harrison Rd					NA		NA		10/05/2005
							To: 88-620 Harrison Rd									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1344) Kingswood Blvd	0.04	3100	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	2800	R											NA	NA	1999
(1344) Kingswood Blvd	0.08	2500	R											NA	NA	1999
(1344) Kingswood Blvd	0.48	2200	R											NA	NA	1999
(1344) Kingswood Blvd	0.08	1900	R											NA	NA	1999
(1344) Kingswood Blvd	0.08	1800	R											NA	NA	1999
(1344) Kingswood Blvd	0.05	1700	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	840	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	750	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	680	R											NA	NA	1999
(1344) Kingswood Blvd	0.70	570	R											NA	NA	1999
(1345)	0.13	120	R											NA	NA	08/07/2002
(1345)	0.20	120	R											NA	NA	08/07/2002
(1345)	0.18	180	R											NA	NA	08/07/2002
(1345)	0.09	80	R											NA	NA	08/07/2002
(1346)	0.17	100	R											NA	NA	08/07/2002
(1346)	0.24	160	R											NA	NA	08/07/2002
(1347)	0.15	80	R											NA	NA	08/07/2002
(1347)	0.20	180	R											NA	NA	08/07/2002
(1348)	0.08	80	R											NA	NA	08/07/2002
(1349)	0.26	150	R											NA	NA	08/07/2002
(1350)	0.81	540	R											NA	NA	08/05/2002
(1351) Fielding Lewis Ct	0.05	40	R											NA	NA	11/09/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1351) Fielding Lewis Ct	0.05	50	R				From: 88-1344 Beauclaire Blvd					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1352) Carriage House Ct	0.10	90	R				From: Cul-de-Sac					NA		NA		11/09/2005
							To: 88-1343 Signal Corp Dr									
(1353) Statesman Ct	0.04	40	R				From: 88-1343 Signal Corp Dr					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1354) Glenside Circle	0.04	30	R				From: 88-1187 Breezewood Dr					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1355) Merrymount Dr	0.13	100	R				From: 88-1356 Mayfair Dr					NA		NA		11/07/2005
							To: 88-1187; 88-1360									
(1356) Mayfair Dr	0.26	90	R				From: Dead End					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1357) Whitecliff Dr	0.07	80	R				From: Cul-de-Sac					NA		NA		11/07/2005
							To: 88-1356 Mayfair Dr									
(1358) Bradbury Circle	0.04	60	R				From: Cul-de-Sac					NA		NA		11/07/2005
							To: 88-1187 Breezewood Dr									
(1359) Bainbridge Lane	0.08	80	R				From: Dead End					NA		NA		11/07/2005
(1359) Bainbridge Lane	0.09	90	R				From: 88-1187 Breezewood Dr					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1360) Sanford Circle	0.10	150	R				From: 88-1187; 88-1355					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1361) White Lake Dr	0.44	100	R				From: 88-1188 W, Stoney Creek Dr					NA		NA		11/14/2005
							To: 88-1188 E, Stoney Creek Dr									
(1362) Victoria Court	0.07	60	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1361 White Lake Dr									
(1363) Stable Way	0.10	160	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1188 Stoney Creek Dr									
(1364) Trottef Circle	0.10	90	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1363 Stable Way									
(1365)	0.05	60	R				From: Cul-de-Sac					NA		NA		08/07/2002
							To: 88-1292									
(1366)	0.09	80	R				From: 88-764					NA		NA		08/07/2002
							To: Cul-de-Sac									
(1367)	0.06	80	R				From: Cul-de-Sac					NA		NA		08/07/2002
							To: 88-1349									
(1368)	0.25	290	R				From: Cul-de-Sac					NA		NA		10/24/2002
							To: 88-1372									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1368)	0.07	350	R				From: 88-1372					NA		NA		10/24/2002
(1368)	0.27	790	R				From: 88-1369					NA		NA		10/24/2002
							To: US 17 Bus									
(1369) Sharon Springs Dr	0.25	110	R				From: 88-1368					NA		NA		10/19/2005
							To: 88-1373 Pittston Rd									
(1370) Ann Davis Dr	0.35	230	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-681 Lorraine Ave									
(1371) Hilltop Court	0.05	60	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1370 Ann Davis Dr									
(1372) South Fulton	0.25	100	R				From: 88-1368					NA		NA		10/19/2005
							To: 88-1373 Pittston Rd									
(1373) Pittston Rd	0.23	370	R				From: Cul-de-Sac					NA		NA		10/24/2002
							To: 88-1372 South Fulton									
(1373) Pittston Rd	0.09	260	R				From: 88-1369 Sharon Springs Dr					NA		NA		10/19/2005
							To: 88-1369 Sharon Springs Dr									
(1373) Pittston Rd	0.26	200	R				From: 88-1368					NA		NA		10/19/2005
							To: 88-1368									
(1374)	0.27	800	R				From: 88-1368					NA		NA		10/24/2002
							To: 88-609 Jim Morris Rd									
(1375)	0.29	1600	R				From: 88-694 Heatherstone Dr					NA		NA		09/03/2002
							To: 88-1380									
(1376)	0.30	780	R				From: 88-1375					NA		NA		09/03/2002
							To: 88-1381 Clover Dr									
(1377)	0.29	1100	R				From: 88-1376					NA		NA		09/03/2002
							To: 88-1382									
(1378)	0.18	150	R				From: 88-1375					NA		NA		09/03/2002
							To: 88-1377									
(1379)	0.20	140	R				From: 88-1380					NA		NA		09/03/2002
							To: 88-1380									
(1380)	0.66	950	R				From: 88-1375					NA		NA		09/03/2002
							To: Cul-de-Sac									
(1381) Clover Dr	0.42	130	R				From: 88-1375					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1382)	0.08	2900	R				From: 88-1377					NA		NA		09/03/2002
							To: 88-639 Bragg Rd									
(1383)	0.30	260	R				From: 88-636 Mine Rd					NA		NA		09/26/2002
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1384) Abbey Lane	0.29	200	R				From: 88-1385 W, Windsor Dr					NA		NA		11/14/2005
							To: 88-1385 E, Windsor Dr									
(1385) Windsor Dr	0.51	1200	R				From: 88-1389 Ascot Cir					NA		NA		11/14/2005
							To: 88-639 Leavells Rd									
(1386) Cathedral Dr	0.18	190	R				From: 88-1385 Windsor Dr					NA		NA		11/14/2005
							To: Cul-de-Sac									
(1387) Loriella Park Dr	0.64	1300	R				From: 88-1389 W, Ascot Cir					NA		NA		11/14/2005
							To: 88-639 Leavells Rd									
(1388) Westminster Ct	0.05	45	R				From: 88-1385 Windsor Dr					NA		NA		11/14/2005
							To: Cul-de-Sac									
(1389) Ascot Cir	0.46	140	R				From: 88-1394					NA		NA		11/04/2002
							To: 88-1387 Loriella Park Dr									
(1389) Ascot Cir	0.06	460	R				From: 88-1385 Windsor Dr					NA		NA		11/14/2005
							To: End of Loop									
(1389) Ascot Cir	0.30	150	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1350									
(1390)	0.35	130	R				From: Dead End					NA		NA		08/05/2002
							To: 88-1350									
(1392) Longview Lane	0.09	80	R				From: Cul-de-Sac					NA		NA		08/29/2005
							To: 88-1350									
(1393)	0.12	100	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1350									
(1394)	0.17	70	R				From: 88-1389 Begin Loop					NA		NA		11/04/2002
							To: Cul-de-Sac									
(1395) Park Dr	0.23	1100	R				From: Cul-de-Sac					NA		NA		11/17/2005
							To: 88-1246 Industrial Dr									
(1396) Freedom Court	0.13	670	R				From: 88-1246 Industrial Dr					NA		NA		11/16/2005
							To: Cul-de-Sac									
(1397) Watford Lane	0.38	700	R				From: 88-636 Mine Rd					NA		NA		12/12/2002
							To: 88-1522 Bricken Lane									
(1397) Watford Lane	0.26	130	R				From: Cul-de-Sac					NA		NA		10/27/2005
							To: Cul-de-Sac									
(1398) Ashland Ct	0.04	30	R				From: Cul-de-Sac					NA		NA		09/30/2002
							To: 88-1397 Watford Lane									
(1399)	0.34	20	R				From: Cul-de-Sac					NA		NA		11/07/2002
							To: Cul-de-Sac									
(1400)	0.15	170	R				From: Cul-de-Sac					NA		NA		08/21/2002
							To: 88-1405 Meadowlark Lane									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1401) Wild Turkey Dr	0.20	2000	R											NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.09	1700	R											NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.08	1300	R											NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.06	910	R											NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.17	600	R											NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.13	210	R											NA	NA	08/01/2005
(1402) Robin Lane	0.10	290	R											NA	NA	08/01/2005
(1402) Robin Lane	0.06	80	R											NA	NA	08/01/2005
(1403) Bluebird Lane	0.08	270	R											NA	NA	08/21/2002
(1403) Bluebird Lane	0.06	300	R											NA	NA	08/21/2002
(1403) Bluebird Lane	0.09	610	R											NA	NA	08/21/2002
(1403) Bluebird Lane	0.06	100	R											NA	NA	08/01/2005
(1403) Bluebird Lane	0.04	30	R											NA	NA	08/01/2005
(1404) Woodcock Lane	0.07	240	R											NA	NA	08/01/2005
(1404) Woodcock Lane	0.19	200	R											NA	NA	08/01/2005
(1405) Meadowlark Lane	0.10	80	R											NA	NA	08/21/2002
(1405) Meadowlark Lane	0.14	220	R											NA	NA	08/21/2002
(1405) Meadowlark Lane	0.10	350	R											NA	NA	08/01/2005
(1405) Meadowlark Lane	0.07	170	R											NA	NA	08/01/2005
(1405) Meadowlark Lane	0.11	160	R											NA	NA	08/01/2005
(1405) Meadowlark Lane	0.12	120	R											NA	NA	08/01/2005
(1405) Meadowlark Lane	0.08	100	R											NA	NA	08/01/2005
(1405) Meadowlark Lane	0.11	130	R											NA	NA	08/01/2005
(1405) Meadowlark Lane	0.05	70	R											NA	NA	08/01/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1406) Redbird Lane	0.07	250	R			From: 88-1401 Wild Turkey Dr					NA			NA		08/01/2005
(1406) Redbird Lane	0.12	100	R			From: 88-1407 Raven Circle					NA			NA		08/01/2005
						To: 88-1405 Meadowlark Lane										
(1407) Raven Circle	0.04	40	R			From: 88-1406 Redbird Lane					NA			NA		08/01/2005
						To: Dead End										
(1408) Mockingbird Lane	0.26	410	R			From: 88-1401 Wild Turkey Dr					NA			NA		08/01/2005
(1408) Mockingbird Lane	0.06	230	R			From: 88-1405 Meadowlark Lane					NA			NA		08/01/2005
(1408) Mockingbird Lane	0.06	120	R			From: 88-1404 Woodcock Lane					NA			NA		08/01/2005
						To: 88-1409 Sparrow Lane										
(1409) Sparrow Lane	0.03	48	R			From: Cul-de-Sac					NA			NA		08/01/2005
						To: 88-1408 Mockingbird Lane										
(1410)	0.09	420	R			From: 88-1412					NA			NA		08/21/2002
(1410)	0.05	570	R			From: 88-1411					NA			NA		08/21/2002
(1410)	0.12	910	R			From: 88-1415					NA			NA		08/21/2002
(1410)	0.09	1600	R			From: 88-1414					NA			NA		08/21/2002
						To: 88-613 Brock Rd										
(1411)	0.07	80	R			From: 88-1410					NA			NA		08/21/2002
						To: Cul-de-Sac										
(1412)	0.16	140	R			From: 88-1437 WEST					NA			NA		08/21/2002
(1412)	0.14	120	R			From: 88-1437 EAST					NA			NA		08/21/2002
						To: Dead End										
(1413)	0.08	80	R			From: 88-1410					NA			NA		08/21/2002
						To: Cul-de-Sac										
(1414)	0.06	260	R			From: 88-1437					NA			NA		08/21/2002
(1414)	0.21	340	R			From: 88-1415					NA			NA		08/21/2002
(1414)	0.09	690	R			From: 88-1416					NA			NA		08/21/2002
						To: 88-1410										
(1415)	0.06	110	R			From: 88-1414					NA			NA		08/21/2002
(1415)	0.28	70	R			From: 88-1416					NA			NA		08/21/2002
						To: 88-1410										
(1416)	0.05	260	R			From: 88-1415					NA			NA		08/21/2002
						To: 88-1436										

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1416)	0.10	180	R			From: 88-1436					NA		NA			08/21/2002
(1416)	0.04	70	R			From: 88-1435					NA		NA			08/21/2002
						To: 88-1414										
(1417) Bobwhite Lane	0.12	470	R			From: 88-1401 Wild Turkey Dr					NA		NA			08/01/2005
						To: 88-1405 Meadowlark Lane										
(1418) Goldfinch Circle	0.04	45	R			From: Cul-de-Sac					NA		NA			08/01/2005
						To: 88-1405 Meadowlark Lane										
(1419) Judiciary Dr	0.24	190	R			From: 88-613 Brock Rd					NA		NA			08/01/2005
						To: Cul-de-Sac										
(1420)	0.52	150	R			From: Dead End					NA		NA			08/21/2002
						To: 88-608 Massaponax Church Rd										
(1421)	1.43	1000	R			From: SR 208 Courthouse Rd					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1422)	0.08	100	R			From: 88-1421					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1423)	0.09	140	R			From: 88-1403 Bluebird Lane					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1424)	0.07	250	R			From: Cul-de-Sac					NA		NA			08/21/2002
(1424)	0.19	320	R			From: 88-1425					NA		NA			08/21/2002
						To: 88-613 Brock Rd										
(1425)	0.09	700	R			From: 88-1424					NA		NA			08/21/2002
						To: SR 208 Courthouse Rd										
(1426)	0.08	150	R			From: 88-1421					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1427)	0.08	70	R			From: 88-1421					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1428)	0.48	250	R			From: 88-606 Morris Rd					NA		NA			09/16/2002
						To: Cul-de-Sac										
(1429)	0.42	150	R			From: 88-606 Morris Rd					NA		NA			09/16/2002
						To: Cul-de-Sac										
(1430)	0.24	320	R			From: Cul-de-Sac					NA		NA			09/16/2002
(1430)	0.17	100	R			From: 88-722 Tanglewood Rd					NA		NA			09/16/2002
						To: Cul-de-Sac										
(1431)	0.46	1100	R			From: 88-639 S. Salem Church Rd					NA		NA			09/25/2002
						To: 88-639; 88-1114 NORTH										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1432) Armand Ct	0.07	80	R								NA			NA		08/21/2002
(1433)	0.17	270	R								NA			NA		08/21/2002
(1434)	0.20	140	R								NA			NA		08/21/2002
(1435)	0.09	60	R								NA			NA		08/21/2002
(1436)	0.05	70	R								NA			NA		08/21/2002
(1437)	0.15	320	R								NA			NA		08/21/2002
(1437)	0.20	150	R								NA			NA		08/21/2002
(1437)	0.21	60	R								NA			NA		08/21/2002
(1438) Godwin Dr	0.09	120	R								NA			NA		08/01/2005
(1439) Stanley Court	0.09	80	R								NA			NA		08/01/2005
(1440)	0.71	650	R								NA			NA		09/16/2002
(1441) Arabian Trl	0.38	250	R								NA			NA		09/16/2002
(1442)	0.47	190	R								NA			NA		09/16/2002
(1443)	0.15	90	R								NA			NA		09/16/2002
(1444) Mustang Court	0.13	40	R								NA			NA		11/02/2005
(1445)	0.25	110	R								NA			NA		10/31/2002
(1446) Appaloosa Dr	0.40	230	R								NA			NA		09/16/2002
(1447)	0.19	110	R								NA			NA		09/16/2002
(1448)	0.06	30	R								NA			NA		09/16/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1449)	0.13	1100	R				From: 88-1431				NA		NA			11/04/2002
							To: Cul-de-Sac									
(1450) Jeans Dr	0.19	340	R				From: 88-1451 Lando Dr				NA		NA			08/01/2005
							To: SR 208 Courthouse Rd									
(1451) Lando Dr	0.07	30	R				From: Cul-de-Sac				NA		NA			08/01/2005
							To: 88-1450 Jeans Dr									
(1451) Lando Dr	0.10	230	R				From: 88-1452 Stephen Dr				NA		NA			08/01/2005
							To: Dead End									
(1452) Stephen Dr	0.04	8	R				From: 88-1453 Marc Dr				NA		NA			08/01/2005
							To: 88-1451 Lando Dr									
(1452) Stephen Dr	0.20	60	R				From: Cul-de-Sac				NA		NA			08/01/2005
							To: Cul-de-Sac									
(1453) Marc Dr	0.17	100	R				From: 88-1452 Stephen Dr				NA		NA			08/01/2005
							To: 88-1453 Marc Dr									
(1454) Ronnie Court	0.04	20	R				From: Cul-de-Sac				NA		NA			08/01/2005
							To: Dead End									
(1455) Taverneer Lane	0.13	60	R				From: 88-1456 East Point Circle				NA		NA			11/12/2002
							To: 88-606 Morris Rd									
(1455)	0.32	610	R				From: 88-1455 Taverneer Lane				NA		NA			10/31/2005
							To: Cul-de-Sac									
(1456) East Point Circle	0.07	70	R				From: SR 208 Courthouse Rd				NA		NA			10/31/2005
							To: 88-1458 Sourwood Court									
(1457) Cloverhill Rd	0.15	500	R				From: 88-1459 Pioneer Court				NA		NA			08/03/2005
							To: 88-1460 Cloverhill Court									
(1457) Cloverhill Rd	0.36	270	R				From: Cul-de-Sac				NA		NA			08/03/2005
							To: 88-1457 Cloverhill Rd									
(1457) Cloverhill Rd	0.16	170	R				From: Dead End				NA		NA			08/03/2005
							To: 88-1457 Cloverhill Rd									
(1457) Coverhill Rd	0.16	70	R				From: Cul-de-Sac				NA		NA			08/03/2005
							To: 88-1457 Coverhill Rd; Cloverhill Rd									
(1458) Sourwood Court	0.38	90	R				From: 88-1469 Ashbrook Ct				NA		NA			11/12/2002
							To: 88-620; 88-1299									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1462) North Point Dr	0.27	60	R									NA		NA		11/02/2005
(1462) North Point Dr	0.29	230	R									NA		NA		11/02/2005
(1462) Larkin Chew Rd	0.28	660	R									NA		NA		11/02/2005
(1463)	0.27	150	R									NA		NA		10/21/2002
(1464)	0.13	40	R									NA		NA		10/21/2002
(1464)	0.12	40	R									NA		NA		10/21/2002
(1465) Collingwood Court	0.14	210	R									NA		NA		09/14/2005
(1466)	0.05	30	R									NA		NA		11/12/2002
(1467)	0.49	620	R									NA		NA		10/28/2002
(1468) Alicia Ct	0.11	90	R									NA		NA		10/28/2002
(1469) Ashbrook Ct	0.11	40	R									NA		NA		11/13/2002
(1470) Bloomsbury Lane	0.11	40	R									NA		NA		08/29/2005
(1470) Bloomsbury Lane	0.10	110	R									NA		NA		08/29/2005
(1470) Bloomsbury Lane	0.21	280	R									NA		NA		08/29/2005
(1470) Bloomsbury Lane	1.39	760	R									NA		NA		08/29/2005
(1471)	0.10	100	R									NA		NA		08/05/2002
(1472)	0.09	70	R									NA		NA		08/05/2002
(1473) Trisler Dr	0.22	360	R									NA		NA		11/09/2005
(1474) Griffith Way	0.34	570	R									NA		NA		11/09/2005
(1475) Salem Station Blvd	0.86	2200	R									NA		NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1476) Castle Court	0.08	70	R								NA			NA		11/14/2005
(1477) Queens Mill Circle	0.43	120	R								NA			NA		11/14/2005
(1478) Regal Court	0.10	110	R								NA			NA		11/14/2005
(1479) Crown Court	0.09	80	R								NA			NA		11/14/2005
(1480) Prince Court	0.07	80	R								NA			NA		11/14/2005
(1481) Cheshire Court	0.07	90	R								NA			NA		11/14/2005
(1482) Yorkshire Court	0.11	110	R								NA			NA		11/14/2005
(1483)	0.24	60	R								NA			NA		11/12/2002
(1484)	0.07	30	R								NA			NA		11/12/2002
(1485) Sunkist Court	0.04	40	R								NA			NA		11/07/2005
(1486)	0.37	150	R								NA			NA		10/29/2002
(1487)	0.22	130	R								NA			NA		10/29/2002
(1488) Aldrich Ct	0.09	10	R								NA			NA		10/29/2002
(1489) Market St	0.21	10000	R								NA			NA		11/14/2002
(1490) Valley View Rd	0.27	110	R								NA			NA		11/14/2005
(1491) Dapple Grey Court	0.04	40	R								NA			NA		11/14/2005
(1492) Inglewood Dr	0.19	290	R								NA			NA		11/14/2005
(1493) Courtland Lane	0.13	170	R								NA			NA		11/14/2005
(1494) Woods Court	0.06	40	R								NA			NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1495) Rodeo Court	0.06	70	R				From: 88-1492 Inglewood Dr				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1496) Chinaberry Court	0.17	110	R				From: 88-1188 Stoney Creek Dr				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1497) Carmine Circle	0.06	60	R				From: 88-1496 Chinaberry Court				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1498) Abingdon Court	0.22	90	R				From: 88-1465 Collingwood Court				NA			NA		09/14/2005
							To: 88-1499 Halifax Court									
(1499) Halifax Court	0.07	190	R				From: 88-1431				NA			NA		09/14/2005
							To: Cul-de-Sac									
(1501) Valentine Dr	0.43	80	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1502 Katy-Ber Dr									
(1501) Valentine Dr	0.07	120	R				From: 88-1502 Katy-Ber Dr				NA			NA		10/24/2005
							To: 88-622 Lucks Rd									
(1502) Katy-Ber Dr	0.11	40	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1501 Valentine Dr									
(1503) Waddell Rd	0.11	10	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1501 Valentine Dr									
(1504) Pierson Dr	0.33	1000	R				From: Cul-de-Sac				NA			NA		10/05/2005
							To: 0.33 MN of Cul-de-Sac									
(1505)	0.15	60	R				From: 88-719 Days Bridge Rd				NA			NA		10/03/2002
							To: Parkwood Circle									
(1505)	0.43	40	R				From: Parkwood Circle				NA			NA		10/03/2002
							To: Cul-de-Sac									
(1506) Parkwood Circle	0.16	30	R				From: 88-1505				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1507) Cedar Lane	0.10	30	R				From: 88-1505				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1508)	0.13	10	R				From: 88-1505				NA			NA		10/03/2002
							To: Cul-de-Sac									
(1509)	0.19	NA					From: 88-1368				NA			NA		
							To: 88-1373 Pittston Rd									
(1510)	0.40	450	R				From: 88-738 Partlow Rd				NA			NA		11/07/2002
							To: 88-1511									
(1510)	0.47	230	R				From: 88-1511				NA			NA		11/07/2002
							To: Cul-de-Sac									
(1511)	0.11	70	R				From: Dead End				NA			NA		11/07/2002
							To: 88-1510									
(1511)	0.45	110	R				From: 88-1510				NA			NA		11/07/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1512) Harris Mill Court	0.29	510	R								NA			NA		10/05/2005
(1513) Carriage Way Lane	0.15	280	R								NA			NA		10/05/2005
(1514)	0.96	160	R								NA			NA		08/21/2002
(1515) Oxbow Court	0.14	90	R								NA			NA		10/05/2005
(1516)	0.24	50	R								NA			NA		10/03/2002
(1517) Lake Point Dr	0.66	80	R								NA			NA		09/26/2005
(1518) Ventura Lane	0.24	200	R								NA			NA		09/20/2005
(1519) Argall Lane	0.10	100	R								NA			NA		09/20/2005
(1520) Billman Dr	0.20	70	R								NA			NA		11/07/2002
(1521) Eustace Dr	0.28	49	R								NA			NA		11/07/2002
(1521) Eustace Dr	0.06	30	R								NA			NA		11/07/2002
(1522) Bricken Lane	0.20	130	R								NA			NA		10/27/2005
(1523) Little River Dr	0.12	140	R								NA			NA		10/27/2005
(1524) Purley Dr	0.09	80	R								NA			NA		10/27/2005
(1525) Morning Glory Dr	0.03	30	R								NA			NA		10/24/2005
(1525) Morning Glory Dr	0.38	130	R								NA			NA		10/24/2005
(1526) Dukes Dr	0.27	70	R								NA			NA		10/24/2005
(1527)	1.00	430	R								NA			NA		10/21/2002
(1528)	0.40	150	R								NA			NA		10/21/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1529)	0.12	90	R				From: Cul-de-Sac				NA			NA		10/21/2002
							To: 88-1527									
(1530)	0.41	20	R				From: Cul-de-Sac				NA			NA		10/03/2002
							To: 88-612 Stubbs Bridge Rd									
(1531) Anna Rd	0.10	20	R				From: Cul-de-Sac				NA			NA		10/03/2002
							To: 88-612 Stubbs Bridge Rd									
(1532) Duchess Dr	0.27	150	R				From: Cul-de-Sac				NA			NA		10/05/2005
							To: 88-1533 Chivalry Dr									
(1532) Duchess Dr	0.19	140	R				From: 88-1533 Chivalry Dr				NA			NA		10/05/2005
							To: Cul-de-Sac									
(1533) Chivalry Dr	0.05	90	R				From: 88-1344 Kingswood Blvd				NA			NA		10/05/2005
							To: 88-1532 Duchess Dr									
(1534)	0.10	30	R				From: Dead End				NA			NA		10/03/2002
							To: 88-719 Days Bridge Rd									
(1535)	0.37	50	R				From: Cul-de-Sac				NA			NA		10/03/2002
							To: 88-719 Days Bridge Rd									
(1536) Heth Drive	0.09	80	R				From: 88-1540 Julian Lane				NA			NA		09/26/2005
							To: 88-1539 Ruth Lane									
(1536) Heth Drive	0.15	140	R				From: 88-1539 Ruth Lane				NA			NA		09/26/2005
							To: 88-1538 Bryn Lane									
(1536) Heth Drive	0.20	200	R				From: 88-1538 Bryn Lane				NA			NA		09/26/2005
							To: 88-1537 Connie Lane									
(1536) Heth Drive	0.31	260	R				From: 88-1537 Connie Lane				NA			NA		09/26/2005
							To: 88-719 Days Bridge Rd									
(1537) Connie Lane	0.18	50	R				From: 88-1536 Heth Drive				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1538) Bryn Lane	0.20	45	R				From: 88-1536 Heth Drive				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1539) Ruth Lane	0.22	20	R				From: 88-1536 Heth Drive				NA			NA		09/26/2005
							To: 88-1540 Julian Lane									
(1539) Ruth Lane	0.05	10	R				From: 88-1540 Julian Lane				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1540) Julian Lane	0.28	50	R				From: 88-1536 Heth Drive				NA			NA		09/26/2005
							To: 88-1539 Ruth Lane									
(1541)	0.16	70	R				From: Cul-de-Sac				NA			NA		10/03/2002
							To: 88-719									
(1542)	0.12	90	R				From: 88-719				NA			NA		10/03/2002
							To: 88-1543									
(1542)	0.32	40	R				From: 88-1543				NA			NA		10/03/2002
							To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1543)	0.46	60	R				88-1542				NA			NA		10/03/2002
							Cul-de-Sac									
(1545) Windway Dr	0.62	90	R				Cul-de-Sac				NA			NA		09/26/2005
							88-654 Windway Dr									
(1546) Windy Hill Ct	0.12	10	R				88-1545 Windway Dr				NA			NA		09/26/2005
							Dead End									
(1548) Bellevue Court	0.10	110	R				Cul-de-Sac				NA			NA		10/19/2005
							88-1368									
(1549) Heriot Row Court	0.14	80	R				Cul-de-Sac				NA			NA		10/19/2005
							88-1368									
(1550) Whitfield Lane	0.28	90	R				Cul-de-Sac				NA			NA		10/08/2002
							88-622 Lucks Rd									
(1551) Lakeside Woods Dr	0.17	90	R				88-1550 Whitfield Lane				NA			NA		10/08/2002
							88-1552 Laken Woods Dr									
(1552) Laken Woods Dr	0.06	30	R				Dead End				NA			NA		10/08/2002
							88-1551 Lakeside Woods Dr									
(1552) Laken Woods Dr	0.06	40	R				Cul-de-Sac				NA			NA		10/08/2002
(1553) Commons Court	0.05	60	R				Cul-de-Sac				NA			NA		10/05/2005
							88-1344 Kingswood Blvd									
(1554) Monarch Court	0.05	60	R				Cul-de-Sac				NA			NA		10/05/2005
							88-1344 Kingswood Blvd									
(1555) Waterford Dr	1.63	260	R				Cul-de-Sac				NA			NA		08/01/2005
							88-608 Massaponax Church Rd									
(1556) Lismore Lane	0.17	49	R				88-1555 Waterford Dr				NA			NA		08/01/2005
							Cul-de-Sac									
(1557) Tranquility Court	0.13	40	R				88-1555 Waterford Dr				NA			NA		08/01/2005
							Cul-de-Sac									
(1558) Harvest Glen Court	0.12	100	R				Cul-de-Sac				NA			NA		10/05/2005
							88-1344 Kingswood Blvd									
(1559) Integrity Court	0.11	90	R				Cul-de-Sac				NA			NA		10/05/2005
							88-1344 Kingswood Blvd									
(1560) Raynold Court	0.10	60	R				88-1115 Maple Grove Dr				NA			NA		11/09/2005
							Cul-de-Sac									
(1561) Doran Rd	0.23	100	R				88-1563 Hazel Court				NA			NA		11/09/2005
							88-1115 Maple Grove Dr									
(1562) Copperleaf Rd	0.08	160	R				88-1561 Doran Rd				NA			NA		11/09/2005
							88-1115 Maple Grove Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1563) Hazel Court	0.16	140	R									NA		NA		11/09/2005
(1563) Hazel Court	0.31	300	R									NA		NA		11/09/2005
(1564)	0.04	30	R									NA		NA		1999
(1564)	0.24	80	R									NA		NA		1999
(1564)	0.07	160	R									NA		NA		1999
(1564)	0.16	320	R									NA		NA		1999
(1564)	0.32	170	R									NA		NA		1999
(1564)	0.05	120	R									NA		NA		1999
(1564)	0.24	90	R									NA		NA		1999
(1565)	0.16	90	R									NA		NA		1999
(1565)	0.15	220	R									NA		NA		11/12/2002
(1566)	0.05	40	R									NA		NA		11/12/2002
(1567)	0.25	110	R									NA		NA		1999
(1568)	0.20	80	R									NA		NA		1999
(1569)	0.09	20	R									NA		NA		1999
(1571)	0.08	80	R									NA		NA		08/05/2002
(1572) Ashley Ct	0.09	70	R									NA		NA		08/05/2002
(1573)	0.18	45	R									NA		NA		08/05/2002
(1574) Hillwood Court	0.19	90	R									NA		NA		08/29/2005
(1575) Pineberry Court	0.04	60	R									NA		NA		08/29/2005
(1576)	0.06	80	R									NA		NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1577)	0.06	80	R				From: 88-1344 Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1578)	0.06	70	R				From: 88-1344 Kingswood Blvd; Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1579)	0.06	80	R				From: 88-1344 Kingswood Blvd; Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1580)	0.12	120	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 S, Kingswood Blvd									
(1580)	0.57	80	R				From: 88-1344 S, Kingswood Blvd				NA			NA		1999
							To: 88-1344 N, Kingswood Blvd									
(1580)	0.09	130	R				From: 88-1344 N, Kingswood Blvd				NA			NA		09/25/2002
							To: Cul-de-Sac									
(1581)	0.11	80	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1581)	0.16	150	R				From: 88-1344 Kingswood Blvd				NA			NA		09/25/2002
							To: Dead End									
(1582)	0.04	80	R				From: 88-1580				NA			NA		1999
							To: Cul-de-Sac									
(1583)	0.08	120	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1583)	0.04	40	R				From: 88-1344 Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1584) Alton Ct	0.04	40	R				From: Cul-de-Sac				NA			NA		10/05/2005
							To: 88-1344 Kingswood Blvd									
(1584) Alton Ct	0.05	60	R				From: 88-1344 Kingswood Blvd				NA			NA		10/05/2005
							To: Cul-de-Sac									
(1585)	0.20	180	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1586									
(1585)	0.13	350	R				From: 88-1586				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1585)	0.06	80	R				From: 88-1344 Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1586)	0.06	60	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1585									
(1587)	0.05	50	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1588) Ropers Run	0.04	20	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1591 Horseshoe Bend Dr									
(1588) Ropers Run	0.06	70	R				From: 88-1591 Horseshoe Bend Dr				NA			NA		10/24/2005
							To: 88-601 Arritt Rd									
(1589) Waterside Dr	0.33	40	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-601 Arritt Rd									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1590) Ballantraye Dr	0.20	3400	R				From: 88-1188 Stoney Creek Dr					NA		NA		11/14/2005
							To: 88-711 Southpoint Pkwy									
(1591) Horseshoe Bend Dr	0.21	30	R				From: 88-1588 Ropers Run					NA		NA		10/24/2005
							To: Cul-de-Sac									
(1592)	0.75	80	R				From: Begin Loop					NA		NA		11/04/2002
							To: 88-639 Bragg Rd									
(1593) Old Dickerson's Rd	0.49	260	R				From: 88-719 Days Bridge Rd					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1594) Drummers Lane	0.16	30	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: 88-1593 Old Dickerson's Rd									
(1594) Drummers Lane	0.11	20	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1595) Castaway Beach Lane	0.18	10	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: 88-1593 Old Dickerson's Rd									
(1596) Deer Hill Rd	0.14	20	R				From: 88-1593 Old Dickerson's Rd					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1597) Sugar Hollow	0.19	120	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: 88-1593 Old Dickerson's Rd									
(1598) Hidden Brook	0.17	40	R				From: 88-1597 Sugar Hollow					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1599) Edgewood Dr	0.05	6	R				From: 88-1593 Old Dickerson's Rd					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1601) Winewood Dr	0.17	160	R				From: Dead End					NA		NA		08/08/2005
							To: 88-1602 Small Court									
(1601) Winewood Dr	0.40	760	R				From: 88-1602 Small Court					NA		NA		08/08/2005
							To: 88-621 Orange Plank Rd									
(1602) Small Court	0.03	40	R				From: 88-1601 Winewood Dr					NA		NA		08/08/2005
							To: Dead End									
(1603) Maplewood Dr	0.07	80	R				From: Cul-de-Sac					NA		NA		08/08/2005
							To: 88-1607 Cherrywood Dr									
(1603) Maplewood Dr	0.07	210	R				From: 88-1607 Cherrywood Dr					NA		NA		08/08/2005
							To: 88-1606 Ashwood Ct									
(1603) Maplewood Dr	0.06	130	R				From: 88-1606 Ashwood Ct					NA		NA		08/08/2005
							To: 88-1605 Birchwood Court									
(1603) Maplewood Dr	0.07	90	R				From: 88-1605 Birchwood Court					NA		NA		08/08/2005
							To: 88-1604 Oakdale Court									
(1603) Maplewood Dr	0.07	120	R				From: 88-1604 Oakdale Court					NA		NA		08/08/2005
							To: 88-1601 Winewood Dr									
(1604) Oakdale Court	0.05	40	R				From: 88-1603 Maplewood Dr					NA		NA		08/08/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1605) Birchwood Court	0.06	60	R				From: 88-1603 Maplewood Dr				NA			NA		08/08/2005
							To: Cul-de-Sac									
(1606) Ashwood Ct	0.08	90	R				From: 88-1603 Maplewood Dr				NA			NA		08/08/2005
							To: Dead End									
(1607) Cherrywood Dr	0.07	290	R				From: 88-1603 Maplewood Dr				NA			NA		08/08/2005
							To: 88-1608 Timberwood Rd									
(1607) Cherrywood Dr	0.12	440	R				From: 88-1601 Winewood Dr				NA			NA		08/08/2005
							To: Dead End									
(1608) Timberwood Rd	0.07	80	R				From: Dead End				NA			NA		08/08/2005
							To: 88-1607 Cherrywood Dr									
(1610)	0.14	50	R				From: 88-1182 Harvest Lane				NA			NA		09/30/2002
							To: 88-1180 Harvestdale Dr									
(1611)	0.04	10	R				From: 88-1182 Harvest Lane				NA			NA		09/30/2002
							To: Dead End									
(1612) Brittany Commons Blvd	0.28	3000	R				From: SR 208 Courthouse Rd				NA			NA		11/07/2005
							To: Dead End									
(1613)	0.12	80	R				From: 88-1638				NA			NA		11/04/2002
							To: Cul-de-Sac									
(1614)	0.05	40	R				From: Cul-de-Sac				NA			NA		11/04/2002
							To: 88-1613									
(1615)	0.81	470	R				From: FR-696 Overview Dr				NA			NA		09/30/2002
							To: 88-608 Massaponax Church Rd									
(1616) Ardwick Cir	0.34	70	R				From: 88-1615 WEST				NA			NA		09/30/2002
							To: 88-1615 EAST									
(1617)	0.03	60	R				From: Cul-de-Sac				NA			NA		09/30/2002
							To: 88-1618; 88-1615									
(1618)	0.08	70	R				From: 88-1617; 88-1615				NA			NA		09/30/2002
							To: Cul-de-Sac									
(1619)	0.08	110	R				From: 88-1615				NA			NA		09/30/2002
							To: Cul-de-Sac									
(1620) Fox Gate Dr	0.26	640	R				From: SR 3 Plank Rd				NA			NA		10/03/2005
							To: 88-1621 Fox Gate Lane									
(1621) Fox Gate Lane	0.98	350	R				From: 88-1620 Fox Gate Dr				NA			NA		10/03/2005
							To: Cul-de-Sac									
(1622)	0.19	200	R				From: 88-1621 Fox Gate Lane				NA			NA		10/28/2002
							To: Cul-de-Sac									
(1623) Bridlerain Court	0.19	100	R				From: 88-1621 Fox Gate Lane				NA			NA		10/03/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1624) Pelham Dr	0.07	230	R			From: 88-621 Orange Plank Rd						NA		NA		08/08/2005
(1624) Pelham Dr	0.10	180	R			To: 88-1625 Dana Ct						NA		NA		08/08/2005
(1624) Pelham Dr	0.11	130	R			From: 88-1626 Tracy Lane						NA		NA		08/08/2005
(1624) Pelham Dr	0.14	50	R			To: 88-1627 Kelsey Cir						NA		NA		08/08/2005
						From: Cul-de-Sac										
(1625) Dana Ct	0.13	45	R			To: Cul-de-Sac						NA		NA		08/08/2005
						From: 88-1624 Pelham Dr										
(1626) Tracy Lane	0.11	40	R			To: Cul-de-Sac						NA		NA		08/08/2005
						From: 88-1624 Pelham Dr										
(1627) Kelsey Circle	0.13	48	R			To: Cul-de-Sac						NA		NA		08/08/2005
						From: 88-621 Orange Plank Rd										
(1628) Kirk Lane	0.17	50	R			To: Cul-de-Sac						NA		NA		08/08/2005
						From: 88-621 Orange Plank Rd										
(1629) West Lake Circle	0.12	40	R			To: Cul-de-Sac						NA		NA		08/08/2005
						From: 88-608 Massaponax Church Rd										
(1630)	0.29	220	R			To: 88-1631						NA		NA		09/16/2002
						From: 88-1632										
(1631)	0.47	80	R			To: Cul-de-Sac						NA		NA		09/16/2002
						From: Dead End										
(1632)	0.08	20	R			To: 88-1631						NA		NA		09/16/2002
(1632)	0.16	46	R			To: Cul-de-Sac						NA		NA		09/16/2002
						From: Cul-de-Sac										
(1633)	0.18	70	R			To: 88-1621 Fox Gate Lane						NA		NA		10/29/2002
						From: 88-1621 Fox Gate Lane										
(1634)	0.19	60	R			To: Cul-de-Sac						NA		NA		10/29/2002
						From: Dead End										
(1635)	0.09	40	R			To: 88-780 Corridor Dr						NA		NA		09/16/2002
						From: 88-1638 SOUTHWEST										
(1636)	0.49	70	R			To: 88-1638 NORTHEAST						NA		NA		09/16/2002
						From: 88-1643 South Oaks Ave										
(1637)	0.17	60	R			To: 88-1638						NA		NA		09/16/2002
						From: 88-608 Massaponax Church Rd										
(1638)	0.65	1000	R			To: Dead End						NA		NA		09/16/2002
						From: 88-1638										
(1639)	0.06	60	R			To: Dead End						NA		NA		09/16/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1640) Edinburgh Dr	0.98	990	R				From: SR 208 Courthouse Rd					NA		NA		09/19/2002
							To: End Loop									
(1641) Coventry Ct	0.11	160	R				From: 88-1640 Edinburgh Dr					NA		NA		09/19/2002
							To: Cul-de-Sac									
(1642) Dover Ct	0.05	130	R				From: 88-1640 Edinburgh Dr					NA		NA		09/19/2002
							To: Cul-de-Sac									
(1643) South Oaks Ave	0.21	220	R				From: 88-1636					NA		NA		08/03/2005
							To: 88-1638									
(1643) South Oaks Ave	0.08	490	R				From: 88-1649 South Oaks Court					NA		NA		08/03/2005
							To: 88-1647									
(1643) South Oaks Ave	0.05	680	R				From: 88-1646 Oak Glen Court					NA		NA		08/03/2005
							To: 88-1645 Southfork Court									
(1643) South Oaks Ave	0.07	990	R				From: 88-1644 Lesley Court					NA		NA		08/03/2005
							To: 88-780 Corridor Dr									
(1644) Lesley Court	0.17	160	R				From: Cul-de-Sac					NA		NA		08/15/2005
							To: 88-1643 South Oaks Ave									
(1644) Lesley Court	0.06	60	R				From: Cul-de-Sac					NA		NA		08/15/2005
							To: 88-1643 South Oaks Ave									
(1645) Southfork Court	0.16	140	R				From: Cul-de-Sac					NA		NA		08/15/2005
							To: Cul-de-Sac									
(1646) Oak Glen Court	0.07	80	R				From: 88-1643 South Oaks Ave					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1646) Oak Glen Court	0.13	140	R				From: Cul-de-Sac					NA		NA		08/03/2005
							To: 88-1638									
(1647)	0.04	220	R				From: 88-1648 Veld Court					NA		NA		09/16/2002
							To: 88-1643 South Oaks Ave									
(1647)	0.10	210	R				From: Cul-de-Sac					NA		NA		09/16/2002
							To: 88-1647									
(1648) Veld Court	0.08	90	R				From: Cul-de-Sac					NA		NA		08/03/2005
							To: 88-1643 South Oaks Ave									
(1649) South Oaks Court	0.06	60	R				From: 88-628 Smith Station Rd					NA		NA		1995
							To: Cul-de-Sac									
(1650)	0.97	200	R				From: 88-628 Smith Station Rd					NA		NA		1995
							To: 88-1652 NORTH									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1651)	0.06	100	R				From: 88-1652 NORTH					NA		NA		1995
(1651)	0.60	100	R				From: 88-1653					NA		NA		1995
							To: 88-1653									
(1652)	0.57	160	R				From: 88-1650					NA		NA		1999
							To: End Loop									
(1653)	0.04	48	R				From: Cul-de-Sac					NA		NA		1999
(1653)	0.14	140	R				From: 88-1666					NA		NA		1999
(1653)	0.14	390	R				From: 88-1651 NORTH					NA		NA		1999
(1653)	0.10	160	R				From: 88-1651					NA		NA		1999
(1653)	0.07	290	R				From: 88-1655 Maple Ridge Dr					NA		NA		1999
(1653)	0.21	650	R				From: 88-1650					NA		NA		1999
(1653)	0.09	450	R				From: 88-1662					NA		NA		1999
(1653)	0.07	410	R				From: 88-1663					NA		NA		1999
(1653)	0.09	300	R				From: 88-1664					NA		NA		1999
(1653)	0.20	120	R				From: 88-1658 Cedar Post Lane					NA		NA		1999
							To: Cul-de-Sac									
(1654)	0.10	NA					From: Cul-de-Sac					NA		NA		
							To: 88-635 Lee Hill School Dr									
(1655) Maple Ridge Dr	0.41	200	R				From: 88-1653					NA		NA		11/09/2005
							To: 88-1658 Cedar Post Lane									
(1656) Bentwood Court	0.04	40	R				From: Cul-de-Sac					NA		NA		11/09/2005
							To: 88-1655 Maple Ridge Dr									
(1657) Whipperwhill Court	0.04	48	R				From: 88-1655 Maple Ridge Dr					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1658) Cedar Post Lane	1.02	210	R				From: 88-1653					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1659) Bradford St	0.12	120	R				From: 88-1650					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1660) Heavenwood Court	0.08	70	R				From: 88-1650					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1661) Southridge Ct	0.08	210	R				From: Cul-de-Sac; O.08 MW					NA		NA		11/09/2005
							To: 88-1658 Cedar Post Lane									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1661) Southridge Ct	0.16	110	R				From: 88-1658 Cedar Post Lane					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1662)	0.13	100	R				From: 88-1653					NA		NA		1999
							To: 88-1663									
(1662)	0.18	130	R				From: 88-1663					NA		NA		1999
							To: 88-1658 Cedar Post Lane									
(1662)	0.24	320	R				From: 88-1658 Cedar Post Lane					NA		NA		1999
							To: 88-1902									
(1662)	0.05	200	R				From: 88-1902					NA		NA		1999
							To: 88-1903									
(1662)	0.09	130	R				From: 88-1903					NA		NA		1999
							To: 88-1658 E, Cedar Post Lane									
(1663)	0.15	80	R				From: 88-1651					NA		NA		1995
							To: 88-1650									
(1663)	0.09	46	R				From: 88-1650					NA		NA		1999
							To: 88-1662									
(1663)	0.06	190	R				From: 88-1662					NA		NA		1999
							To: 88-1653									
(1664)	0.15	90	R				From: 88-1653					NA		NA		1999
							To: 88-1658; 88-1906									
(1665)	0.06	70	R				From: 88-1651 WEST					NA		NA		11/04/2002
							To: 88-1651 EAST									
(1666)	0.06	50	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1653									
(1667) Crestfield Lane	0.13	120	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1668 Autumn Wood Dr									
(1667)	0.21	150	R				From: 88-1668 Autumn Wood Dr					NA		NA		08/29/2005
							To: 88-1678 Silverbrook Dr									
(1668) Autumn Wood Dr	0.09	160	R				From: 88-1677 Springwood Dr					NA		NA		08/29/2005
							To: Dead End									
(1668) Autumn Wood Dr	0.16	260	R				From: Dead End					NA		NA		11/04/2002
							To: 88-1669									
(1668) Autumn Wood Dr	0.07	630	R				From: 88-1669					NA		NA		11/04/2002
							To: 88-628; 88-1651									
(1669)	0.37	150	R				From: 88-1668 Autumn Wood Dr					NA		NA		11/04/2002
							To: 88-1678 Silverbrook Dr									
(1670)	0.21	470	R				From: 88-627 Gordon Rd					NA		NA		08/19/2002
							To: 88-1673									
(1671)	0.23	70	R				From: 88-1670					NA		NA		08/19/2002
							To: 88-1675									
(1672)	0.14	200	R				From: 88-1670					NA		NA		08/19/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1673)	0.23	170	R				From: 88-1670				NA		NA			08/19/2002
							To: 88-1674									
(1674)	0.17	170	R				From: 88-1673				NA		NA			08/19/2002
							To: Cul-de-Sac									
(1675)	0.21	490	R				From: 88-1673				NA		NA			08/19/2002
							To: 88-627 Gordon Rd									
(1676)	0.07	100	R				From: Cul-de-Sac				NA		NA			11/04/2002
							To: 88-1668 Autumn Wood Dr									
(1677) Springwood Dr	0.19	60	R				From: Cul-de-Sac				NA		NA			08/29/2005
							To: Cul-de-Sac									
(1678) Silverbrook Dr	0.22	400	R				From: Dead End				NA		NA			08/29/2005
							To: 88-628 Smith Station Rd									
(1679) Saxony Circle	0.06	90	R				From: Dead End				NA		NA			08/29/2005
							To: 88-1667									
(1680)	0.63	450	R				From: Cul-de-Sac				NA		NA			09/17/2002
							To: SR 3 Plank Rd									
(1681)	0.69	130	R				From: 88-1680				NA		NA			09/17/2002
							To: 88-1680									
(1682) Mindy Court	0.12	130	R				From: 88-1689				NA		NA			10/19/2005
							To: Cul-de-Sac									
(1683) Tatiana Court	0.05	60	R				From: 88-1689				NA		NA			10/19/2005
							To: Cul-de-Sac									
(1684) Timberlake Rd	0.41	240	R				From: 88-2155 Hickory Hill Dr				NA		NA			10/19/2005
							To: 88-1691 Layton St									
(1684) Timberlake Rd	0.29	560	R				From: 88-1615				NA		NA			10/19/2005
							To: Cul-de-Sac									
(1685) East Glen Dower Dr	0.24	80	R				From: Cul-de-Sac				NA		NA			10/19/2005
							To: Cul-de-Sac									
(1686)	0.28	1000	R				From: 88-1037 Monticello St				NA		NA			11/07/2002
							To: 88-1689									
(1687)	0.04	40	R				From: Cul-de-Sac				NA		NA			11/07/2002
							To: 88-1686									
(1688)	0.23	190	R				From: Cul-de-Sac				NA		NA			11/07/2002
							To: 88-1686									
(1689)	0.70	220	R				From: Cul-de-Sac				NA		NA			11/07/2002
							To: Dead End									
(1690) Heather Greens Cir	0.69	290	R				From: 88-629 Foster Rd				NA		NA			1999
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1691) Layton St	0.10	80	R									NA		NA		10/19/2005
(1691) Layton St	0.06	110	R									NA		NA		10/19/2005
(1692) Jansen Ct	0.06	40	R									NA		NA		10/19/2005
(1693) Albert Dr	0.45	200	R									NA		NA		10/19/2005
(1694) Twiford Court	0.07	90	R									NA		NA		10/19/2005
(1695) Andrews Mill Lane	0.20	70	R									NA		NA		10/19/2005
(1696) River Junction Dr	0.88	180	R									NA		NA		11/07/2005
(1697) Gold Mine Court	0.26	40	R									NA		NA		11/07/2005
(1698) Riverview Dr	0.49	30	R									NA		NA		11/07/2005
(1699) Junction Ct	0.12	20	R									NA		NA		11/07/2005
(1700)	0.39	90	R									NA		NA		10/07/2002
(1701) Ni River Dr	0.42	80	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.06	140	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.14	230	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.09	590	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.14	480	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.13	660	R									NA		NA		08/03/2005
(1702) Marathon Pl	0.14	190	R									NA		NA		08/03/2005
(1703) Shaw Dr	0.34	240	R									NA		NA		08/03/2005
(1703) Shaw Dr	0.19	100	R									NA		NA		08/03/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1704) Colise Lane	0.15	49	R				From: 88-1703 Shaw Dr					NA		NA		08/03/2005
							To: 88-1701 Ni River Dr									
(1705) Helena Terrace	0.11	130	R				From: 88-1701 Ni River Dr					NA		NA		08/03/2005
							To: 88-1706 Beau Court									
(1705) Helena Terrace	0.13	90	R				From: 88-1706 Beau Court					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1706) Beau Court	0.06	30	R				From: 88-1705 Helena Terrace					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1707)	0.10	190	R				From: 88-1708; 88-1709					NA		NA		09/04/2002
							To: 88-616 US Ford Rd									
(1708)	0.86	30	R				From: 88-1709; 88-1707					NA		NA		09/04/2002
							To: 88-1709									
(1709)	0.88	40	R				From: 88-1708; 88-1707					NA		NA		09/04/2002
							To: 88-1710									
(1710)	0.98	160	R				From: 88-616 US Ford Rd					NA		NA		09/04/2002
							To: Cul-de-Sac									
(1711) Avocet Way	0.44	480	R				From: 88-1712 Cinnamon Teal					NA		NA		09/29/2005
							To: 88-625 Ashby Dr									
(1712) Cinnamon Teal	0.27	910	R				From: 88-612 Catharpin Rd					NA		NA		11/05/2002
							To: 88-1713									
(1712) Cinnamon Teal	0.46	1000	R				From: 88-1713					NA		NA		09/29/2005
							To: 88-1723 S. Blue Herron Circle									
(1712) Cinnamon Teal	0.84	520	R				From: 88-1723 S. Blue Herron Circle					NA		NA		09/29/2005
							To: 88-625 Ashby Dr									
(1713)	0.35	60	R				From: 88-1712 Cinnamon Teal					NA		NA		11/05/2002
							To: Dead End									
(1714)	0.14	210	R				From: 88-613 Brock Rd					NA		NA		10/22/2002
							To: 88-1715									
(1714)	0.36	70	R				From: 88-1715					NA		NA		10/22/2002
							To: Cul-de-Sac									
(1715)	0.90	300	R				From: 88-1714					NA		NA		10/22/2002
							To: Cul-de-Sac									
(1716) Ashleigh Park Blvd	0.18	550	R				From: 88-610 Old Plank Rd					NA		NA		11/05/2002
							To: Dead End									
(1716) Ashleigh Park Blvd	0.05	20	R				From: 88-1753 Stonehenge Dr					NA		NA		09/08/2005
							To: Dead End									
(1717)	0.13	190	R				From: 88-1784 Wales Dr					NA		NA		09/08/2005
							To: 88-1716 Ashleigh Park Blvd									
(1717) Heathrow Dr	0.19	80	R				From: 88-1716 Ashleigh Park Blvd					NA		NA		11/05/2002
							To: 88-1719									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1718) Sterling Dr	0.29	450	R				From: 88-1784 Wales Dr					NA		NA		09/08/2005
(1718) Sterling Dr	0.11	70	R				To: 88-1716 Ashleigh Park Blvd					NA		NA		11/05/2002
							From: 88-1719									
(1719)	0.22	90	R				To: 88-1716 Ashleigh Park Blvd					NA		NA		11/05/2002
							From: 88-1717 Heathrow Dr									
(1720)	0.41	230	R				To: 88-620 Spotswood Furnace Rd					NA		NA		10/17/2002
(1720)	0.06	45	R				From: 88-1722					NA		NA		10/17/2002
							To: Cul-de-Sac									
(1721)	0.34	150	R				From: 88-620 Spotswood Furnace Rd					NA		NA		10/17/2002
							To: 88-1722									
(1722)	0.10	46	R				From: 88-1720					NA		NA		10/17/2002
(1722)	0.10	40	R				To: 88-1721					NA		NA		10/17/2002
							To: Cul-de-Sac									
(1723) Blue Herron Circle	0.51	100	R				From: 88-1712 S, Cinnamon Teal					NA		NA		09/29/2005
							To: 88-1712 N, Cinnamon Teal									
(1724) Sanderling Court	0.09	70	R				From: 88-1723 Blue Herron Circle					NA		NA		09/29/2005
							To: Cul-de-Sac									
(1725) Millstream Dr	0.59	310	R				From: 88-1726 Millwood Dr					NA		NA		10/31/2002
							To: 88-747 Old Mill Lane									
(1726) Millwood Dr	0.50	170	R				From: 88-1727 Millwood Ct					NA		NA		10/31/2002
(1726) Millwood Dr	0.36	230	R				To: 88-747 Old Mill Lane					NA		NA		10/31/2002
(1726) Millwood Dr	0.16	46	R				From: 88-1725 Millstream Dr					NA		NA		10/31/2002
							To: Dead End									
(1727) Millwood Ct	0.09	50	R				From: Dead End					NA		NA		10/31/2002
(1727) Millwood Ct	0.06	60	R				To: 88-1726 Millwood Dr					NA		NA		10/31/2002
							To: Cul-de-Sac									
(1728) Canvasback Court	0.19	110	R				From: Cul-de-Sac					NA		NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(1729)	0.29	110	R				From: 88-620 Spotswood Furnace Rd					NA		NA		09/04/2002
							To: Cul-de-Sac									
(1730)	0.76	150	R				From: Cul-de-Sac					NA		NA		09/04/2002
							To: 88-620 Spotswood Furnace Rd									
(1731)	0.16	40	R				From: Cul-de-Sac					NA		NA		09/04/2002
							To: 88-1732									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1731)	0.50	160	R				From: 88-1732					NA		NA		09/04/2002
							To: 88-620 Spotswood Furnace Rd									
(1732)	0.27	60	R				From: 88-1731					NA		NA		09/04/2002
							To: Cul-de-Sac									
(1733) Antler Rd	0.60	260	R				From: 88-620 Spotswood Furnace Rd					NA		NA		09/04/2002
							To: 88-1734 Antler Ct									
(1733) Antler Rd	0.22	40	R				From: 88-1734 Antler Ct					NA		NA		09/04/2002
							To: Cul-de-Sac									
(1734) Antler Ct	0.26	80	R				From: Cul-de-Sac					NA		NA		09/04/2002
							To: 88-1733 Antler Rd									
(1735)	0.25	90	R				From: Cul-de-Sac					NA		NA		10/17/2002
							To: 88-618 River Rd									
(1736)	0.18	60	R				From: 88-618 River Rd					NA		NA		10/17/2002
							To: Cul-de-Sac									
(1737) Sedgwick Dr	0.21	150	R				From: 88-618 River Rd					NA		NA		10/17/2005
							To: 88-1738 McLane Pl									
(1737) Sedgwick Dr	0.22	70	R				From: 88-1738 McLane Pl					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1738) McLane Pl	0.10	90	R				From: 88-1737 Sedgwick Dr					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1739) Floral Pl	0.12	30	R				From: 88-1741 River Bend Dr E					NA		NA		10/17/2002
							To: Cul-de-Sac									
(1740) River Bluffs Dr	0.13	560	R				From: 88-618 River Rd					NA		NA		10/17/2005
							To: 88-1741 River Bend Dr									
(1740) River Bluffs Dr	0.35	290	R				From: 88-1741 River Bend Dr E; River Bend Dr W					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1741) River Bend Dr W	0.32	60	R				From: Cul-de-Sac					NA		NA		10/17/2005
							To: 88-1742 Old Ridge Rd									
(1741) River Bend Dr W	0.48	180	R				From: 88-1742 Old Ridge Rd					NA		NA		10/17/2005
							To: 88-1740 River Bluffs Dr									
(1741) River Bend Dr E	0.64	140	R				From: 88-1740 River Bluffs Dr					NA		NA		10/17/2005
							To: Dead End									
(1742) Old Ridge Rd	0.13	60	R				From: Cul-de-Sac					NA		NA		10/17/2005
							To: 88-1743 Bluff Point Rd									
(1742) Old Ridge Rd	0.06	100	R				From: 88-1743 Bluff Point Rd					NA		NA		10/17/2005
							To: 88-1741 River Bend Dr W									
(1743) Bluff Point Rd	0.21	49	R				From: 88-1742 Old Ridge Rd					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1744) Goldview Dr	0.62	240	R				From: 88-1740 River Bluffs Dr					NA		NA		10/17/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1745) Beech Tree Ct	0.19	90	R				From: 88-1744 Goldview Dr				NA			NA		10/17/2005
							To: Cul-de-Sac									
(1746) River Oak Pl	0.25	80	R				From: 88-1744 Goldview Dr				NA			NA		10/17/2005
							To: Cul-de-Sac									
(1747) Wesley Dr	0.42	100	R				From: SR 3 Plank Rd				NA			NA		10/03/2005
							To: Cul-de-Sac									
(1748) Hemlock Ct	0.20	20	R				From: 88-1741 River Bend Dr W				NA			NA		10/17/2005
							To: Cul-de-Sac									
(1749) Snowy Egret Court	0.53	170	R				From: Dead End				NA			NA		09/29/2005
							To: 88-1711 Avocet Way									
(1750) Riverdowns Dr	0.28	160	R				From: 88-618 River Rd				NA			NA		10/17/2005
							To: 88-1751 Rosecroft Dr									
(1750)	0.12	30	R				From: 88-1751 Rosecroft Dr				NA			NA		10/17/2005
							To: Cul-de-Sac									
(1751) Rosecroft Dr	0.20	90	R				From: 88-1750 Riverdowns Dr				NA			NA		10/17/2005
							To: Cul-de-Sac									
(1752)	0.28	110	R				From: 88-610 Old Plank Rd				NA			NA		09/17/2002
							To: Cul-de-Sac									
(1753) Stonehenge Dr	0.42	280	R				From: 88-1718 Sterling Dr				NA			NA		09/08/2005
							To: 88-1716 Ashleigh Park Blvd									
(1753)	0.37	280	R				From: 88-1716 Ashleigh Park Blvd				NA			NA		09/08/2005
							To: Cul-de-Sac									
(1754) Knight Court	0.11	110	R				From: 88-1753				NA			NA		09/08/2005
							To: Cul-de-Sac									
(1755) McClain St	0.04	60	R				From: Cul-de-Sac				NA			NA		08/26/2002
							To: 88-1756 Willow Woods Dr									
(1755) McClain St	0.06	250	R				From: 88-1756 Willow Woods Dr				NA			NA		08/26/2002
							To: 88-760 S, Corter Ave									
(1755) McClain St	0.20	40	R				From: 88-760 S, Corter Ave				NA			NA		08/26/2002
							To: 88-760 N, Corter Ave									
(1756) Willow Woods Dr	0.23	80	R				From: 88-760 Corter Ave				NA			NA		08/26/2002
							To: 88-1755 McClain St									
(1757) Drew Lane	0.15	190	R				From: 88-760 Corter Ave				NA			NA		09/08/2005
							To: 88-1758 W, Middleton Dr									
(1757) Drew Lane	0.21	70	R				From: 88-1758 W, Middleton Dr				NA			NA		09/08/2005
							To: 88-1758 E, Middleton Dr									
(1758) Middleton Dr	0.06	60	R				From: 88-1757 W, Drew Lane				NA			NA		09/08/2005
							To: 88-760 Corter Ave									
(1758) Middleton Dr	0.10	600	R				From: 88-760 Corter Ave				NA			NA		09/08/2005
							To: 88-1757 E, Drew Lane									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1758) Middleton Dr	0.11	640	R			From: 88-1757 E. Drew Lane					NA			NA		09/08/2005
						To: 88-620 Spottswood Furnace Rd										
(1759) General Sickles Court	0.14	60	R			From: Cul-de-Sac					NA			NA		11/07/2005
						To: 88-1762 Perimeter Dr										
(1760) Springfield Dr	0.60	540	R			From: 88-1237 Buttemut Dr					NA			NA		1999
						To: Cul-de-Sac										
(1761) Kyle Ct	0.06	100	R			From: Cul-de-Sac					NA			NA		1999
						To: 88-1760 Springfield Dr										
(1762) Perimeter Dr	0.25	240	R			From: 88-1759 General Sickles Court					NA			NA		11/07/2005
						To: 88-1774										
(1762) Perimeter Dr	0.81	840	R			From: 88-616 US Ford Rd					NA			NA		11/05/2002
						To: 88-1762 Perimeter Dr										
(1763)	0.38	100	R			From: 88-1762 Perimeter Dr					NA			NA		11/05/2002
						To: Cul-de-Sac										
(1764) Barnes Ct	0.10	30	R			From: Cul-de-Sac					NA			NA		11/05/2002
						To: 88-1763										
(1765)	0.07	50	R			From: Dead End					NA			NA		09/10/2002
						To: 88-1770										
(1765)	0.18	70	R			From: 88-1770					NA			NA		09/10/2002
						To: 88-1772										
(1765)	0.08	340	R			From: 88-1772					NA			NA		09/10/2002
						To: 88-1771										
(1765)	0.07	610	R			From: 88-1771					NA			NA		09/10/2002
						To: 88-1770										
(1765)	0.10	820	R			From: 88-1770					NA			NA		09/10/2002
						To: 88-1769										
(1765)	0.10	970	R			From: 88-1769					NA			NA		09/10/2002
						To: 88-1768										
(1765)	0.06	1100	R			From: 88-1768					NA			NA		09/10/2002
						To: 88-1767										
(1765)	0.05	1200	R			From: 88-1767					NA			NA		09/10/2002
						To: 88-1766										
(1765)	0.05	1300	R			From: 88-1766					NA			NA		09/10/2002
						To: 88-610 Old Plank Rd										
(1766)	0.05	60	R			From: 88-1765					NA			NA		09/10/2002
						To: Cul-de-Sac										
(1767)	0.08	80	R			From: Cul-de-Sac					NA			NA		09/10/2002
						To: 88-1765										
(1768)	0.10	160	R			From: 88-1765					NA			NA		09/10/2002
						To: 88-1769										
(1769)	0.15	100	R			From: 88-1765					NA			NA		09/10/2002
						To: 88-1768										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1770)	0.32	120	R													09/10/2002
(1770)	0.16	220	R													09/10/2002
(1771)	0.12	70	R													09/10/2002
(1772)	0.12	90	R													09/10/2002
(1773)	0.16	60	R													10/28/2002
(1774)	0.32	110	R													10/28/2002
(1775)	0.36	90	R													10/28/2002
(1776)	0.12	60	R													10/28/2002
(1777)	0.12	70	R													10/28/2002
(1778)	0.13	60	R													10/28/2002
(1779) Quail Meadows Dr	0.34	130	R													11/02/2005
(1780)	0.26	520	R													09/12/2002
(1781)	0.19	150	R													09/12/2002
(1782)	0.20	150	R													09/12/2002
(1783)	0.13	40	R													09/12/2002
(1784) Wales Dr	0.40	80	R													09/08/2005
(1786) Musket Ridge Lane	0.10	150	R													10/03/2005
(1786) Musket Ridge Lane	0.16	100	R													10/03/2005
(1786) Musket Ridge Lane	0.10	20	R													10/03/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1787) Pipe Run Dr	0.09	100	R			From: 88-1789 Bayonet Point Court; Bayonet Point Ct					NA			NA		10/03/2005
(1787) Pipe Run Dr	0.30	46	R			From: 88-1788 Canteen Circle					NA			NA		10/03/2005
						To: 88-1786 Musket Ridge Lane										
(1788) Canteen Circle	0.40	60	R			From: 88-1787 Pipe Run Dr					NA			NA		10/03/2005
						To: 88-1786 Musket Ridge Lane										
(1789) Bayonet Point Ct	0.09	160	R			From: 88-618 River Rd					NA			NA		10/03/2005
(1789) Bayonet Point Court	0.19	40	R			From: 88-1787 Pipe Run Dr					NA			NA		10/03/2005
						To: Dead End										
(1790)	0.44	580	R			From: SR 3 Plank Rd					NA			NA		10/17/2002
						To: 88-618 River Rd										
(1791)	0.25	90	R			From: 88-1790					NA			NA		10/17/2002
						To: Cul-de-Sac										
(1792)	0.27	60	R			From: SR 3 Plank Rd					NA			NA		10/17/2002
						To: Cul-de-Sac										
(1793) Trench Court	0.06	30	R			From: Dead End					NA			NA		10/03/2005
(1793) Trench Court	0.31	90	R			From: 88-1795 Campfire Lane					NA			NA		10/03/2005
						To: 88-618 River Rd										
(1794)	0.31	150	R			From: Cul-de-Sac					NA			NA		10/17/2002
						To: 88-618 River Rd										
(1795) Campfire Lane	0.24	100	R			From: 88-1793 Trench Court					NA			NA		10/03/2005
						To: 88-618 River Rd										
(1796)	0.22	80	R			From: Cul-de-Sac					NA			NA		10/28/2002
						To: SR 208 Courthouse Rd										
(1797) Wilton Lane	0.58	120	R			From: 88-614 Dickerson Rd					NA			NA		10/08/2002
						To: Dead End										
(1798) Elizabeth Court	0.06	30	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-1794										
(1799) Wood Ibis Court	0.13	90	R			From: Dead End					NA			NA		09/29/2005
						To: 88-1712 Cinnamon Teal										
(1800)	0.32	240	R			From: SR 208 Courthouse Rd					NA			NA		08/21/2002
						To: Cul-de-Sac										
(1801)	0.14	50	R			From: 88-1800					NA			NA		08/21/2002
						To: 88-1802										
(1802)	0.10	50	R			From: 88-1800					NA			NA		08/21/2002
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1803)	0.46	NA					From: 88-619 Mill Rd				NA			NA		
							To: Cul-de-Sac									
(1804)	0.19	NA					From: SR 3 Plank Rd				NA			NA		
							To: 88-675									
(1805) St Catherines Court	0.17	130		R			From: Dead End				NA			NA		11/07/2005
							To: 88-1090									
(1806) Dartmoor Court	0.19	140		R			From: Dead End				NA			NA		11/07/2005
							To: 88-1091 Lancaster Ring Rd									
(1807) Dunstable Court	0.07	70		R			From: Dead End				NA			NA		11/07/2005
							To: 88-1091 Lancaster Ring Rd									
(1808) Wellington Glen Dr	0.23	430		R			From: 88-674 Chancellor Rd				NA			NA		09/29/2005
							To: 88-1809 Regency Glen Dr									
(1809) Regency Glen Dr	0.43	240		R			From: 88-1808 Wellington Glen Dr				NA			NA		09/29/2005
							To: Cul-de-Sac									
(1810)	0.27	410		R			From: 88-674 Chancellor Rd				NA			NA		09/17/2002
							To: Cul-de-Sac									
(1811)	0.18	230		R			From: 88-1810				NA			NA		09/17/2002
							To: Cul-de-Sac									
(1812)	0.04	48		R			From: Cul-de-Sac				NA			NA		09/17/2002
							To: 88-1811									
(1813)	0.13	160		R			From: 88-1811				NA			NA		09/17/2002
							To: Cul-de-Sac									
(1814)	0.24	270		R			From: Cul-de-Sac				NA			NA		09/17/2002
							To: 88-1813									
(1815)	0.06	90		R			From: Cul-de-Sac				NA			NA		09/17/2002
							To: 88-1814									
(1816)	0.06	360		R			From: 88-674 Chancellor Rd				NA			NA		09/17/2002
							To: 88-1814									
(1817)	0.13	100		R			From: 88-1818				NA			NA		10/28/2002
							To: 88-1270 Cambridge Dr									
(1818)	0.16	140		R			From: Dead End				NA			NA		10/28/2002
							To: 88-1270 Cambridge Dr									
(1819)	0.06	70		R			From: 88-1821				NA			NA		10/28/2002
							To: Dead End									
(1820)	0.10	650		R			From: 88-1270 Cambridge Dr				NA			NA		10/28/2002
							To: Cul-de-Sac									
(1821)	0.31	410		R			From: 88-1270 Cambridge Dr				NA			NA		10/28/2002
							To: 88-1270 S. Cambridge Dr									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1822)	0.14	80	R								NA		NA			10/28/2002
(1823)	0.10	180	R								NA		NA			09/17/2002
(1824)	0.04	60	R								NA		NA			09/17/2002
(1825) Peach Tree Dr	0.15	120	R								NA		NA			09/29/2005
(1825) Peach Tree Dr	0.12	330	R								NA		NA			09/29/2005
(1825) Peach Tree Dr	0.22	450	R								NA		NA			09/29/2005
(1825) Peach Tree Dr	0.09	660	R								NA		NA			09/29/2005
(1826) Sandalwood Lane	0.06	60	R								NA		NA			09/29/2005
(1827) Bridgewood Court	0.13	180	R								NA		NA			09/29/2005
(1828) Blossom Wood Court	0.14	150	R								NA		NA			09/29/2005
(1829) Live Oak Court	0.06	60	R								NA		NA			09/29/2005
(1830)	0.20	100	R								NA		NA			09/04/2002
(1831) Willow Court	0.09	100	R								NA		NA			09/29/2005
(1831) Sumac Court	0.04	40	R								NA		NA			09/29/2005
(1832) White Pine Court	0.08	110	R								NA		NA			09/29/2005
(1833) Cedar Cove Court	0.04	30	R								NA		NA			09/29/2005
(1834) Locust Court	0.11	150	R								NA		NA			09/29/2005
(1835) Red Ash Court	0.05	60	R								NA		NA			09/29/2005
(1836) Elmwood Lane	0.14	170	R								NA		NA			09/29/2005
(1837) Highland Oaks Dr	0.15	70	R								NA		NA			09/29/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1837) Highland Oaks Dr	0.05	40	R				From: 88-1838 Walnut St				NA			NA		09/29/2005
							To: Cul-de-Sac									
(1838) Walnut St	0.09	310	R				From: 88-743 Lewis Thorburn Rd				NA			NA		09/29/2005
							To: 88-1839 Spruce Court									
(1838) Walnut St	0.11	100	R				From: 88-1837 Highland Oaks Dr				NA			NA		09/29/2005
							To: Cul-de-Sac									
(1839) Spruce Court	0.05	30	R				From: 88-1838 Walnut St				NA			NA		09/29/2005
							To: 88-1842 Begin Loop									
(1840)	0.18	760	R				From: 88-610 Old Plank Rd				NA			NA		09/17/2002
							To: 88-1840									
(1841)	0.31	190	R				From: Cul-de-Sac				NA			NA		09/17/2002
							To: 88-1840 Begin Loop									
(1842)	1.31	160	R				From: End Loop				NA			NA		09/17/2002
							To: Cul-de-Sac									
(1843)	0.08	50	R				From: 88-1842				NA			NA		09/17/2002
							To: Cul-de-Sac									
(1844)	0.07	49	R				From: 88-1842				NA			NA		09/17/2002
							To: 88-1842									
(1845) Catharines Furnace Cou	0.11	60	R				From: 88-1842				NA			NA		10/03/2005
							To: Cul-de-Sac									
(1846)	0.14	120	R				From: Cul-de-Sac				NA			NA		09/17/2002
							To: 88-1842									
(1847)	0.63	290	R				From: Dead End				NA			NA		10/24/2002
							To: 88-610 Old Plank Rd									
(1848)	0.11	90	R				From: Dead End				NA			NA		10/24/2002
							To: 88-1847									
(1849) Westerlo Court	0.06	60	R				From: 88-1861 Waterman Dr				NA			NA		08/31/2005
							To: Cul-de-Sac									
(1850)	0.48	3700	R				From: 88-628 Smith Station Rd				NA			NA		09/25/2002
							To: 88-1851 EAST									
(1850)	0.06	1200	R				From: 88-1862				NA			NA		09/25/2002
							To: 88-1854									
(1851)	0.93	240	R				From: 88-1850 EAST				NA			NA		09/25/2002
							To: 88-1859									
(1851)	0.18	360	R				From: 88-1859				NA			NA		09/25/2002
							To: Dead End									
(1851)	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 88-1851									
(1852) Hope Cour	0.05	60	R				From: Cul-de-Sac				NA			NA		08/31/2005
							To: 88-1851									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1853) Justice Dr	0.06	46	R				From: 88-1851					NA		NA		08/31/2005
							To: 88-1855 Sweetbriar Dr									
(1854)	0.29	820	R				From: 88-1850					NA		NA		08/26/2002
							To: 88-1859 WEST									
(1854)	0.26	980	R				From: 88-1859 E, Charlesfield Dr					NA		NA		08/26/2002
							To: 88-639 Leavells Rd									
(1855) Sweetbriar Dr	0.53	300	R				From: 88-1854					NA		NA		08/31/2005
							To: 88-1851									
(1856) Cranston Lane	0.39	560	R				From: 88-1862					NA		NA		08/31/2005
							To: 88-1867 Danford St									
(1856) Cranston Lane	0.06	1100	R				From: 88-1867 Danford St					NA		NA		08/31/2005
							To: 88-1851									
(1856)	0.11	180	R				From: 88-1851					NA		NA		09/25/2002
							To: 88-1850									
(1857) Providence Court	0.12	150	R				From: 88-1850					NA		NA		08/31/2005
							To: Cul-de-Sac									
(1858) Thayer Court	0.17	250	R				From: 88-1850					NA		NA		08/31/2005
							To: 88-1859									
(1859) Charlesfield Dr	0.03	450	R				From: 88-1854 EAST					NA		NA		08/26/2002
							To: 88-1865 S. Benevolent St									
(1859)	0.25	330	R				From: 88-1865 S. Benevolent St					NA		NA		08/31/2005
							To: 88-1865 N. Benevolent St									
(1859)	0.29	850	R				From: 88-1865 N. Benevolent St					NA		NA		08/31/2005
							To: 88-1858 Thayer Court									
(1859)	0.06	330	R				From: 88-1858 Thayer Court					NA		NA		08/31/2005
							To: 88-1851									
(1861) Waterman Dr	0.08	70	R				From: Cul-de-Sac					NA		NA		08/31/2005
							To: 88-1859									
(1861) Waterman Dr	0.34	330	R				From: 88-1859					NA		NA		08/31/2005
							To: Cul-de-Sac									
(1862)	0.21	NA					From: Dead End					NA		NA		
							To: 88-1867 Danford St									
(1862)	0.15	580	R				From: 88-1867 Danford St					NA		NA		09/25/2002
							To: 88-1850									
(1862)	0.09	730	R				From: 88-1850					NA		NA		09/25/2002
							To: 88-1863 Barton Lane									
(1862)	0.06	NA					From: 88-1863 Barton Lane					NA		NA		
							To: Dead End									
(1863) Barton Lane	0.12	590	R				From: 88-1862					NA		NA		08/31/2005
							To: 88-1868 West Melody Court									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1865) Benevolent St	0.19	130	R				88-1859 S, Charlesfield Dr				NA			NA		08/31/2005
							88-1859 NORTH									
(1866) Avery St	0.06	48	R				88-1867 Danford St				NA			NA		08/31/2005
							88-1856 Cranston Lane									
(1867) Danford St	0.10	150	R				Cul-de-Sac				NA			NA		08/31/2005
							88-1856 Cranston Lane				NA			NA		08/31/2005
(1867) Danford St	0.18	320	R				88-1866 Avery St				NA			NA		09/25/2002
							Dead End									
(1868) West Melody Court	0.12	160	R				88-1863 Barton Lane				NA			NA		08/31/2005
							88-1869 North Cranston Lane				NA			NA		
(1868) West Melody Court	0.11	NA					Dead End									
							Cul-de-Sac				NA			NA		08/31/2005
(1869) North Cranston Lane	0.15	170	R				88-1868 West Melody Court				NA			NA		
							88-1862				NA			NA		
(1870) Aspen Lane	0.40	440	R				Cul-de-Sac				NA			NA		09/16/2002
							Cul-de-Sac									
(1871)	0.31	180	R				Cul-de-Sac				NA			NA		09/16/2002
							88-1870 Aspen Lane									
(1872)	0.05	10	R				88-1871				NA			NA		09/16/2002
							Cul-de-Sac									
(1873)	0.09	670	R				88-1874				NA			NA		11/05/2002
							88-610 Old Plank Rd									
(1874)	0.53	380	R				88-1827; 88-1825				NA			NA		11/05/2002
							Cul-de-Sac									
(1875)	0.05	40	R				88-1874				NA			NA		11/05/2002
							Cul-de-Sac									
(1876)	0.07	90	R				88-1825 Peach Tree Dr				NA			NA		11/05/2002
							Cul-de-Sac									
(1877)	0.09	NA					88-1753 Stonehenge Dr				NA			NA		
							88-1784 Wales Dr									
(1878)	0.17	NA					88-1718 Sterling Dr				NA			NA		
							88-1753 Stonehenge Dr									
(1879)	0.16	NA					88-1869				NA			NA		
							Dead End									
(1880)	0.18	370	R				88-1881 WEST				NA			NA		09/19/2002
							88-620 Harrison Rd									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1881)	0.20	210	R								NA			NA		09/19/2002
(1882) Mossy Bank Lane	0.37	360	R								NA			NA		10/19/2005
(1883) Hackberry Court	0.05	60	R								NA			NA		10/19/2005
(1884) Fieldstone Court	0.09	30	R								NA			NA		10/19/2005
(1885) Cotter Court	0.04	60	R								NA			NA		10/19/2005
(1886)	0.41	NA									NA			NA		
(1887)	0.13	850	R								NA			NA		11/05/2002
(1888)	0.09	110	R								NA			NA		11/05/2002
(1889)	0.05	40	R								NA			NA		11/05/2002
(1890)	0.50	440	R								NA			NA		10/10/2002
(1891)	0.32	80	R								NA			NA		10/10/2002
(1891)	1.14	350	R								NA			NA		10/10/2002
(1892)	0.18	40	R								NA			NA		10/10/2002
(1893)	0.60	120	R								NA			NA		10/10/2002
(1894) Crown Grant Dr	0.05	1200	R								NA			NA		11/07/2005
(1895) Chesney Dr	0.34	380	R								NA			NA		11/07/2005
(1902)	0.05	40	R								NA			NA		08/26/2002
(1903)	0.04	70	R								NA			NA		08/26/2002
(1904)	0.12	190	R								NA			NA		08/26/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1905)	0.06	60	R				88-1904				NA		NA			08/26/2002
							Cul-de-Sac									
(1906)	0.11	110	R				88-1658; 88-1664				NA		NA			1999
							Cul-de-Sac									
(1908)	0.07	90	R				88-1917				NA		NA			10/24/2002
							Cul-de-Sac									
(1909)	0.06	60	R				88-1917				NA		NA			10/24/2002
							Cul-de-Sac									
(1910) Smoketree Blvd	0.14	330	R				88-1911 Arbor Glen Dr				NA		NA			10/12/2005
							88-1912 Cedar Crest Dr									
(1910) Smoketree Blvd	0.09	1800	R				88-610 Old Plank Rd				NA		NA			10/12/2005
							88-1916 Woodland View Dr									
(1911) Arbor Glen Dr	0.16	160	R				88-1910 Smoketree Blvd				NA		NA			10/12/2005
							88-1912 Cedar Crest Dr									
(1911) Arbor Glen Dr	0.11	90	R				88-1912 Cedar Crest Dr				NA		NA			10/12/2005
							Cul-de-Sac									
(1912) Cedar Crest Dr	0.06	320	R				88-1915 Hickory Creek Dr				NA		NA			10/12/2005
							88-1913									
(1912) Cedar Crest Dr	0.06	730	R				88-1911 Arbor Glen Dr				NA		NA			10/12/2005
							88-1910 Smoketree Blvd									
(1912) Cedar Crest Dr	0.09	200	R				Dead End				NA		NA			10/24/2002
							88-1916 Woodland View Dr									
(1913)	0.18	130	R				88-1914 Timbermill Lane				NA		NA			10/24/2002
							88-1912 Cedar Crest Dr									
(1914) Timbermill Lane	0.16	130	R				88-1916 Woodland View Dr				NA		NA			10/12/2005
							88-1913									
(1915) Hickory Creek Dr	0.30	220	R				88-1916 Woodland View Dr				NA		NA			10/12/2005
							88-1912 Cedar Crest Dr									
(1915) Hickory Creek Dr	0.05	30	R				Cul-de-Sac				NA		NA			10/12/2005
							88-1919									
(1916) Woodland View Dr	0.42	180	R				88-1915 Hickory Creek Dr				NA		NA			10/24/2002
							88-1914 Timbermill Lane									
(1916) Woodland View Dr	0.08	140	R				88-1914 Timbermill Lane				NA		NA			10/24/2002
							88-1913									
(1916) Woodland View Dr	0.11	200	R				88-1913				NA		NA			10/12/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1916) Woodland View Dr	0.38	230	R				88-1913				NA			NA		10/24/2002
							88-1912 Cedar Crest Dr									
(1917)	0.51	1300	R				88-1916 Woodland View Dr				NA			NA		10/24/2002
							88-610 Old Plank Rd									
(1918)	0.17	190	R				88-1916 Woodland View Dr				NA			NA		10/24/2002
							88-1917									
(1919)	0.29	590	R				88-1925				NA			NA		10/24/2002
							88-1917									
(1920) Locklear Landing Dr	0.18	40	R				Cul-de-Sac				NA			NA		11/12/2005
							88-1923 Tree Haven Lane									
(1920) Locklear Landing Dr	0.13	170	R				88-1923 Tree Haven Lane				NA			NA		11/02/2005
							88-1921									
(1920) Locklear Landing Dr	0.35	330	R				88-1921				NA			NA		11/02/2005
							88-738 Partlow Rd									
(1921)	0.33	230	R				88-1920 Locklear Landing Dr				NA			NA		09/16/2002
							Cul-de-Sac									
(1922) Maxie Lee Court	0.18	40	R				Cul-de-Sac				NA			NA		11/12/2005
							88-1921									
(1923) Tree Haven Lane	0.20	60	R				Cul-de-Sac				NA			NA		11/02/2005
							88-1924 Ta River Dr									
(1923) Tree Haven Lane	0.17	120	R				88-1924 Ta River Dr				NA			NA		11/02/2005
							88-1920 Locklear Landing Dr									
(1924) Ta River Dr	0.22	60	R				Cul-de-Sac				NA			NA		11/02/2005
							88-1923 Tree Haven Lane									
(1925)	0.27	160	R				Cul-de-Sac				NA			NA		10/24/2002
							Cul-de-Sac									
(1926) Angell Ct	0.10	130	R				88-748				NA			NA		08/31/2005
							Cul-de-Sac									
(1927) Wickenden Court	0.12	160	R				Cul-de-Sac				NA			NA		08/31/2005
							88-1929 Elm St									
(1928) Cedar Ridge Lane	0.25	200	R				Cul-de-Sac				NA			NA		08/31/2005
							Cul-de-Sac									
(1929) Elm St	0.10	310	R				Dead End				NA			NA		11/04/2002
							88-748 Three Cedars Lane									
(1929) Elm St	0.05	350	R				88-748 Three Cedars Lane				NA			NA		08/31/2005
							88-1928 Cedar Ridge Lane									
(1930)	0.05	880	R				88-748				NA			NA		08/07/2002
							88-1931									
(1930)	0.07	590	R				88-1931				NA			NA		08/07/2002
							88-1935 Stone Meadow Dr									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1931)	0.41	290	R				From: Cul-de-Sac				NA			NA		08/07/2002
							To: 88-1930									
(1932) Windridge Dr	0.15	720	R				From: 88-748				NA			NA		09/06/2005
							To: 88-1933									
(1932) Windridge Dr	0.05	420	R				From: 88-1936 Southwick Court				NA			NA		09/06/2005
							To: Cul-de-Sac									
(1932) Windridge Dr	0.20	160	R				From: 88-1932 Windridge Dr				NA			NA		09/06/2005
							To: Cul-de-Sac									
(1933)	0.10	120	R				From: Cul-de-Sac				NA			NA		08/07/2002
							To: Cul-de-Sac									
(1934)	0.05	80	R				From: Cul-de-Sac				NA			NA		08/07/2002
							To: 88-1931									
(1935) Stone Meadow Dr	0.14	60	R				From: 88-1931				NA			NA		09/06/2005
							To: 88-1930									
(1935) Stone Meadow Dr	0.07	580	R				From: 88-1937 Erlwood Court				NA			NA		09/06/2005
							To: 88-1939: 88-1938									
(1935) Stone Meadow Dr	0.04	480	R				From: 88-1940 Peppermill Court				NA			NA		09/06/2005
							To: 88-1941									
(1935) Stone Meadow Dr	0.06	310	R				From: 88-1932 Windridge Dr				NA			NA		09/06/2005
							To: Cul-de-Sac									
(1935) Stone Meadow Dr	0.06	220	R				From: 88-1935 Stone Meadow Dr				NA			NA		09/06/2005
							To: 88-1941									
(1936) Southwick Court	0.18	150	R				From: 88-1932 Windridge Dr				NA			NA		09/06/2005
							To: Cul-de-Sac									
(1937) Erlwood Court	0.04	47	R				From: 88-1935 Stone Meadow Dr				NA			NA		08/31/2005
							To: Cul-de-Sac									
(1938) Wellford Court	0.05	90	R				From: Cul-de-Sac				NA			NA		08/31/2005
							To: 88-1935: 88-1939									
(1939) Wellford Court	0.08	70	R				From: 88-1935: 88-1938				NA			NA		08/31/2005
							To: Cul-de-Sac									
(1940) Peppermill Court	0.09	50	R				From: 88-1935 Stone Meadow Dr				NA			NA		08/31/2005
							To: Cul-de-Sac									
(1941)	0.15	120	R				From: Dead End				NA			NA		08/07/2002
							To: Dead End									
(1942) Big Ben Blvd	0.30	1500	R				From: 88-1945 Enchanted Court				NA			NA		09/08/2005
							To: SR 3 Plank Rd									
(1943) Governors Grant Lane	0.18	360	R				From: Dead End				NA			NA		09/08/2005
							To: 88-1942 Big Ben Blvd									
(1944) Tower of London Dr	0.15	130	R				From: 88-1946 Paddock Pl				NA			NA		09/08/2005
							To: 88-1942 Big Ben Blvd									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1945) Enchanted Court	0.07	70	R								NA			NA		09/08/2005
(1945) Enchanted Court	0.17	NA									NA			NA		
(1946) Paddock Pl	0.16	150	R								NA			NA		09/08/2005
(1947) Brandontown Court	0.06	80	R								NA			NA		09/08/2005
(1948)	0.25	NA									NA			NA		
(1949)	0.27	NA									NA			NA		
(1950)	0.96	940	R								NA			NA		07/31/2002
(1951)	0.06	80	R								NA			NA		07/31/2002
(1952)	0.07	270	R								NA			NA		07/31/2002
(1953)	0.16	190	R								NA			NA		07/31/2002
(1954)	0.06	80	R								NA			NA		07/31/2002
(1955)	0.19	120	R								NA			NA		07/31/2002
(1956)	0.88	260	R								NA			NA		07/31/2002
(1957)	0.27	90	R								NA			NA		07/31/2002
(1958)	0.16	90	R								NA			NA		07/31/2002
(1959) Arrow Head Ct	0.29	210	R								NA			NA		07/31/2002
(1960)	0.05	70	R								NA			NA		07/31/2002
(1961)	0.03	30	R								NA			NA		07/31/2002
(1962)	0.08	930	R								NA			NA		07/31/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1963) Mayflower Court	0.06	40	R				From: 88-627 Gordon Rd				NA			NA		11/07/2005
							To: Dead End									
(1964)	0.88	430	R				From: Cul-de-Sac				NA			NA		10/24/2002
							To: 88-627 Gordon Rd									
(1965)	0.25	110	R				From: 88-1964				NA			NA		10/24/2002
							To: Cul-de-Sac									
(1966)	0.46	140	R				From: Cul-de-Sac				NA			NA		10/24/2002
							To: 88-1964; 88-1967									
(1967)	0.08	70	R				From: 88-1964; 88-1966				NA			NA		10/24/2002
							To: Cul-de-Sac									
(1970)	0.44	540	R				From: 88-674 Chancellor Rd				NA			NA		09/19/2002
							To: 88-1974 N. Katie Dr									
(1971)	0.09	80	R				From: 88-1970				NA			NA		09/19/2002
							To: Dead End									
(1972)	0.10	90	R				From: 88-1970				NA			NA		09/19/2002
							To: 88-1974 N. Katie Dr									
(1973)	0.04	60	R				From: 88-1970				NA			NA		09/19/2002
							To: Cul-de-Sac									
(1974) N Katie Dr	0.29	100	R				From: 88-1971				NA			NA		09/08/2005
							To: 88-1970									
(1974) N. Katie Dr	0.14	140	R				From: 88-1970				NA			NA		09/08/2005
							To: Cul-de-Sac									
(1975)	0.23	350	R				From: 88-1974 N. Katie Dr				NA			NA		09/19/2002
							To: 88-1976 E. Pullen Dr									
(1976) Pullen Dr	0.26	80	R				From: 88-1975 WEST				NA			NA		09/19/2002
							To: 88-1975 EAST									
(1976)	0.52	910	R				From: 88-610; 88-1716				NA			NA		09/08/2005
							To: 88-1976									
(1977) Nicholas Dr	0.21	260	R				From: 88-1976				NA			NA		09/08/2005
							To: Dead End									
(1978) Danalu Court	0.06	140	R				From: Cul-de-Sac				NA			NA		09/08/2005
							To: 88-1977 Nicholas Dr									
(1979)	0.26	NA					From: 88-748				NA			NA		
							To: Dead End									
(1980)	0.23	290	R				From: 88-1223				NA			NA		09/25/2002
							To: Cul-de-Sac									
(1981)	0.10	100	R				From: 88-1980				NA			NA		09/25/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1982)	0.32	350	R				88-1223				NA			NA		09/25/2002
							Cul-de-Sac									
(1983)	0.05	60	R				88-1982				NA			NA		09/25/2002
							Cul-de-Sac									
(1984)	0.06	70	R				88-1982				NA			NA		09/25/2002
							Dead End									
(1985) Ceventry Creek Dr	0.15	710	R				Cul-de-Sac				NA			NA		10/19/2005
							88-635 Lee Hill School Dr									
(1986)	0.08	NA					88-1987				NA			NA		
							88-1545 Windway Dr									
(1987)	0.07	NA					Dead End				NA			NA		
							88-1986									
(1987)	0.04	NA					88-1986				NA			NA		
							Dead End									
(1988)	0.34	640	R				Dead End				NA			NA		11/13/2002
							88-1319									
(1989)	0.35	70	R				88-1988 SOUTH				NA			NA		11/13/2002
							88-1988 NORTH									
(1990)	0.05	70	R				Dead End				NA			NA		11/13/2002
							88-1989									
(1991)	0.05	80	R				88-1988; 88-1989 SOUTH				NA			NA		11/13/2002
							Dead End									
(1992)	0.07	90	R				88-1988				NA			NA		11/13/2002
							Dead End									
(1993)	0.11	30	R				88-1988				NA			NA		11/13/2002
							88-1994									
(1994)	0.15	170	R				Dead End				NA			NA		11/13/2002
							88-1319									
(1995)	0.15	240	R				Cul-de-Sac				NA			NA		09/25/2002
							88-636 Mine Rd									
(1996)	0.17	80	R				Cul-de-Sac				NA			NA		09/26/2002
							88-1995									
(1997)	0.15	130	R				88-1996				NA			NA		08/19/2002
							88-1995									
(1998)	0.07	NA					Dead End				NA			NA		
							88-723 Dovey Rd									
(2000) Farmstead Lane	0.29	330	R				Cul-de-Sac				NA			NA		08/19/2002
							88-627 Gordon Rd									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2000) Red Rose Village Dr	0.29	830	R				88-627 Gordon Rd				NA			NA		10/12/2005
							88-2072 Geranium St									
(2001)	0.09	100	R				88-2000 Farmstead Lane				NA			NA		08/19/2002
							Cul-de-Sac									
(2002)	0.05	40	R				Cul-de-Sac				NA			NA		08/19/2002
							88-2001									
(2003)	0.10	210	R				88-2000 Farmstead Lane				NA			NA		08/19/2002
							88-2004									
(2004)	0.43	1000	R				88-1147; 88-1279				NA			NA		08/19/2002
							88-627 Gordon Rd									
(2005)	0.06	110	R				88-2004				NA			NA		08/19/2002
							Cul-de-Sac									
(2006)	0.14	210	R				88-2004				NA			NA		08/19/2002
							Dead End									
(2007)	0.19	180	R				88-2004				NA			NA		08/19/2002
							88-2009									
(2008)	0.18	180	R				88-2004				NA			NA		08/19/2002
							88-2009									
(2009)	0.15	110	R				88-2008				NA			NA		08/19/2002
							88-2006									
(2010)	0.25	260	R				Dead End				NA			NA		08/19/2002
							88-2004									
(2013)	0.46	NA					88-639 Leavells Rd				NA			NA		
							Dead End									
(2014)	0.12	NA					88-2013				NA			NA		
							Dead End									
(2015)	0.12	NA					Dead End				NA			NA		
							88-2013									
(2016)	0.11	NA					Dead End				NA			NA		
							88-2013									
(2017)	0.34	460	R				Dead End				NA			NA		09/19/2002
							88-673 Piedmont Dr									
(2018)	0.05	70	R				Cul-de-Sac				NA			NA		09/19/2002
							88-2017									
(2019)	0.05	110	R				Cul-de-Sac				NA			NA		09/19/2002
							88-2017									
(2020)	0.30	550	R				Cul-de-Sac				NA			NA		09/19/2002
							88-673 Piedmont Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
2021	0.79	290	R								NA		NA			09/19/2002
2022	0.08	190	R								NA		NA			09/19/2002
2023	0.20	230	R								NA		NA			09/19/2002
2024	0.20	NA									NA		NA			
2025	0.24	NA									NA		NA			
2028	0.17	170	R								NA		NA			1999
2028	0.03	270	R								NA		NA			1999
2029	0.05	80	R								NA		NA			1999
2030	0.19	2800	R								NA		NA			09/19/2002
2031	0.46	490	R								NA		NA			09/19/2002
2031	0.17	540	R								NA		NA			09/19/2002
2032	0.13	190	R								NA		NA			09/19/2002
2033	0.24	30	R								NA		NA			09/19/2002
2034	0.26	340	R								NA		NA			09/19/2002
2035	0.19	60	R								NA		NA			09/19/2002
2036	0.18	200	R								NA		NA			09/19/2002
2037	0.15	60	R								NA		NA			09/19/2002
2038	0.16	NA									NA		NA			
2039	0.44	NA									NA		NA			

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2040) Lakeland Way	0.05	30	R											NA	NA	10/05/2005
(2040) Lakeland Way	0.08	60	R											NA	NA	10/05/2005
(2040) Lakeland Way	0.19	200	R											NA	NA	10/05/2005
(2040) Lakeland Way	0.24	700	R											NA	NA	07/31/2002
(2041)	0.18	640	R											NA	NA	07/31/2002
(2042)	0.10	150	R											NA	NA	08/19/2002
(2043)	0.11	110	R											NA	NA	07/31/2002
(2043)	0.09	240	R											NA	NA	07/31/2002
(2043)	0.25	240	R											NA	NA	07/31/2002
(2044)	0.16	80	R											NA	NA	07/31/2002
(2045)	0.16	150	R											NA	NA	07/31/2002
(2046) Hillsborough Lane	0.09	80	R											NA	NA	10/05/2005
(2047)	0.22	NA												NA	NA	
(2050)	0.07	160	R											NA	NA	09/12/2002
(2051) Amherst Ct	0.05	70	R											NA	NA	09/12/2002
(2052)	0.05	90	R											NA	NA	09/12/2002
(2053) Amelia Dr	0.22	680	R											NA	NA	09/12/2002
(2053) Amelia Dr	0.22	330	R											NA	NA	09/12/2002
(2053) Amelia Dr	0.10	680	R											NA	NA	09/12/2002
(2054)	0.07	90	R											NA	NA	09/12/2002

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2055)	0.11	140	R								NA		NA			09/12/2002
(2056) Augusta Ct	0.17	170	R								NA		NA			09/12/2002
(2057) Bristol Court	0.04	40	R								NA		NA			08/18/2005
(2058) Norfolk Way	0.04	760	R								NA		NA			08/18/2005
(2058) Norfolk Way	0.05	860	R								NA		NA			08/18/2005
(2059) Chris Shan Court	0.04	46	R								NA		NA			08/18/2005
(2060) N. Hampton Lane	0.24	210	R								NA		NA			08/18/2005
(2060) N. Hampton Lane	0.11	590	R								NA		NA			08/18/2005
(2060) N. Hampton Lane	0.05	40	R								NA		NA			08/18/2005
(2061) Gloucester Lane	0.12	130	R								NA		NA			08/18/2005
(2061) Gloucester Lane	0.05	230	R								NA		NA			08/18/2005
(2062) Bath Court	0.05	100	R								NA		NA			08/18/2005
(2065) Mystic Point Dr	0.60	190	R								NA		NA			09/29/2005
(2066)	0.11	NA									NA		NA			
(2067)	0.06	NA									NA		NA			
(2070) Apple Blossom Ct	0.05	50	R								NA		NA			10/12/2005
(2071) Violet Dr	0.30	320	R								NA		NA			10/12/2005
(2072) Geranium St	0.20	100	R								NA		NA			10/12/2005
(2073) Carnation St	0.04	60	R								NA		NA			10/12/2005
(2074) Orchard Lane	0.17	330	R								NA		NA			10/12/2005

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2075) Gardeia Dr	0.44	870	R			From: 88-2074 Orchard Lane					NA			NA		10/12/2005
						To: 88-610 Old Plank Rd										
(2076) Daisy Lane	0.10	190	R			From: 88-2077 Hyacinth Court					NA			NA		10/12/2005
						To: 88-2075 Gardeia Dr										
(2077) Hyacinth Court	0.06	70	R			From: Cul-de-Sac					NA			NA		10/12/2005
						To: 88-2076 Daisy Lane										
(2077) Hyacinth Court	0.03	20	R			From: Dead End					NA			NA		10/12/2005
						To: 88-2075 Gardeia Dr										
(2078) Lilly Lane	0.04	70	R			From: Cul-de-Sac					NA			NA		10/12/2005
						To: 88-2075 Gardeia Dr										
(2079) Buttercup Lane	0.14	100	R			From: Cul-de-Sac					NA			NA		10/12/2005
						To: 88-612 Catharpin Rd										
(2085) Sawhill Blvd	0.51	1500	R			From: 88-2090 Broadmore Lane					NA			NA		10/03/2005
						To: 88-2085 S, Sawhill Blvd										
(2086) Duck Circle	0.34	80	R			From: 88-2085 N, Sawhill Blvd					NA			NA		10/03/2005
						To: Cul-de-Sac										
(2087) Hildy Court	0.20	110	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2085 Sawhill Blvd										
(2088) Palmer Court	0.18	150	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2088 Palmer Court										
(2089) McGee Court	0.08	60	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: Cul-de-Sac										
(2090) Broadmore Lane	0.37	320	R			From: 88-2091 Powder Mill Court					NA			NA		10/03/2005
						To: Cul-de-Sac										
(2091) Powder Mill Court	0.17	100	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-1091 Lancaster Ring Rd										
(2100) Brighten Court	0.13	80	R			From: Cul-de-Sac					NA			NA		10/26/2005
						To: 88-1091 Lancaster Ring Rd										
(2101) Cornwall Court	0.12	90	R			From: 88-1091 Lancaster Ring Rd					NA			NA		10/26/2005
						To: Dead End										
(2102) Wexam Court	0.13	180	R			From: Dead End					NA			NA		10/26/2005
						To: Dead End										
(2103) Caven Court S.	0.17	90	R			From: Dead End					NA			NA		10/26/2005
						To: Dead End										
(2104)	0.04	NA				From: Dead End					NA			NA		
						To: 88-2126										
(2105)	0.61	NA				From: Bus US 17					NA			NA		
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2106)	0.10	NA					From: 88-2105					NA		NA		
							To: Cul-de-Sac									
(2107)	0.41	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2105									
(2108)	0.09	NA					From: 88-2105					NA		NA		
							To: 88-2107									
(2109)	0.28	NA					From: 88-2107					NA		NA		
							To: 88-2105									
(2110)	0.04	NA					From: 88-2126					NA		NA		
							To: Dead End									
(2111)	0.09	NA					From: 88-2137					NA		NA		
							To: 88-2122									
(2112)	0.03	NA					From: 88-2137					NA		NA		
							To: Dead End									
(2113)	0.06	NA					From: Dead End					NA		NA		
							To: 88-2137									
(2114)	0.25	NA					From: 88-2137					NA		NA		
							To: Dead End									
(2115)	0.05	NA					From: 88-2119					NA		NA		
							To: Dead End									
(2116)	0.14	NA					From: Dead End					NA		NA		
							To: Dead End									
(2117)	0.05	NA					From: 88-2126 Hot Springs Lane					NA		NA		
							To: Dead End									
(2118)	0.27	NA					From: 88-2126					NA		NA		
							To: 88-2126									
(2118)	0.05	NA					From: 88-2126 Hot Springs Lane					NA		NA		
							To: Dead End									
(2119)	0.24	NA					From: Dead End					NA		NA		
							To: Dead End									
(2120)	Salem Fields Blvd	0.42	3100	R			From: 88-627 Gordon Rd					NA		NA		09/12/2005
							To: 88-2121 Rappahannock Dr									
(2121)	Rappahannock Dr	1.05	1900	R			From: 88-628 Smith Station Rd					NA		NA		09/12/2005
							To: 88-2126									
(2121)		0.42	NA				From: 88-2126					NA		NA		
							To: 88-627									
(2122)	Spring Meadow Blvd	0.17	560	R			From: 88-2135 North Lamont Court					NA		NA		09/12/2005
							To: 88-2125 Maple Court									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2122) Spring Meadow Blvd	0.28	1300	R				From: 88-2125 Maple Court					NA		NA		09/12/2005
							To: 88-2121 Rappahannock Dr									
(2123) Adios Ct	0.10	370	R				From: 88-2122 Spring Meadow Blvd					NA		NA		09/12/2005
							To: Dead End									
(2124) Palladium Way	0.18	210	R				From: 88-2125 Maple Court					NA		NA		09/12/2005
							To: 88-2123 Adios Ct									
(2125) Maple Court	0.17	200	R				From: 88-2122 Spring Meadow Blvd					NA		NA		09/12/2005
							To: Cul-de-Sac									
(2126) Hot Springs Lane	0.19	1600	R				From: 88-2121 Rappahannock Dr					NA		NA		09/12/2005
							To: 88-2130 North Dewey Court									
(2126) Hot Springs Lane	1.05	1100	R				From: 88-2104					NA		NA		09/12/2005
							To: 88-2121									
(2126) Hot Springs Lane	0.54	NA					From: 88-2126 Hot Springs Lane					NA		NA		
							To: Dead End									
(2127) Sandusky Court	0.09	60	R				From: 88-2126 Hot Springs Lane					NA		NA		09/12/2005
							To: Dead End									
(2128) Rose Hill Court	0.09	60	R				From: 88-2126 Hot Springs Lane					NA		NA		09/12/2005
							To: Dead End									
(2129) Plume Court	0.12	70	R				From: 88-2124 Palladium Way					NA		NA		09/12/2005
							To: Cul-de-Sac									
(2130) North Dewey Court	0.08	50	R				From: 88-2131 South Dewey Court					NA		NA		09/12/2005
							To: Dead End									
(2131) South Dewey Court	0.14	220	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2132) Englewood Court	0.17	70	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2133) Jarvis Court	0.14	90	R				From: Dead End					NA		NA		09/12/2005
							To: 88-2122 Spring Meadow Blvd									
(2134) Polaris Court	0.11	40	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2135) North Lamont Court	0.20	200	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2136) Omega Court	0.07	48	R				From: Dead End					NA		NA		09/12/2005
							To: 88-2135 North Lamont Court									
(2137) Castleton Dr	0.11	930	R				From: 88-2121 Rappahannock Dr					NA		NA		09/12/2005
							To: 88-2138 Yorktown Lane									
(2137)	0.29	NA					From: 88-2138					NA		NA		
							To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2138) Yorktown Lane	0.11	310	R								NA			NA		09/12/2005
(2139) Winthrop Court	0.20	130	R								NA			NA		09/12/2005
(2140)	0.11	NA									NA			NA		
(2140)	0.24	NA									NA			NA		
(2141)	0.20	NA									NA			NA		
(2142)	0.15	NA									NA			NA		
(2143)	0.48	NA									NA			NA		
(2143)	0.20	NA									NA			NA		
(2144)	0.04	NA									NA			NA		
(2145)	0.07	NA									NA			NA		
(2146)	0.30	NA									NA			NA		
(2147)	0.11	NA									NA			NA		
(2148)	0.19	NA									NA			NA		
(2149)	0.11	NA									NA			NA		
(2150) Greely Court	0.05	45	R								NA			NA		10/19/2005
(2155) Hickory Hill Dr	0.86	1300	R								NA			NA		08/11/2005
(2156) Forester Ct	0.12	40	R								NA			NA		08/11/2005
(2157) Cameo St	0.20	130	R								NA			NA		08/11/2005
(2158) North Andover Lane	0.46	90	R								NA			NA		08/11/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2159) Townsley St	0.23	80	R			From: 88-2158 North Andover Lane					NA			NA		08/11/2005
						To: Cul-de-Sac										
(2160) Dabney Court	0.21	90	R			From: 88-2158 North Andover Lane					NA			NA		08/11/2005
						To: Cul-de-Sac										
(2161) Bracken Court	0.06	50	R			From: Cul-de-Sac					NA			NA		08/11/2005
						To: 88-2159 Townsley St										
(2168)	0.35	NA				From: US 17 Bus					NA			NA		
						To: Dead End										
(2169)	0.04	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2168										
(2170)	0.69	NA				From: Cul-de-Sac					NA			NA		
						To: 88-719 Days Bridge Rd										
(2171)	0.25	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2170										
(2172)	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2171										
(2180)	0.36	NA				From: Cul-de-Sac					NA			NA		
						To: 88-609 Jim Morris Rd										
(2181)	0.40	NA				From: 88-2187					NA			NA		
						To: 88-2180										
(2182)	0.17	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2181										
(2182)	0.27	NA				From: 88-2181					NA			NA		
						To: 88-2187										
(2183)	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2181										
(2184)	0.20	NA				From: Cul-de-Sac					NA			NA		
						To: Dead End										
(2184)	0.06	NA				From: Dead End					NA			NA		
						To: 88-2183										
(2185)	0.31	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2186										
(2186)	0.28	NA				From: 88-2187					NA			NA		
						To: 88-2181										
(2187)	0.23	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2185										
(2188)	0.18	NA				From: 88-2184					NA			NA		
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2189)	0.20	NA					From: 88-2190					NA		NA		
							To: Cul-de-Sac									
(2190)	0.57	NA					From: US 17 Mills Dr					NA		NA		
							To: Cul-de-Sac									
(2191)	0.52	NA					From: 88-2190					NA		NA		
							To: 88-2190									
(2191)	0.15	NA					From: 88-2190					NA		NA		
							To: Cul-de-Sac									
(2192)	0.23	NA					From: 88-2190					NA		NA		
							To: 88-2191									
(2193)	0.16	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2191									
(2194)	0.06	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2193									
(2195)	0.10	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2191									
(2196) King Eider Court	0.58	330					From: Dead End					NA		NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2197) Chester Court	0.29	130					From: Dead End					NA		NA		09/29/2005
							To: 88-2196 King Eider Court									
(2198) Gannett Lane	0.56	160					From: Dead End					NA		NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2199) Ashy Petral Way	0.09	50					From: Dead End					NA		NA		09/29/2005
							To: 88-2198 Gannett Lane									
(2210) HCC Dr	0.08	1000					From: US 17 Bus					NA		NA		10/19/2005
							To: 88-2211 Hamilton Crossing Rd									
(2211) Hamilton Crossing Rd	0.57	990					From: 88-2210 HCC Dr					NA		NA		10/19/2005
							To: 88-2213									
(2212) Allie Dr	0.38	490					From: Dead End					NA		NA		10/19/2005
							To: Dead End									
(2213)	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: Cul-de-Sac									
(2220) Dogwood Tree Lane	0.60	240					From: Dead End					NA		NA		09/26/2005
							To: 88-719 Days Bridge Rd									
(2221) Hickory Tree Lane	0.43	120					From: Dead End					NA		NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									
(2222) Sycamore Tree Dr	0.18	20					From: 88-2221 Hickory Tree Lane					NA		NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2223) Chestnut Tree Ct	0.18	90	R				From: 88-2220 Dogwood Tree Lane					NA		NA		09/26/2005
							To: Dead End									
(2224) Cedar Tree Ct	0.10	45	R				From: Dead End					NA		NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									
(2225) Loblolly Lane	0.09	30	R				From: Dead End					NA		NA		09/26/2005
							To: 88-2221 Hickory Tree Lane									
(2226) Wynd St	0.07	30	R				From: 88-2220 Dogwood Tree Lane					NA		NA		09/21/2005
							To: Dead End									
(2227)	0.12	NA					From: 88-1028					NA		NA		
							To: 88-1028									
(2228)	0.07	NA					From: Dead End					NA		NA		
							To: 88-1028									
(2229)	0.04	NA					From: Dead End					NA		NA		
							To: 88-1028									
(2237)	0.26	NA					From: Dead End					NA		NA		
							To: 88-2239									
(2237)	0.25	NA					From: 88-2239					NA		NA		
							To: 88-636 Mine Rd									
(2238)	0.50	NA					From: 88-2239					NA		NA		
							To: 88-2237									
(2239)	0.26	NA					From: 88-2237					NA		NA		
							To: Dead End									
(2240)	0.30	NA					From: Dead End					NA		NA		
							To: 88-2237									
(2241)	0.05	NA					From: 88-2240					NA		NA		
							To: Dead End									
(2242)	0.07	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2238									
(2243)	0.25	NA					From: Dead End					NA		NA		
							To: 88-2238									
(2247)	0.47	NA					From: 88-2248					NA		NA		
							To: SR 208 Courthouse Rd									
(2248)	0.87	NA					From: Dead End					NA		NA		
							To: Shadow of:740634									
(2249)	0.06	NA					From: Dead End					NA		NA		
							To: 88-2248									
(2250)	0.37	NA					From: 88-2254					NA		NA		
							To: SPOTSYLVANIA PKWY									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2251)	0.32	NA														
(2252)	0.10	NA														
(2252)	0.41	NA														
(2253)	0.10	NA														
(2254)	0.12	NA														
(2255)	0.34	NA														
(2256)	0.24	NA														
(2257)	0.10	NA														
(2259)	0.19	NA														
(2260)	0.19	NA														
(7000) State Park Lane	2.99	80	R													10/07/2002
(9393) Spotswood Elementary	0.13	400	R													10/31/2005
(9398)	0.26	380	R													11/13/2002
(9490)	0.12	150	R													11/13/2002
(9491)	0.15	250	R													11/13/2002
(9803)	0.07	110	R													11/13/2002
(9804)	0.05	170	R													11/07/2002
(9805)	0.10	120	R													11/13/2002
City of Fredericksburg																
(111) Cowan Blvd	0.61	15000	G	99%	0%	0%	0%	0%	0%	C	0.100	F	0.639	17000	G	2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
3950 111 Twin Lake Dr	0.46	3500	G	99%	0%	0%	0%	0%	0%	C	0.103	F	0.558	3800	G	2006
3952 111 Lansdowne Road	0.47	9200	G	93%	1%	1%	1%	3%	0%	C	0.093	F	0.508	10000	G	2006
3953 111 Stafford Avenue	0.50	2000	G								NA			2100	G	2006
3954 111 Howison St	0.09	650	G	93%	2%	2%	2%	1%	0%	F	0.106	F	0.57	710	G	2006
3954 111 Howison Avenue	0.16	1600	G	93%	2%	2%	2%	1%	0%	C	0.095	F	0.614	1800	G	2006
3955 111 College Ave	0.67	8200	G	99%	0%	0%	0%	0%	0%	C	0.086	F	0.586	9000	G	2006
3958 111 High St	0.04	730	G	96%	1%	2%	0%	0%	0%	F	0.13	F	0.916	790	G	2006
3958 111 Hanover St	0.60	2300	G	96%	1%	2%	0%	0%	0%	C	0.095	F	0.610	2500	G	2006
3958 111 Hanover St	0.49	1100	G	96%	1%	2%	0%	0%	0%	F	0.114	F	0.934	1200	G	2006
3958 111 Hanover St	0.12	770	G	98%	1%	1%	0%	0%	0%	F	0.137	F		840	G	2006
3959 111 Littlepage St	0.44	1400	G	98%	1%	1%	0%	0%	0%	C	0.09	F	0.536	1500	G	2006
3961 111 Kenmore Ave	0.49	5100	G	97%	1%	2%	0%	0%	0%	C	0.095	F	0.724	5600	G	2006
3961 111 Kenmore Ave	0.40	1300	G	98%	1%	1%	0%	0%	0%	C	0.104	F	0.549	1400	G	2006
3961 111 Mary Ball St	0.10	1700	G	98%	1%	1%	0%	0%	0%	F	0.091	F	0.562	1800	G	2006
3963 111 Washington Ave	0.43	2400	G	98%	1%	1%	0%	0%	0%	C	0.11	F	0.761	2600	G	2006
3963 111 Washington Ave	0.44	2300	G	98%	1%	1%	0%	0%	0%	F	0.109	F		2600	G	2006
3965 111 Prince Edward St	0.35	2900	G	99%	1%	1%	0%	0%	0%	F	0.089	F	0.750	3200	G	2006
3965 111 Prince Edward St	0.44	2400	G	99%	1%	1%	0%	0%	0%	C	0.092	F	0.786	2600	G	2006
3965 111 Fall Hill Avenue	0.10	2400	G	99%	1%	1%	0%	0%	0%	F	0.091	F	0.879	2600	G	2006
3965 111 Fall Hill Avenue	0.39	3400	G	99%	1%	1%	0%	0%	0%	F	0.111	F		3700	G	2006
3965 111 Fall Hill Avenue	0.15	9400	G	99%	1%	1%	0%	0%	0%	F	0.083	F	0.569	10000	G	2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
(3965/111) Fall Hill Avenue	1.59	16000	G	99%	0%	From: Jefferson Davis Highway To: I-95				C	0.094	F	0.66	17000	G	2006
(3965/111) Fall Hill Avenue	0.95	17000	G	99%	0%	From: I-95 To: WCL Fredericksburg				C	0.088	F	0.676	18000	G	2006
(3967/111) Charles Street	0.24	6700	G	97%	1%	From: Bus 17 Dixon St To: Bus US 1 Lafayette Blvd				F	0.089	F	0.597	7300	G	2006
(3973/111) Sophia St	0.37	4400	G	98%	0%	From: Lafayette Blvd To: Bus SR 3 William St				C	0.089	F	0.631	4800	G	2006
(3975/111) Maury Street	0.14	1900	G	98%	1%	From: Washington St To: Fall Hill Avenue				C	0.1	F		2100	G	2006
(3976/111) Westwood Dr	0.20	1900	G	98%	1%	From: Plank Rd To: Woodland Dr				F	NA			2100	G	2006
(3976/111) Woodland Rd	0.04	1300	G	98%	1%	From: Westwood Dr To: Falling Creek Rd				F	0.09	F	0.649	1500	G	2006
(3976/111) Keenland Road	0.36	1200	G	98%	1%	From: Falling Creek Rd To: Cowan Boulevard				C	0.104	F	0.654	1300	G	2006
(3976/111) Powhatan Street	0.24	2100	G	99%	1%	From: Cowan Blvd To: Jefferson Davis Hwy				C	0.113	F	0.885	2300	G	2006
Jackson Street		1500	G			From: Charlotte Street To: Wolfe Street					0.111	F	0.634	1500	G	2006
Sophia St		2100	G			From: Fauquier St To: Lewis St					0.097	F	0.948	2100	G	2006
Summit Street		100	G			From: Railroad Avenue To: White Street					0.170	F	0.594	100	G	2006
Twin Lakes Drive		3700	G			From: Goodloe Drive To: Lafayette Blvd					0.109	F	0.533	3700	G	2006
Woodland Drive		1300	G			From: Westwood Dr To: Falling Creek					0.104	F		1300	G	2006